VOLUME 85 • AUTHOR INDEX

Abdolrahimzadeh S *see* Mannino G *et al*
Abu El-Asrar AM *et al*. Expression of chemokine receptors in vernal keratoconjunctivitis, **1357**
Acheson J. Are ophthalmologists overtrained?: *commentary*, **383**
Acheson JF *et al*. Elevated visual motion detection thresholds in adults with acquired ophthalmoplegia, **1447**
Acheson RW *see* Kilmartin DJ *et al*
Acquart S *see* Gain P *et al*
Adams GGW *see* Dorey SE *et al*
see Sherafat H *et al*
Adds PJ *et al*. Amniotic membrane grafts, "fresh" or frozen? A clinical and in vitro comparison, **905**
Bacterial contamination of amniotic membrane, **228**
Adolfo S *see* Paolo P *et al*
Affeldt JC *see* Zamir E *et al*
Ahmed H *et al*. Xeroderma pigmentosum in three consecutive siblings of a Nigerian family: observations on oculocutaneous manifestations in black African children: *letter*, **110**
Aisenbrey S *see* Lafaut BA *et al*
see Lüke C *et al*
Akhtar S *et al*. Ultrastructural morphology and expression of proteoglycans, βig-h3, tenascin-C, fibrillin-1, and fibronectin in bullous keratopathy, **720**
Akyol Ö *see* Totan Y *et al*
Albarrán F *see* Gorroño-Echebarría MB *et al*
Alcorn D *see* Shaikh S *et al*
Alexander DA *et al*. Psychiatric sequelae and psychosocial adjustment following ocular trauma: a retrospective pilot study, **560**
Alhalel A *see* Desatnik H *et al*
Ali H *see* Casson R *et al*
Ali RR *see* Reichel MB *et al*
Al-Juma AR *see* Lithander J *et al*
Allaire C *see* Demailly P *et al*
Allardyce RA *see* Michalova K *et al*
Al-Lawatia YM *see* Lithander J *et al*
Allen D *see* Seward H *et al*
Allgrove J *see* Wilson G *et al*
Allikmets R *see* Sauer CG *et al*
Allingham RR *et al*. Pseudoexfoliation syndrome in Icelandic families, **702**
Alm A *see* Lindén C and Alm A
Alm A. Should antiproliferatives be used in filtering surgery of normal tension glaucoma?: *editorial*, **638**
Al-Mosallam AA *see* Abu El-Asrar AM *et al*
Alsagoff Z *see* Chan CML *et al*
Altmeyer P *see* Heinz C *et al*
Alvarez-Mon M *see* Gorroño-Echebarría MB *et al*
Alvez I *see* Krygier G *et al*
Amano S *see* Oshika T *et al*
Amano S *et al*. Advanced glycation end products in human optic nerve head, **52**
Amari F *et al*. Predicting visual outcome after macular hole surgery using scanning laser ophthalmoscope microperimetry, **96**
Amaya L *see* Taylor D *et al*
Amos JF *see* Hosking SL *et al*
Anderson DF *see* Ellies P *et al*
Anderson DF *et al*. Amniotic membrane transplantation for partial limbal stem cell deficiency, **567**
Andreou P *et al*. Spontaneous orbital haemorrhage following cardiac angioplasty: *letter*, **1012**
Andréasson S *see* Larsson J and Andréasson S
Ang A *see* Tong L *et al*
Ang A *et al*. Analysis of publication trends in two internationally renowned ophthalmology journals: *letter*, **1497**
Anger C *see* Kilvington S and Anger C
Anwar W *see* Arab GEA *et al*
Archer D *see* McLoone E *et al*
Arden GB. The absence of diabetic retinopathy in patients with retinitis pigmentosa: implications for pathophysiology and possible treatment: *perspective*, **366**
Arend O *see* Remky A *et al*
Armbrecht AM *see* Morgan-Davies J *et al*
Armitage WJ *et al*. Corneal transplantation: how successful are we?: *letter*, **122**
Arnaud B *see* Hamel CP *et al*
Asahiro C *see* Kageyama T *et al*
Ashikari M *see* Matsubara A *et al*
Asmuth J *et al*. Mosaicking and enhancement of slit lamp biomicroscopic fundus images, **563**
Aspinall P *see* Morgan-Davies J *et al*
Asselain B *see* Lumbroso L *et al*
Assi A *see* Boboridis K *et al*
Assi AC *et al*. Practice patterns of pneumatic retinopexy in the United Kingdom: *letter*, **244**
Assi A *et al*. Combined phacoemulsification and transpupillary drainage of silicone oil: results and complications, **942**
Assimakopoulou M *see* Pharmakakis N and Assimakopoulou M
Astbury N. Alternative eye care: *commentary*, **767**
Atta HR *see* Srinivasan S *et al*
Aubert G *see* Gain P *et al*
Auh S-J *see* Choi MY *et al*
Auw-Haedrich C *et al*. Isolated episcleral plasmacytoma mimicking episcleritis in a patient with benign monoclonal gammopathy: *letter*, **1264**
Long term outcome of ocular adnexal lymphoma subtyped according to the REAL classification, **63**
Signet ring cell carcinoma of the eccrine sweat gland in the eyelid, treated by radiotherapy alone: *letter*, **112**
Ayaki M *see* Kageyama T *et al*
Aylward GW *see* Kychenthal A *et al*
Ayoub OM *see* Kenawy NB and Ayoub OM
Azuara-Blanco A *see* Zhang WY *et al*

Backhouse OC *et al*. Familial thrombophilia and normal tension glaucoma: *letter*, **118**
Badenoch PR *et al*. *Pythium insidiosum* keratitis confirmed by DNA sequence analysis: *letter*, **502**
Baek TM *et al*. Corneal irregular astigmatism after laser in situ keratomileusis for myopia, **534**
Bainbridge J *see* Reichel MB *et al*
Bajracharya H *see* Upadhyay MP *et al*
Baker D *see* Reichel MB *et al*
Balakrishnan V *see* Seet B *et al*
Baldeschi L *see* Hintschich C *et al*
Bamashmus MA *see* Ziakas NG *et al*
Banin E *see* Chowers I *et al*
Barabino S *see* Saccà S *et al*
Baráková D *see* Kocur I *et al*
Barker MD *see* Clarke M *et al*
Barnett MF *see* Watson PG *et al*
Barras CW *see* MacEwen CJ *et al*
Barron A *see* Manners T *et al*
Barry J-C, König H-H. Non-cycloplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children, **1179**
Bartels MC *et al*. Influence of HLA-A, HLA-B, and HLA-DR matching on rejection of random corneal grafts using corneal tissue for retrospective DNA HLA typing, **1341**
Bartlett JD *see* Hosking SL *et al*
Bartz-Schmidt KU *see* Lafaut BA *et al*
see Lüke C *et al*
Batterbury M *see* Kaye S *et al*
Baum L *see* Chan WM *et al*
Bazalgette C *see* Hamel CP *et al*
Beach M *see* Kaye S *et al*
Beare N. Anterior uveitis and its relation to stress: *letter*, **376**
Bearse Jr MA *see* Shimada Y *et al*
Beatrice P *see* Paolo P *et al*
Bechmann M *see* Kristin N *et al*
Bedford H *see* Rahi JS *et al*
Bednarz J *et al*. Effect of three different media on serum free culture of donor corneas and isolated human corneal endothelial cells, **1416**
Beekhuis H *see* Paridaens D *et al*
Beekhuis WH *see* Gan IM *et al*
Beigi B *see* Watkins R *et al*
Beintema MR *et al*. Yellow dye laser thermotherapy of choroidal neovascularisation in age related macular degeneration, **708**
Beiran I *see* Seider N *et al*
Bengisu M *see* Kristin N *et al*
Berger JW *see* Asmuth J *et al*
Bergmann L *see* Pleyer U *et al*
Bergmanson JPG *see* Walsh JE *et al*
Bernauer W *see* Meier FM *et al*
Bernstein PS *see* Sauer CG *et al*
Best R *see* McLoone E *et al*
Bevin TH *see* Vote BJT *et al*
Bhan A *see* Ang A *et al*
see Tong L *et al*
Bharath AA *see* Chapman N *et al*
Bhattacharya SS *see* Reichel MB *et al*
Bhende P *see* Kwok AKH *et al*
Bhisitkul RB. Anticipation for enzymatic vitreolysis: *editorial*, **1**
BJO Online: has the future just happened?: *editorial*, **1272**
Bian Z-M *see* Yoshida A *et al*
Billson FA *see* Conway RM *et al*
Binder S *see* Falkner CI *et al*
Birchall W, Kumar V. A comparative study of proxymetacaine-fluorescein and lignocaine-fluorescein use during applanation tonometry, **477**

VOLUME 85 • AUTHOR INDEX

Abdolrahimzadeh S *see* Mannino G *et al*
Abu El-Asrar AM *et al*. Expression of chemokine receptors in vernal keratoconjunctivitis, **1357**
Acheson J. Are ophthalmologists overtrained?: *commentary*, **383**
Acheson JF *et al*. Elevated visual motion detection thresholds in adults with acquired ophthalmoplegia, **1447**
Acheson RW *see* Kilmartin DJ *et al*
Acquart S *see* Gain P *et al*
Adams GGW *see* Dorey SE *et al*
see Sherafat H *et al*
Adds PJ *et al*. Amniotic membrane grafts, "fresh" or frozen? A clinical and in vitro comparison, **905**
Bacterial contamination of amniotic membrane, **228**
Adolfo S *see* Paolo P *et al*
Affeldt JC *see* Zamir E *et al*
Ahmed H *et al*. Xeroderma pigmentosum in three consecutive siblings of a Nigerian family: observations on oculocutaneous manifestations in black African children: *letter*, **110**
Aisenbrey S *see* Lafaut BA *et al*
see Lüke C *et al*
Akhtar S *et al*. Ultrastructural morphology and expression of proteoglycans, βig-h3, tenascin-C, fibrillin-1, and fibronectin in bullous keratopathy, **720**
Akyol Ö *see* Totan Y *et al*
Albarrán F *see* Gorroño-Echebarría MB *et al*
Alcorn D *see* Shaikh S *et al*
Alexander DA *et al*. Psychiatric sequelae and psychosocial adjustment following ocular trauma: a retrospective pilot study, **560**
Alhalel A *see* Desatnik H *et al*
Ali H *see* Casson R *et al*
Ali RR *see* Reichel MB *et al*
Al-Juma AR *see* Lithander J *et al*
Allaire C *see* Demailly P *et al*
Allardyce RA *see* Michalova K *et al*
Al-Lawatia YM *see* Lithander J *et al*
Allen D *see* Seward H *et al*
Allgrove J *see* Wilson G *et al*
Allikmets R *see* Sauer CG *et al*
Allingham RR *et al*. Pseudoexfoliation syndrome in Icelandic families, **702**
Alm A *see* Lindén C and Alm A
Alm A. Should antiproliferatives be used in filtering surgery of normal tension glaucoma?: *editorial*, **638**
Al-Mosallam AA *see* Abu El-Asrar AM *et al*
Alsagoff Z *see* Chan CML *et al*
Altmeyer P *see* Heinz C *et al*
Alvarez-Mon M *see* Gorroño-Echebarría MB *et al*
Alvez I *see* Krygier G *et al*
Amano S *see* Oshika T *et al*
Amano S *et al*. Advanced glycation end products in human optic nerve head, **52**
Amari F *et al*. Predicting visual outcome after macular hole surgery using scanning laser ophthalmoscope microperimetry, **96**
Amaya L *see* Taylor D *et al*
Amos JF *see* Hosking SL *et al*
Anderson DF *see* Ellies P *et al*
Anderson DF *et al*. Amniotic membrane transplantation for partial limbal stem cell deficiency, **567**
Andreou P *et al*. Spontaneous orbital haemorrhage following cardiac angioplasty: *letter*, **1012**
Andréasson S *see* Larsson J and Andréasson S
Ang A *see* Tong L *et al*
Ang A *et al*. Analysis of publication trends in two internationally renowned ophthalmology journals: *letter*, **1497**
Anger C *see* Kilvington S and Anger C
Anwar W *see* Arab GEA *et al*
Archer D *see* McLoone E *et al*
Arden GB. The absence of diabetic retinopathy in patients with retinitis pigmentosa: implications for pathophysiology and possible treatment: *perspective*, **366**
Arend O *see* Remky A *et al*
Armbrecht AM *see* Morgan-Davies J *et al*
Armitage WJ *et al*. Corneal transplantation: how successful are we?: *letter*, **122**
Arnaud B *see* Hamel CP *et al*
Asahiro C *see* Kageyama T *et al*
Ashikari M *see* Matsubara A *et al*
Asmuth J *et al*. Mosaicking and enhancement of slit lamp biomicroscopic fundus images, **563**
Aspinall P *see* Morgan-Davies J *et al*
Asselain B *see* Lumbroso L *et al*
Assi A *see* Boboridis K *et al*
Assi AC *et al*. Practice patterns of pneumatic retinopexy in the United Kingdom: *letter*, **244**
Assi A *et al*. Combined phacoemulsification and transpupillary drainage of silicone oil: results and complications, **942**
Assimakopoulou M *see* Pharmakakis N and Assimakopoulou M
Astbury N. Alternative eye care: *commentary*, **767**
Atta HR *see* Srinivasan S *et al*
Aubert G *see* Gain P *et al*
Auh S-J *see* Choi MY *et al*
Auw-Haedrich C *et al*. Isolated episcleral plasmacytoma mimicking episcleritis in a patient with benign monoclonal gammopathy: *letter*, **1264**
Long term outcome of ocular adnexal lymphoma subtyped according to the REAL classification, **63**
Signet ring cell carcinoma of the eccrine sweat gland in the eyelid, treated by radiotherapy alone: *letter*, **112**
Ayaki M *see* Kageyama T *et al*
Aylward GW *see* Kychenthal A *et al*
Ayoub OM *see* Kenawy NB and Ayoub OM
Azuara-Blanco A *see* Zhang WY *et al*

Backhouse OC *et al*. Familial thrombophilia and normal tension glaucoma: *letter*, **118**
Badenoch PR *et al*. *Pythium insidiosum* keratitis confirmed by DNA sequence analysis: *letter*, **502**
Baek TM *et al*. Corneal irregular astigmatism after laser in situ keratomileusis for myopia, **534**
Bainbridge J *see* Reichel MB *et al*
Bajracharya H *see* Upadhyay MP *et al*
Baker D *see* Reichel MB *et al*
Balakrishnan V *see* Seet B *et al*
Baldeschi L *see* Hintschich C *et al*
Bamashmus MA *see* Ziakas NG *et al*
Banin E *see* Chowers I *et al*
Barabino S *see* Saccà S *et al*
Baráková D *see* Kocur I *et al*
Barker MD *see* Clarke M *et al*
Barnett MF *see* Watson PG *et al*
Barras CW *see* MacEwen CJ *et al*
Barron A *see* Manners T *et al*
Barry J-C, König H-H. Non-cycloplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children, **1179**
Bartels MC *et al*. Influence of HLA-A, HLA-B, and HLA-DR matching on rejection of random corneal grafts using corneal tissue for retrospective DNA HLA typing, **1341**
Bartlett JD *see* Hosking SL *et al*
Bartz-Schmidt KU *see* Lafaut BA *et al*
see Lüke C *et al*
Batterbury M *see* Kaye S *et al*
Baum L *see* Chan WM *et al*
Bazalgette C *see* Hamel CP *et al*
Beach M *see* Kaye S *et al*
Beare N. Anterior uveitis and its relation to stress: *letter*, **376**
Bearse Jr MA *see* Shimada Y *et al*
Beatrice P *see* Paolo P *et al*
Bechmann M *see* Kristin N *et al*
Bedford H *see* Rahi JS *et al*
Bednarz J *et al*. Effect of three different media on serum free culture of donor corneas and isolated human corneal endothelial cells, **1416**
Beekhuis H *see* Paridaens D *et al*
Beekhuis WH *see* Gan IM *et al*
Beigi B *see* Watkins R *et al*
Beintema MR *et al*. Yellow dye laser thermotherapy of choroidal neovascularisation in age related macular degeneration, **708**
Beiran I *see* Seider N *et al*
Bengisu M *see* Kristin N *et al*
Berger JW *see* Asmuth J *et al*
Bergmann L *see* Pleyer U *et al*
Bergmanson JPG *see* Walsh JE *et al*
Bernauer W *see* Meier FM *et al*
Bernstein PS *see* Sauer CG *et al*
Best R *see* McLoone E *et al*
Bevin TH *see* Vote BJT *et al*
Bhan A *see* Ang A *et al*
see Tong L *et al*
Bharath AA *see* Chapman N *et al*
Bhattacharya SS *see* Reichel MB *et al*
Bhende P *see* Kwok AKH *et al*
Bhisitkul RB. Anticipation for enzymatic vitreolysis: *editorial*, **1**
BJO Online: has the future just happened?: *editorial*, **1272**
Bian Z-M *see* Yoshida A *et al*
Billson FA *see* Conway RM *et al*
Binder S *see* Falkner CI *et al*
Birchall W, Kumar V. A comparative study of proxymetacaine-fluorescein and lignocaine-fluorescein use during applanation tonometry, **477**

Birchall W *et al.* Cyclical central serous chorioretinopathy associated with cystoid macular oedema: *letter*, **756**
Bird AC *see* Guymer RH *et al*
see Jackson H *et al*
Bissen-Miyajima H *see* Nakamura K *et al*
Biswas S *see* Tromans C *et al*
Blach R. The delivery of ophthalmic care: the practitioner, community ophthalmic teams, and contract ophthalmology: *commentary*, **1274**
Black GCM, Donnai D. Genetic testing—swings and roundabouts: a view from the United Kingdom: *commentary*, **1402**
Bleeker JC *see* Müskens RPHM *et al*
Boboridis K *et al.* Repeatability and reproducibility of upper eyelid measurements, **99**
Böcking A *see* Hillenkamp J *et al*
Boehm N *see* Auw-Haedrich C *et al*
Böhnke M *see* Ventura ACS and Böhnke M
see Ventura ACS *et al*
Bolis S *see* Stapleton F *et al*
Bonshek R *see* Briscoe D *et al*
Bonshek RE *see* Akhtar S *et al*
Borazan M *see* Totan Y *et al*
Borderie VM *et al.* Screening human donor corneas during organ culture for the presence of guttae, **272**
Botting B *see* Rahi JS and Botting B
Boyd S *et al.* Plasma homocysteine, methylene tetrahydrofolate reductase C677T and factor II G20210A polymorphisms, factor VIII, and VWF in central retinal vein occlusion, **1313**
Bradbury JA *see* Churchill AJ *et al*
Brazier J *see* Andreou P *et al*
Bressler NM *see* Soubrane G and Bressler NM
Brettig HT *see* Badenoch PR *et al*
Briscoe D *et al.* Primary sebaceous carcinoma of the lacrimal gland: *letter*, **625**
Broadway DC *see* Martin KRG and Broadway DC
Broadway DC *et al.* Survival analysis for success of Molteno tube implants, **689**
Brodie S *see* Danias J and Brodie S
Brodsky MC *see* Donahue SP and Brodsky MC
Broecke C Vanden *see* Lafaut BA *et al*
Bron AJ *see* Akhtar S *et al*
Bron AJ. The architecture of the corneal stroma: *editorial*, **379**
Bronstein AM *see* Acheson JF *et al*
Brooks AMV, Gillies B. Optic disc changes following trabeculectomy: *editorial*, **892**
Brown GC *see* Brown MM *et al*
Brown H *see* Brown MM *et al*
Brown MC *see* Kaye SB *et al*
Brown MM *et al.* Utility values associated with blindness in an adult population, **327**
Bruce J *see* Kilmartin DJ *et al*
Bruder JT *see* Shen J *et al*
Brummer C *see* Kramer S *et al*
Brunner R *see* Roters S *et al*
Bruttin O *see* Schaefer F *et al*
Buchen R *see* Auw-Haedrich C *et al*
Buckler HM *see* Birchall W *et al*
Buckley RJ *see* Poon AC *et al*
Budde WM *see* Jonas JB *et al*
Bunce C *see* Assi A *et al*
see Boboridis K *et al*
see Hintschich C *et al*
see Membrey WL *et al*
see Poon AC *et al*
Bunce K *see* Boyd S *et al*
Burmeister G *see* Pleyer U *et al*
Butler TKH *et al.* Anatomical and visual outcome of retinal detachment surgery in children, **1437**

Cahill M *et al.* Pupillary autonomic denervation with increasing duration of diabetes mellitus, **1225**
Thermolabile MTHFR genotype and retinal vascular occlusive disease, **88**
Calabria G *see* Saccà S *et al*
Calvo-Arrabal MA *see* Gorroño-Echebarria MB *et al*
Campbell IW *see* Cormack TGM *et al*
Campos L *see* Gain P *et al*
Canning CR *see* Newsom RSB *et al*
Cardia G *see* Vetrugno M *et al*
Cardia L *see* Vetrugno M *et al*
Carkeet A *see* Tong L and Carkeet A
Carlo I *see* Paolo P *et al*
Carricajo A *see* Gain P *et al*
Carta F *see* Pinna A *et al*
Carvajal-Gonzalez S *see* Borderie VM *et al*
Carvalho RA *see* Lauande-Pimentel R *et al*
Caspers-Velu L *see* Demols PF *et al*
Cassidy L *see* Acheson JF *et al*
see Taylor D *et al*
Cassidy L *et al.* Outcome of lens aspiration and intraocular lens implantation in children aged 5 years and under, **540**
Casson R *et al.* Clinical comparison of frequency doubling technology perimetry and Humphrey perimetry, **360**
Long term results and complications of trabeculectomy augmented with low dose mitomycin C in patients at risk for filtration failure, **686**
Casswell AG *see* Sciscio A and Casswell AG
Casteels I *et al.* Autosomal dominant microcephaly—lymphoedema-chorioretinal dysplasia syndrome: *letter*, **499**
Çekiç O *see* Totan Y *et al*
Chak M *et al.* Thrombophilia: genetic polymorphisms and their association with retinal vascular occlusive disease: *perspective*, **883**
Chakravarthy U *see* Doris N *et al*
Chan CCK *et al.* Steroid management in giant cell arteritis, **1061**
Chan CML *et al.* Vascular patterns in pterygium and conjunctival autografting: a pilot study using indocyanine green anterior segment angiography, **350**
Chan JH *et al.* Effect of ABO blood group mismatching on corneal epithelial cells: an in vitro study, **1104**
Chan TKJ *et al.* Indocyanine green angiography of the anterior segment in patients undergoing strabismus surgery, **214**
Chan W-M *see* Kwok AKH *et al*
Chan WM *et al.* Rhodopsin mutations in Chinese patients with retinitis pigmentosa, **1046**
Chang B *see* Watkins R *et al*
Chang BL *see* Choi MY *et al*
Chang DF. Factoring cost, is phacoemulsification still the procedure of choice?: *editorial*, **765**
Chang S-W *et al.* The cornea in young myopic adults, **916**
Chapman N *et al.* Computer algorithms for the automated measurement of retinal arteriolar diameters, **74**
Char DH. Early wound dehiscence with use of hydroxyapatite orbital implant covered with calf pericardium: *letter*, **627**
Char DH *et al.* Uveal tumour resection, **1213**
Charles SJ *see* Birchall W *et al*
Charlier J *see* Valmaggia C *et al*
Charteris DG *see* Assi AC *et al*
Chaturvedi A *see* Misra A *et al*
Chauhan DS *see* Tanner V *et al*
Chen S *see* Comer M *et al*
Chen S-J *et al.* Pulsatile ocular blood flow in asymmetric exudative age related macular degeneration, **1411**
Chen W-T *see* Ko Y-C *et al*
Cheng C-Y *see* Chen S-J *et al*
Chew PTK *see* Chan CML *et al*
Chia K-S *see* Saw S-M *et al*
Chidlow G *see* Osborne NN *et al*
Chignell AH *see* Gupta M *et al*
Chihara E *see* Dong J and Chihara E
Chinn S *see* Rowlands E *et al*
Chiquet C *see* Gain P *et al*
Cho B-H *see* Courtright P *et al*
Choi DG *see* Choi MY *et al*
Choi MY *et al.* Comparison between anisometropic and strabismic amblyopia using functional magnetic resonance imaging, **1052**
Effect of ADCON-L on adjustable strabismus surgery in rabbits, **80**
Choi W-H *see* Rizq RN *et al*
Chou JCK *see* Chen S-J *et al*
Chowers I *see* Pe'er J *et al*
Chowers I *et al.* Gene transfer by viral vectors into blood vessels in a rat model of retinopathy of prematurity, **991**
Chua WC-T *see* Conway RM *et al*
Chua W-H *see* Saw S-M *et al*
Chugh JP *see* Magu S *et al*
Chung HS *see* Jonescu-Cuypers CP *et al*
Churchill AJ *et al.* Clinical manifestations of protein C deficiency: a spectrum within one family: *letter*, **241**
Ciro C *see* Paolo P *et al*
Ciulla TA. Evolving pathophysiological paradigms for age related macular degeneration: *editorial*, **510**
Clark BJ *see* Dubovy SR and Clark BJ
Clark D *see* Sahni J and Clark D
Clarke M *et al.* Clinical features of a novel TIMP-3 mutation causing Sorsby's fundus dystrophy: implications for disease mechanism, **1429**
Clarke MP *see* Ziakas NG *et al*
Clearkin LG *see* Morgan JP and Clearkin LG
Cleary M *see* Weir CR *et al*
Clemett R *see* Michalova K *et al*
Clover A *see* Newsom RSB *et al*
Cochaux PM *see* Demols PF *et al*
Cohen VML *et al.* Bilateral granulomatous uveitis in association with common variable immunodeficiency: *letter*, **630**
Collin JRO *see* Wearne MJ *et al*
Collum LMT *see* Walsh JE *et al*
Colthurst M *see* Hiscott P *et al*
Comer M *et al.* Sympathetic ophthalmia associated with high frequency deafness: *letter*, **496**
Congdon NG *see* Quigley HA *et al*
Congdon NG. Prevention strategies for age related cataract: present limitations and future possibilities, **516**
Constantine S *see* Muhtaseb M *et al*

Conway RM *et al.* Primary iris melanoma: diagnostic features and outcome of conservative surgical treatment, **848**
Coombes A *see* Kychenthal A *et al*
Coombes AGA *et al.* Deep lamellar keratoplasty with lyophilised tissue in the management of keratoconus, **788**
Cormack TGM *et al.* Incidence of blindness due to diabetic eye disease in Fife 1990–9, **354**
Corriveau C *see* Tyring S *et al*
Costa R *see* Krygier G *et al*
Costa VP *see* Lauande-Pimentel R *et al*
Costen M *see* Parkin B *et al*
Costen MTJ *see* Newsom RSB *et al*
Coster DJ *see* Badenoch PF. *et al*
see Henderson TR *M et al*
see Thiel MA *et al*
Cottrell DG *see* Ziakas NG *et al*
Coupland SE *see* Auw-Haedrich C *et al*
Courtright P *see* Arab GEA *et al*
see Lewallen S and Courtright P
Courtright P *et al.* Cataract in leprosy patients: cataract surgical coverage, barriers to acceptance of surgery, and outcome of surgery in a population based survey in Korea, **643**
Crann RA *see* Tyring S *et al*
Crawford JB *see* Char DH *et al*
Cree IA *see* Yang YF *et al*
Crevits L. Optokinetic nystagmus in patients with central field defects: *letter*, **762**
Crewe JM *see* Armitage WJ *et al*
Cross N *see* Elshaw SR *et al*
Cruz LD, McAllister IL. An Australian family with macular dystrophy linked to autosomal recessive alopecia universalis: *letter*, **239**
Culham LE *see* Ingram DV and Culham LE
Cunliffe IA *see* Hosking SL *et al*
Cunningham ET *see* Tham VM-B *et al*
Cunningham ET, Jr . World blindness—no end in sight: *editorial*, **253**
Cunningham ET *et al.* TB or not TB? The perennial question: *editorial*, **127**
Curi ALL *see* Smith JMA *et al*
Curi ALL *et al.* Maxillary sinus non-Hodgkin's lymphoma with orbital and intraocular involvement in the acquired immunodeficiency syndrome: *letter*, **501**
Suspension of anticytomegalovirus maintenance therapy following immune recovery due to highly active antiretroviral therapy, **471**

Dada VK *see* Murthy GVS *et al*
Damato B *see* Pe'er J *et al*
Damato B *et al.* Intrascleral recurrence of uveal melanoma after transretinal "endoresection": *letter*, **114**
Damji KF *see* Allingham RR *et al*
Dandona L *see* Dandona R and Dandona L
Dandona R, Dandona L. Socioeconomic status and blindness, **1484**
Danias J, Brodie S. Delayed quinine toxicity mimicking open angle glaucoma: *letter*, **245**
Daniel CS *et al.* An unusual presentation of diabetic neuropathy: *letter*, **628**
Daniell M *see* McKelvie PA and Daniell M
see Tole DM *et al*
Daniell MD *et al.* Use of cyclosporin in the treatment of steroid resistant post-keratoplasty atopic sclerokeratitis, **91**
Daniels JT *see* Poon AC *et al*
Dantas PEC *see* Nishiwaki-Dantas MC *et al*
Dart J *see* Morlet N *et al*
Dart JK *see* Thiel MA *et al*
Dart JKG *see* Adds PJ *et al*
see Daniel CS *et al*
see Daniell MD *et al*
see Minassian DC *et al*
see Poon AC *et al*
see Yang YF *et al*
Davey CC *see* Rowlands E *et al*
Davison C *see* Parkin B *et al*
Dawidowsky K *see* Mladina R *et al*
Dawson WW *et al.* Distant cancer effects on standardised testing of peripheral vision, **291**
Dayan M *see* Ramsay AS *et al*
de Jesus V *see* Cahill M *et al*
de La Vega C *see* Ruiz-Moreno JM and de La Vega C
de Laak J-PO *see* Preising M *et al*
Delacroix S *see* Lumbroso L *et al*
Delgado L *see* Krygier G *et al*
Demaerel P *see* Casteels I *et al*
Demailly P *et al.* Ocular hypotensive efficacy and safety of once daily carteolol alginate, **921**
Demirci H *et al.* Leucocoria as the presenting sign of a ciliary body melanoma in a child: *letter*, **115**
Demols PF *et al.* Chorioretinal post-transplant lymphoproliferative disorder induced by the Epstein-Barr virus, **93**
Dempsey H *see* Walsh JE *et al*
Dempster A *see* Michalova K *et al*
Deprez M *see* Munaut C *et al*
Desai P *see* Minassian DC *et al*
Desatnik H *et al.* Management of persistent loculated subretinal fluid after pneumatic retinopexy, **189**
Desblancs C *see* Lumbroso L *et al*
Desjardins L *see* Lumbroso L *et al*
de Smet MD *see* Verbraak FD *et al*
de Smet MD. HAART, CMV retinitis, and monitoring: *editorial*, **766**
de Tavernier F *see* Casteels I *et al*
Deutschmann H *see* Weger M *et al*
Devriendt K *see* Casteels I *et al*
D'Hermies F *see* Lumbroso L *et al*
Dhillon B *see* Morgan-Davies J *et al*
Dick AD *see* Jiang H-R *et al*
see Kilmartin DJ *et al*
see Shen J *et al*
Dick AD *et al.* Single dose intranasal administration of retinal autoantigen generates a rapid accumulation and cell activation in draining lymph node and spleen: implications for tolerance therapy, **1001**
Donahue SP, Brodsky MC. Posterior canal predominance in bilateral skew deviation: *letter*, **1395**
Dong J, Chihara E. Slope analysis of the optic disc in eyes with ocular hypertension and early normal tension glaucoma by confocal scanning laser ophthalmoscope, **56**
Dong X *see* Xie L *et al*
Donnai D *see* Black GCM and Donnai D
Donoghue C *see* Cahill M *et al*
Dorey SE *et al.* Intensive occlusion therapy for amblyopia, **310**
Doris N *et al.* Relation between macular morphology and visual function in patients with choroidal neovascularisation of age related macular degeneration, **184**
Doubilei V *see* Bednarz J *et al*
Douglas GR *see* Broadway DC *et al*
Dowd TC *see* Patil BB and Dowd TC
Downes R *see* Raghavan U *et al*
Doyle SJ *see* Shah S *et al*
Drenth A *see* Badenoch PR *et al*
Dua HS *see* Chan JH *et al*
see El-Ghrably IA *et al*
see Joseph A *et al*
see Kaye S *et al*
see Shah S *et al*
see Zhang WY *et al*
Dua HS *et al.* A new classification of ocular surface burns: *perspective*, **1379**
Dubovy SR, Clark BJ. Palisaded encapsulated neuroma (solitary circumscribed neuroma of skin) of the eyelid: report of two cases and review of the literature, **949**
Dumollard JM *see* Gain P *et al*
Duncan AL *see* Murphy PJ *et al*
Duncan G *see* Eleftheriadis H *et al*
Duncan L *see* Jiang H-R *et al*
see Shen J *et al*
Dutton GN *see* Weir CR *et al*

Eagle Jr RC *see* Demirci H *et al*
Easty DL *see* Smith VA *et al*
Echenique M *see* Krygier G *et al*
Edelhauser HF *see* Thiel MA *et al*
Edmondson ND *see* Patel KA *et al*
Egner W *see* Cohen VML *et al*
Ehlers N *see* Møller-Pedersen T *et al*
Ehrt O *see* Haritoglou C *et al*
Eilers D *see* Rizq RN *et al*
Ekatomatis P. Herpes simplex dendritic keratitis after treatment with latanoprost for primary open angle glaucoma: *letter*, **1008**
Elamin A *see* Lithander J *et al*
Eleftheriadis H *et al.* Interlenticular opacification in piggyback AcrySof intraocular lenses: explantation technique and laboratory investigations, **830**
Primary polypseudophakia for cataract surgery in hypermetropic eyes: refractive results and long term stability of the implants within the capsular bag, **1198**
El-Ghrably IA *et al.* Intravitreal invading cells contribute to vitreal cytokine milieu in proliferative vitreoretinopathy, **461**
Ellies P *see* Anderson DF *et al*
Ellies P *et al.* Limbal stem cell deficiency arising from systemic chemotherapy: *letter*, **373**
Elliman D *see* Rahi JS *et al*
Elner SG *see* Yoshida A *et al*
Elner VM *see* Yoshida A *et al*
Elshaw SR *et al.* A comparison of ocular melanocyte and uveal melanoma cell invasion and the implication of α1β1, α4β1 and α6β1 integrins, **732**
Elsner AE *see* Remky A *et al*
Embleton SJ *see* Hosking SL *et al*
see Hosking SL *et al*
Engelmann K *see* Bednarz J *et al*
see Møller-Pedersen T *et al*
Engels BF *see* Roters S *et al*
Engst R *see* Tyring S *et al*
Ergun E, Stur M. TTT and CMV: *letter*, **1013**

Eustace P *see* Cahill M *et al*
Evans DW *see* Hosking SL *et al*
Evans J *see* Michalova K *et al*
Evans JR *see* Hennig A *et al*
Ezra E *see* Karia N *et al*
Ezra E. Idiopathic full thickness macular hole: natural history and pathogenesis: *perspective*, **102**
Ezz al Arab G *et al.* The burden of trachoma in the rural Nile Delta of Egypt: a survey of Menofiya governorate, **1406**

Fahey DK *see* Mohamed Q *et al*
Falk H *see* Chowers I *et al*
Falkner CI *et al.* Outcome after silicone oil removal, **1324**
Fang T *see* Dawson WW *et al*
Feltgen N *et al.* Correlation between central corneal thickness, applanation tonometry, and direct intracameral IOP readings, **85**
Fercher A *see* Pieh S *et al*
Ferrand R *see* Lumbroso L *et al*
Ferreira TC *see* Curi ALL *et al*
Ficker LA *see* Poon AC *et al*
Field AE *see* Kaye SB *et al*
Filipec M *see* Hrdličková-Cela E *et al*
Findl O *see* Rainer G *et al*
Fischer D *see* El-Ghrably IA *et al*
Fisher A *see* Kaye S *et al*
Fitzke FW *see* Kotecha A *et al*
see Membrey WL *et al*
Flammer J *see* Schmidt K-G *et al*
Fleck BW *see* Gellen B *et al*
Flitcroft I *see* O'Keefe M *et al*
Flowers FP *see* Dawson WW *et al*
Foidart J-M *see* Munaut C *et al*
Forbes JE *see* Poon AC *et al*
Forrester JV *see* Alexander DA *et al*
see Jiang H-R *et al*
see Kilmartin DJ *et al*
see Shen J *et al*
Foster A *see* Gilbert C and Foster A
see Hennig A *et al*
see Yorston D *et al*
Foster A. Cataract and "Vision 2020—the right to sight" initiative: *editorial*, **635**
Foster PJ, Johnson GJ. Glaucoma in China: how big is the problem?, **1277**
Fraenkel GE *see* Poon AC *et al*
Francesco P *see* Paolo P *et al*
Franke FE *see* Heuring AH *et al*
Frankenne F *see* Munaut C *et al*
Fraser SG *see* Daniel CS *et al*
Frau E *see* Lumbroso L *et al*
Fredrick DR. Myopia: was mother right about reading in the dark?: *editorial*, **509**
Friedman DS *see* Quigley HA *et al*
Friedman DS. Who needs an iridotomy?: *editorial*, **1019**
Frisch H *see* Müllner-Eidenböck A *et al*
Fritsch C *see* Hillenkamp J *et al*
Frost NA, Sparrow JM. The assessment of lens opacities in clinical practice: results of a national survey, **319**
Fry A *see* Lietman T and Fry A
Fryns JP *see* Casteels I *et al*
Fujii Y *et al.* Ramosetron compared with granisetron for the prevention of vomiting following strabismus surgery in children, **670**
Fukuma M *see* Shinoda K *et al*
Fuller JR *see* Vote BJT *et al*
Fung W *see* Shimada Y *et al*
Funk J *see* Feltgen N *et al*

Gabbert HE *see* Reinecke P *et al*
Gabius H-J *see* Hrdličková-Cela E *et al*
Gain P *et al.* In situ immunohistochemical study of Bcl-2 and heat shock proteins in human corneal endothelial cells during corneal storage, **996**
Use of a pair of blood culture bottles for sterility testing of corneal organ culture media, **1158**
Gallagher MJ *see* Churchill AJ *et al*
Gallagher MJ *et al.* Human papillomavirus in pterygium, **782**
Gallivan S *see* Tuft S and Gallivan S
Gan IM *et al.* Intravitreal vancomycin and gentamicin concentrations in patients with postoperative endophthalmitis, **1289**
Gandorfer A *et al.* Ultrastructure of the vitreoretinal interface following plasmin assisted vitrectomy, **6**
Ganesh A *see* Lithander J *et al*
Gao X *see* Chapman N *et al*
Garbutt S *et al.* Comparison of the main sequence of reflexive saccades and the quick phases of optokinetic nystagmus, **1477**
Gariano RF, Weitzman ML. Uveitis associated with OKT3 therapy for renal transplant rejection: *letter*, **500**
Gartry DS *see* Poon AC *et al*
Garway-Heath D *see* Jackson H *et al*
Gass CA *see* Haritoglou C *et al*
Gass CA *et al.* Peripheral visual field defects after macular hole surgery: a complication with decreasing incidence, **549**
Geboes K *see* El-Asrar AMA *et al*
Geerling G *see* Poon AC *et al*
Gellen B *et al.* Is the partial pressure of carbon dioxide in the blood related to the development of retinopathy of prematurity?, **1044**
Gendron EK *see* Tolentino MJ *et al*
Gendron RL *see* Good WV and Gendron RL
Gendy RE *see* Arab GEA *et al*
Georgopoulos M *see* Rainer G *et al*
Gershenbaum E *see* Shields CL *et al*
Ghazizadeh M *see* Ozaki N *et al*
Giannetti R *see* Saccà S *et al*
Giannoudis A *see* Gallagher MJ *et al*
Gilbert C. Retinopathy of prematurity—the "second lull"?: *editorial*, **1017**
Gilbert C, Foster A. Blindness in children: control priorities and research opportunities, **1025**
Gillies B *see* Brooks AMV and Gillies B
Gin T *see* Boyd S *et al*
Giovannoni G *see* Palmer HE *et al*
Glennie AJ *see* Murphy PJ *et al*
Gombos DS *et al.* The disappearing "melanoma": *letter*, **759**
Gonçalves DC *see* Lauande-Pimentel R *et al*
Good WV *see* Hoyt CS and Good WV
Good WV. Cataract surgery in young children: *editorial*, **254**
Good WV, Gendron RL. Gene therapy for retinopathy of prematurity: the eye is a window to the future: *editorial*, **891**
Goodship J *see* Clarke M *et al*
Gorroño-Echebarria MB *et al.* The tubulointerstitial nephritis and uveitis (TINU) syndrome is associated with HLA-DR14 in Spanish patients: *letter*, **1010**
Gottfredsdottir MS *see* Allingham RR *et al*
Gottlob I *see* Valmaggia C *et al*
Gotzaridis E *see* Assi A *et al*
Graham EM *see* Chak M *et al*
see Palmer HE *et al*
Graham IM *see* Cahill M *et al*
Grant B *see* Cormack TGM *et al*
Grechenig A *see* Pieh S *et al*
Green A *see* Lyhne N *et al*
Green F *see* Srinivasan S *et al*
Green FD *see* Damato B *et al*
Green WR *see* Wollensak G *et al*
Greenwood J *see* Kychenthal A *et al*
Gregor MZ *see* Karia N *et al*
Gregor ZJ *see* Assi AC *et al*
Grierson DJ *see* McDonagh J *et al*
Griffiths ID *see* Clarke M *et al*
Griffoin J-M *see* Hamel CP *et al*
Grimm T *see* Sauer CG *et al*
Groh MJM, Naumann GOH. Cystic epithelial growth after penetrating keratoplasty: successful curative treatment by block excision: *letter*, **240**
Grunfeld EA *see* Acheson JF *et al*
Grupcheva C *see* Riley A *et al*
Gruterich M *see* Gandorfer A *et al*
Guex-Crosier Y *see* Schaefer F *et al*
Gupta M *et al.* Acute posterior vitreous detachment: *letter*, **504**
Bilateral birdshot retinochoroidopathy in absence of overt clinical lesions: *letter*, **754**
Primary iris stromal cyst with pseudohypopyon: an atypical presentation: *letter*, **887**
Gupta R, Vernon SA. Choroidal detachment following extracapsular cataract extraction in a patient treated with latanoprost: *letter*, **1268**
Gupta SK *see* Murthy GVS *et al*
Gurung CK *see* Upadhyay MP *et al*
Guymer RH *et al.* Influence of laser photocoagulation on choroidal capillary cytoarchitecture, **40**

Haas A *see* Weger M *et al*
Hageman GS *see* Guymer RH *et al*
Haigh PM *see* Tromans C *et al*
Halikiopoulos D, Serle JB. Angle closure glaucoma secondary to hemiretinal vein occlusion: *letter*, **1390**
Hamel CP *et al.* Retinal dystrophies caused by mutations in *RPE65*: assessment of visual functions, **424**
Hanselmayer G *see* Pieh S *et al*
see Pieh S *et al*
Haritoglou C *see* Gass CA *et al*
Haritoglou C *et al.* Paracentral scotomata: a new finding after vitrectomy for idiopathic macular hole, **231**
Harju M, Vesti E. Scanning laser ophthalmoscopy of the optic nerve head in exfoliation glaucoma and ocular hypertension with exfoliation syndrome, **297**
Harris A *see* Jonescu-Cuypers CP *et al*
Harris CM *see* Garbutt S *et al*
see Shawkat FS *et al*
Harris IM *see* Chan JH *et al*
Hart PM *see* Doris N *et al*
Hartley S *see* Adds PJ *et al*

Hartmann C *see* Pleyer U *et al*
Hartmann U *see* Møller-Pedersen T *et al*
Harwood MR *see* Garbutt S *et al*
Hassan RY *see* Ahmed H *et al*
Hata J-I *see* Shinoda K *et al*
Hata N *see* Suami M *et al*
Hatch D. Professionally led regulation in medicine: *commentary*, **513**
Haugen OH *et al.* Refractive development in children with Down's syndrome: a population based, longitudinal study, **714**
Hawksworth NR *see* Akhtar S *et al*
Hayashi F *see* Hayashi K *et al*
Hayashi H *see* Hayashi K *et al*
Hayashi K *et al.* Anterior capsule contraction and intraocular lens decentration and tilt after hydrogel lens implantation, **1294**
Hayashi M, Yamamoto S. Changes of cone electroretinograms to colour flash stimuli after successful retinal detachment surgery, **410**
Hayashi Y *see* Kato S *et al*
Haybittle J *see* Watson PG *et al*
Hazariwala K *see* Dawson WW *et al*
Heathcote J *see* Jain K *et al*
Heegaard S *see* Sjö NC *et al*
Heiligenhaus A *see* Heinz C *et al*
Heinz C *et al.* Bilateral conjunctival lesions in Melkersson-Rosenthal syndrome: *letter*, **1267**
Hemo Y *see* Chowers I *et al*
Henderson TRM *et al.* The long term outcome of limbal allografts: the search for surviving cells, **604**
Hendrikse F *see* Beintema MR *et al*
Hennig A *et al.* Long term clinical outcome of a randomised controlled trial of anterior chamber lenses after high volume intracapsular cataract surgery, **11**
Hero M *see* Lip P-L *et al*
Herrington CS *see* Gallagher MJ *et al*
Herrtage J *see* Parker VA *et al*
Heuring AH *et al.* Conjunctival CD5+ MALT lymphoma: *letter*, **498**
Hikichi T *see* Mori F *et al*
see Mori F *et al*
Hillenkamp J *et al.* Ocular involvement in congenital erythropoietic porphyria (Günther's disease): cytopathological evaluation of conjunctival and corneal changes: *letter*, **371**
Hintschich C *et al.* Bony orbital development after early enucleation in humans, **205**
Hirst LW *see* Nolan GR and Hirst LW
Hiscott P *see* Gallagher MJ *et al*
Hiscott P *et al.* Clinicopathological correlation of epiretinal membranes and posterior lens opacification following perfluorohexyloctane tamponade, **179**
Hitchings RA *see* Kotecha A *et al*
see Membrey WL *et al*
see Tan JCH and Hitchings RA
Ho VH, Schwab IR. Social economic development in the prevention of global blindness, **653**
Hodge WG *see* Allingham RR *et al*
Holder GE *see* Zambarakji HJ *et al*
Honavar SG *see* Demirci H *et al*
Hong C-Y *see* Saw S-M *et al*
Horiuchi S *see* Amano S *et al*
Horn FK *see* Velten IM *et al*
see Velten IM *et al*
Horn L-C *see* Schnurrbusch UEK *et al*
Hosking SL *et al.* Application of a local search strategy improves the detection of blood flow deficits in the neuroretinal rim of glaucoma patients using scanning laser Doppler flowmetry, **1298**
Hypercapnia invokes an acute loss of contrast sensitivity in untreated glaucoma patients, **1352**
Hotta Y *see* Suami M *et al*
Hotta Y *et al.* Different mutation of the XLRS1 gene causes juvenile retinoschisis with retinal white flecks: *letter*, **238**
Houde B *see* Hosking SL *et al*
Høvding G *see* Haugen OH *et al*
Hoyt CS. So goes the flow—but not always: *editorial*, **128**
Hoyt CS, Good WV. The many challenges of childhood blindness: *editorial*, **1145**
Hrdličková-Cela E *et al.* Detection of galectin-3 in tear fluid at disease states and immunohistochemical and lectin histochemical analysis in human corneal and conjunctival epithelium, **1336**
Hsu W-M *see* Chen S-J *et al*
see Ko Y-C *et al*
Hu F-R *see* Chang S-W *et al*
Hudson C *see* Doris N *et al*
Hughes AD *see* Chapman N *et al*
Hull CC *see* Eleftheriadis H *et al*
Hunt C *see* Adds PJ *et al*
Hunt CJ *see* Adds PJ *et al*
Hussein H *see* Smith VA *et al*
Hutchinson A *see* Sauer CG *et al*
Hutz WW *see* Heuring AH *et al*
Huynh T *et al. Dipetalonema reconditum* in the human eye: *letter*, **1391**
Hwang J-M *see* Choi MY *et al*
Hykin PG *see* Boyd S *et al*

Iester M *see* Broadway DC *et al*
Imaizumi S *see* Kurihara K *et al*
Indar A *see* Boboridis K *et al*
Inglehearn CF *see* Mohamed MD *et al*
Ingram DV, Culham LE. Ophthalmologists and optometrists—interesting times?: *commentary*, **769**
Inkster CF *see* Ng SGJ *et al*
Ionides ACW *see* Rowlands E *et al*
Ionides A *et al.* Visual outcome following posterior capsule rupture during cataract surgery, **222**
Isashiki Y *et al.* Optic neuropathy and cerebellar ataxia associated with a rare missense variation (A14510G) of mitochondrial DNA: *letter*, **1009**
Isenberg SJ. Adjustable suture strabismus surgery: continuing progress: *editorial*, **2**
Ishibashi T *see* Oshima Y *et al*
Ishida I *see* Saika S *et al*
Ishii Y *see* Jonescu-Cuypers CP *et al*
Ishiko S *see* Mori F *et al*
see Mori F *et al*
Ishizaki M *see* Ozaki N *et al*
Ismail A *see* Eleftheriadis H *et al*
Ito M *see* Fujii Y *et al*
Izumo S *see* Isashiki Y *et al*

Jabs DA. Discontinuing anticytomegalovirus therapy in patients with cytomegalovirus retinitis and AIDS: *editorial*, **381**
Jackson A *see* Briscoe D *et al*
Jackson H *et al.* Outcome of cataract surgery in patients with retinitis pigmentosa, **936**
Jackson J *see* Doris N *et al*
Jackson TL *see* Tanner V *et al*
Jafri H *see* Mohamed MD *et al*
Jain K *et al.* Retinopathy in chronic hepatitis C patients during interferon treatment with ribavirin, **1171**
James B *see* Casson R *et al*
Jampol LM *see* Lee J *et al*
Ji Z *see* Solomon A *et al*
Jiang H-R *et al.* Total dose and frequency of administration critically affect success of nasal mucosal tolerance induction, **739**
Johnson GJ *see* Foster PJ and Johnson GJ
see Hennig A *et al*
Jonas JB *et al.* Retinal redetachment after removal of intraocular silicone oil tamponade, **1203**
Jonasson F *see* Allingham RR *et al*
Jones AL *et al.* The Humphrey optical coherence tomography scanner: quantitative analysis and reproducibility study of the normal human retinal nerve fibre layer, **673**
Jones DRE *see* Chan JH *et al*
Jones NS *see* Raghavan U *et al*
Jonescu-Cuypers CP *see* Lafaut BA *et al*
Jonescu-Cuypers CP *et al.* New neuroretinal rim blood flow evaluation method combining Heidelberg retina flowmetry and tomography, **304**
Jordan BL *see* Dawson WW *et al*
Jordan K *see* Comer M *et al*
Joseph A *see* Dua HS *et al*
Joseph A *et al.* Failure of amniotic membrane transplantation in the treatment of acute ocular burns, **1065**
Surgical excision, autolimbal transplantation, and mitomycin C in the treatment of conjunctival and corneal intraepithelial neoplasia: *letter*, **630**
Jukic T *see* Mladina R *et al*
Jurlina M *see* Mladina R *et al*
Juttmann R, The Rotterdam AMblyopia Screening Effectiveness Study (RAMSES): compliance and predictive value in the first 2 years, **1332**

Kadayifçilar S *et al.* Is activated factor VII associated with retinal vein occlusion?, **1174**
Kadonosono K *see* Uchio E and Kadonosono K
Kafil-Hussain N *see* O'Keefe M *et al*
Kagemann L *see* Jonescu-Cuypers CP *et al*
Kageyama T *et al.* Results of vitrectomy performed at the time of phacoemulsification complicated by intravitreal lens fragments, **1038**
Kaiya T *see* Kato S *et al*
Kaji Y *see* Amano S *et al*
Kaltner H *see* Hrdličková-Cela E *et al*
Kampik A *see* Gandorfer A *et al*
see Gass CA *et al*
see Haritoglou C *et al*
see Kristin N *et al*
Kang W *see* Kook MS *et al*
Kapp A *see* Auw-Haedrich C *et al*
Karabatzaki M *see* Cahill M *et al*
Karia N *et al.* Macular hole surgery using silicone oil tamponade, **1320**
Karmacharya PC *see* Upadhyay MP *et al*
Kasses S *see* Stapleton F *et al*
Kato M *see* Suami M *et al*

Kato S *et al.* Anterior capsular contraction after cataract surgery in eyes of diabetic patients, **21**
Kaye S *see* Needham AD *et al*
Kaye SB *et al.* Modification of the tear function index and its use in the diagnosis of Sjögren's syndrome, **193**
Kaye S *et al.* Refractive, keratometric, and topographic determination of astigmatic axis after penetrating keratoplasty: *letter*, **761**
Keating D *see* McDonagh J *et al*
Keay L *see* Stapleton F *et al*
Keeffe J *see* Maini R *et al*
Keeffe JE *see* Taylor HR and Keeffe JE
Kemp RV *see* Alexander DA *et al*
Kenawy NB, Ayoub OM. Major orbital complications of endoscopic sinus surgery: *letter*, **1394**
Kersten A *see* Hillenkamp J *et al*
Keshet E *see* Chowers I *et al*
Keunen JEE *see* Müskens RPHM *et al*
Khaw PT *see* Kotecha A *et al*
see Yorston D and Khaw PT
Khaw PT, Papadopoulos M. A year is a short time in glaucoma: *editorial*, **637**
Khurana AK *see* Magu S *et al*
Kiel AW *see* Butler TKH *et al*
Kilmartin DJ *et al.* Immunogenetics and clinical phenotype of sympathetic ophthalmia in British and Irish patients, **281**
Kilvington S, Anger C. A comparison of cyst age and assay method of the efficacy of contact lens disinfectants against *Acanthamoeba* , **336**
Kim D-Y *see* Woo H-M *et al*
Kim JH *see* Woo H-M *et al*
Kim M *see* Park S-H *et al*
Kim MS *see* Woo H-M *et al*
Kim S *see* Kook MS *et al*
Kim S-H *see* Courtright P *et al*
King AJ *see* Dua HS *et al*
see Joseph A *et al*
Kirwan JF *see* Coombes AGA *et al*
Kiss B *see* Rainer G *et al*
Kistler J *see* Brown MM *et al*
Kivela T *see* Pe'er J *et al*
Kiyohara Y *see* Oshima Y *et al*
Klein BEK *see* Wong TY *et al*
Klein R *see* Wong TY *et al*
Klein S *see* Alexander DA *et al*
Knorr HLJ *see* Jonas JB *et al*
Knox PC *see* Murphy PJ *et al*
Ko Y-C *et al.* Cerebral venous thrombosis presenting as acute visual loss: *letter*, **1140**
Kocur I *et al.* Causes of severe visual impairment and blindness in children attending schools for the visually handicapped in the Czech Republic, **1149**
Kohler K *see* Schmidt K-G *et al*
Koide K *see* Suami M *et al*
Koirala S *see* Upadhyay MP *et al*
Kojima H *see* Amari F *et al*
Kokame GT. Visual field defects after vitrectomy with fluid-air exchange: *letter*, **121**
Komolsuradej W *see* Prabhasawat P *et al*
Kondo M *see* Kurihara K *et al*
König H-H *see* Barry J-C and König H-H
Konno S *see* Mori F *et al*
see Mori F *et al*
Kook MS *et al.* Study of retinal nerve fibre layer thickness in eyes with high tension glaucoma and hemifield defect, **1167**
Koornneef L *see* Hintschich C *et al*
Korth M *see* Velten IM *et al*
see Velten IM *et al*
Kotecha A *et al.* Optic disc changes following trabeculectomy: longitudinal and localisation of change, **956**
Kovesdi I *see* Shen J *et al*
Kramer S *et al.* Epstein–Barr virus Retinal necrosis: *letter*, **114**
Krause A *see* Pleyer U *et al*
Kreiger A. Sclerotomy complications following pars plana vitrectomy: *letter*, **121**
Kristin N *see* Haritoglou C *et al*
Kristin N *et al.* Vitreoretinal surgery: pre-emptive analgesia, **1328**
Krott R *see* Lafaut BA *et al*
Kruger A *see* Falkner CI *et al*
Krygier G *et al.* Familial uveal melanoma: report on three sibling cases: *letter*, **1007**
Kubota T *see* Oshima Y *et al*
Kuchar A, Steinkogler FJ. Antegrade balloon dilatation of nasolacrimal duct obstruction in adults, **200**
Kuchynka P *see* Kocur I *et al*
Kumar V *see* Birchall W and Kumar V
Kurihara K *et al.* Ocular involvement caused by the accumulation of porphyrins in a patient with congenital erythropoietic porphyria: *letter*, **1265**
Kurosaka D *see* Nakamura K *et al*
Kweon O-K *see* Woo H-M *et al*
Kwok AKH *see* Chan WM *et al*
Kwok AKH *et al.* Multifocal electroretinographic and angiographic changes in pre-eclampsia: *letter*, **111**
Kychenthal A *et al.* Bilateral acute retinal necrosis and herpes simplex type 2 encephalitis in a neonate: *letter*, **629**
Kyvik KO *see* Lyhne N *et al*

Lackner B *see* Pieh S *et al*
see Pieh S *et al*
Lafaut BA *et al.* Clinicopathological correlation of retinal pigment epithelial tears in exudative age related macular degeneration: pretear, tear, and scarred tear, **454**
Lagnado R *see* Hennig A *et al*
Lai JSM *et al.* Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery: *letter*, **121**
Lai TYY *see* Kwok AKH *et al*
Laidlaw A *see* Karia N *et al*
Laidlaw DAH *see* Rosser DA *et al*
Lakosha H *see* Lee J *et al*
Lam DSC *see* Chan WM *et al*
see Kwok AKH *et al*
see Lai JSM *et al*
Lam TT *see* Li J *et al*
Lam WC *see* Jain K *et al*
Lambert V *see* Munaut C *et al*
Lamberti G *see* Paolo P *et al*
Landau K *see* Riordan-Eva P *et al*
Lanigan B *see* O'Keefe M *et al*
Laroche L *see* Borderie VM *et al*
Larsen M *see* Moldow B *et al*
Larsson J, Andréasson S. Photopic 30 Hz flicker ERG as a predictor for rubeosis in central retinal vein occlusion, **683**
Lasquellec L *see* Hamel CP *et al*
Lau TC *see* Chan WM *et al*
Lauande-Pimentel R *et al.* Discrimination between normal and glaucomatous eyes with visual field and scanning laser polarimetry measurements, **586**
Leatherbarrow B *see* Briscoe D *et al*
see Ng SGJ *et al*
Lee A-F *see* Chen S-J *et al*
Lee C *see* Gombos DS *et al*
Lee DS *see* Choi MY *et al*
Lee F-L *see* Chen S-J *et al*
Lee H-J *see* Courtright P *et al*
Lee JA *see* Cohen VML *et al*
Lee J *et al.* Preretinal neovascularisation associated with choroidal melanoma, **1309**
Lee JP *see* Dorey SE *et al*
Lee KH *see* Baek TM *et al*
Lee K-M *see* Choi MY *et al*
Lee L *see* Saw S-M *et al*
Lee LKH *see* Seet B *et al*
Lee S-M *see* Lin P-Y *et al*
Leifert D *see* Feltgen N *et al*
Lenthall R *see* Rene C *et al*
Levy C *see* Lumbroso L *et al*
Lewallen S *see* Courtright P *et al*
Lewallen S, Courtright P. Blindness in Africa: present situation and future needs, **897**
Lewis RA *see* Sauer CG *et al*
Leys A *see* Casteels I *et al*
Li J *et al.* Reduced amplitude and delayed latency in foveal response of multifocal electroretinogram in early age related macular degeneration, **287**
Li JZL *see* Kwok AKH *et al*
Li Y *see* Shimada Y *et al*
Lichtenberg K *see* Remky A *et al*
Lietman T, Fry A. Can we eliminate trachoma?, **385**
Lightman S *see* Daniell MD *et al*
see Zambarakji HJ *et al*
Lightman S. Anterior uveitis and its relation to stress: *letter*, **376**
Lightman S, McCluskey P. New series on management controversies in ophthalmology: *editorial*, **1017**
Lim ASM *see* Seet B *et al*
Lim Y-K *see* Courtright P *et al*
Lin LL-K *see* Chang S-W *et al*
Lin P-K *see* Ko Y-C *et al*
Lin P-Y *et al.* Combined phototherapeutic keratectomy and therapeutic contact lens for recurrent erosions in bullous keratopathy, **908**
Linardos E *see* Watkins R *et al*
Lindeberg H *see* Sjö NC *et al*
Lindén C, Alm A. The effect on intraocular pressure of latanoprost once or four times daily, **1163**
Lip GYH *see* Lip P-L and Lip GYH
Lip P-L, Lip GYH. Further pathophysiological insights into age related macular degeneration: *letter*, **1013**
Lip P-L *et al.* A postoperative complication far worse than endophthalmitis: the coexistence of orbital cellulitis: *letter*, **631**
Lithander J *et al.* Orbital entomophthoramycosis in an infant: recovery following surgical debridement, combination antifungal therapy and use of hyperbaric oxygen: *letter*, **374**

Liu C *see* Eleftheriadis H *et al*
see Eleftheriadis H *et al*
Liu CSC *see* Smith GT and Liu CSC
Liu F-T *see* Hrdličková-Cela E *et al*
Liu J-H *see* Chen S-J *et al*
see Ko Y-C *et al*
Liversidge J *see* Dick AD *et al*
see Kilmartin DJ *et al*
Li Wan Po A *see* Zhang WY *et al*
Lloyd IC *see* Tromans C *et al*
Locke LA *see* Tyring S *et al*
Loftsdottir M *see* Allingham RR *et al*
Logani S *see* Lee J *et al*
Lois N *see* Hiscott P *et al*
Lois N. Idiopathic polypoidal choroidal vasculopathy in a patient with atrophic age related macular degeneration: *letter*, **1011**
Lombardo K *see* Krygier G *et al*
Lommatzsch P *see* Pe'er J *et al*
Longman L *see* Kaye SB *et al*
Lorenz B *see* Preising M *et al*
Lösche CC *see* Reinecke P *et al*
Loughnan MS *see* Maini R *et al*
Louon A *see* Lithander J *et al*
Ludwig K *see* Kristin N *et al*
Luff A *see* Meadows A *et al*
Luff AJ *see* Newsom RSB *et al*
Luhishi E *see* Thaller VT *et al*
Lüke C *et al*. Electrophysiological changes after 360° retinotomy and macular translocation for subfoveal choroidal neovascularisation in age related macular degeneration, **928**
Luke M *see* Lüke C *et al*
Lumbroso L *et al*. Intraocular inflammation after proton beam irradiation for uveal melanoma, **1305**
Lund-Andersen H *see* Moldow B *et al*
Lundström I *see* Haugen OH *et al*
Lyhne N *et al*. The importance of genes and environment for ocular refraction and its determiners: a population based study among 20–45 year old twins, **1470**

Maár N *et al*. A new colour vision arrangement test to detect functional changes in diabetic macular oedema, **47**
McAlister JC *see* Newsom RSB *et al*
McAllister IL *see* Cruz LD and McAllister IL
McCarty CA *see* Maini R *et al*
McCarty CA *et al*. Vision impairment predicts 5 year mortality, **322**
McCleland J *see* Doris N *et al*
McCluskey P *see* Lightman S and McCluskey P
McColm JR *see* Gellen B *et al*
McDonagh J *et al*. The wide field multifocal ERG reveals a retinal defect caused by vigabatrin toxicity?: *letter*, **119**
Macdonald MJ *see* Cormack TGM *et al*
McDonnell S *see* Clarke M *et al*
McEvoy H *see* Walsh JE *et al*
MacEwen CJ *et al*. Value of nasal endoscopy and probing in the diagnosis and management of children with congenital epiphora, **314**
McGhee C *see* Riley A *et al*
Machida H *see* Suami M *et al*
Machinami R *see* Amano S *et al*
McHugh JDA *see* Newsom RSB *et al*
McIntosh N *see* Gellen B *et al*
McKelvie PA *see* Tole DM *et al*
McKelvie PA, Daniell M. Impression cytology following mitomycin C therapy for ocular surface squamous neoplasia, **1115**
MacKenzie JM *see* Damato B *et al*
McKibbin M *see* Mohamed MD *et al*
McKie N *see* Clarke M *et al*
Mackinnon H *see* Rowlands E *et al*
McLoone E *et al*. Silicone oil-intraocular lens interaction: which lens to use?, **543**
McMullan TFW, Tyers AG. X linked dominant congenital isolated bilateral ptosis: the definition and characterisation of a new condition, **70**
MacNeil SM *see* Elshaw SR *et al*
McVerry BA *see* Backhouse OC *et al*
Madison P *see* Poon AC *et al*
Madjarov B *see* Asmuth J *et al*
Magee RM *see* Hiscott P *et al*
Magu S *et al*. Spontaneous extrusion of subconjunctival cysticercus cellulosae: *letter*, **116**
Maguire AM *see* Tolentino MJ *et al*
Mahmood S *see* Briscoe D *et al*
Mahon G *see* McLoone E *et al*
Maini R *see* Huynh T *et al*
Maini R *et al*. A comparison of different depth ablations in the treatment of painful bullous keratopathy with phototherapeutic keratectomy, **912**
Correction of refractive error in the Victorian population: the feasibility of "off the shelf" spectacles, **1283**
Maino A *see* Vetrugno M *et al*
Malagola R *see* Mannino G *et al*
Mammar H *see* Lumbroso L *et al*
Manners RM *see* Mohamed Q *et al*
Manners T *et al*. Trabeculectomy with mitomycin C in the treatment of post-traumatic angle recession glaucoma, **159**
Mannino G *et al*. Ultrasound biomicroscopy of the peripheral retina and the ciliary body in degenerative retinoschisis associated with pars plana cysts, **976**
Marcantonio J *see* Eleftheriadis H *et al*
Margolis TP *see* Naseri A and Margolis TP
Marletta A *see* Saccà S *et al*
Marsh RD *see* Dawson WW *et al*
Martin K *see* Comer M *et al*
Martin KRG, Broadway DC. Cyclodiode laser therapy for painful, blind glaucomatous eyes, **474**
Martin MFR *see* Stewart OG *et al*
Marvan P *see* Pieh S *et al*
Marzella G *see* Lüke C *et al*
Materin MA *see* Shields CL *et al*
Matheson M *see* Yang YF *et al*
Matsubara A *et al*. Histopathological examination of two cases of anterior staphyloma associated with Peters' anomaly and persistent hyperplastic primary vitreous, **1421**
Matsumoto K *see* Suami M *et al*
Matsunaga N *see* Matsubara A *et al*
Matsuo T. Trehalose protects corneal epithelial cells from death by drying, **610**
Matsushita K *see* Shinoda K *et al*
Matsuzawa S *see* Sakai J-I *et al*
Maugery J *see* Gain P *et al*
Mazal A *see* Lumbroso L *et al*
Meadows A *et al*. Lid retraction in primary hepatocellular carcinoma: *letter*, **754**
Meek KM *see* Akhtar S *et al*
Meier FM *et al*. Wegener's granulomatosis as a cause of cicatrising conjunctivitis: *letter*, **628**
Meldrum ML *see* Gombos DS *et al*
Meleady R *see* Cahill M *et al*
Melena J *see* Osborne NN *et al*
Mělková Z *see* Hrdličková-Cela E *et al*
Melles G *see* Paridaens D *et al*
Membrey WL *et al*. Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 2 Visual field progression, **696**
Menage MJ *see* Backhouse OC *et al*
Menapace R *see* Rainer G *et al*
Messmer EM *see* Gass CA *et al*
Messmer EP *see* Meier FM *et al*
Meyer P *see* Comer M *et al*
Michalova K *et al*. Iris melanomas: are they more frequent in New Zealand?: *commentary*, **4**
Miller B *see* Seider N *et al*
Miller T *see* Char DH *et al*
Milligan DWA *see* Ziakas NG *et al*
Minassian D *see* Ionides A *et al*
see Morlet N *et al*
Minassian DC *et al*. Extracapsular cataract extraction compared with small incision surgery by phacoemulsification: a randomised trial, **822**
Minford AM *see* Churchill AJ *et al*
Minihan M *see* Tanner V *et al*
Minihan M *et al*. Primary rhegmatogenous retinal detachment: 20 years of change, **546**
Misra A *et al*. Osteosarcoma with metastasis to orbit: *letter*, **1387**
Misra S *see* Misra A *et al*
Missotten L *see* El-Asrar AMA *et al*
Mitchell KW *see* Clarke M *et al*
Mitchell SM *see* Zambarakji HJ *et al*
see Zambarakji HJ *et al*
Mitomo K *see* Oshika T *et al*
Miyake Y *see* Hotta Y *et al*
Miyamoto T *see* Saika S *et al*
Miyata K *et al*. Iatrogenic keratectasia after phototherapeutic keratectomy: *letter*, **247**
Mladina R *et al*. Endonasal endoscopic dacryocystorhinostomy for dacryocystocoele in a 4 month old infant: *letter*, **113**
Mochizuki M *see* Taguchi C *et al*
Mohamed MD *et al*. A new pedigree with recessive CHED mapping to the CHED2 locus on 20p13: *letter*, **758**
Mohamed Q *et al*. Angle closure in fellow eye with prophylactic pilocarpine treatment: *letter*, **1263**
Moisseiev J *see* Desatnik H *et al*
Mojon DS *see* Ventura ACS *et al*
Moldow B *et al*. Passive permeability and outward active transport of fluorescein across the blood-retinal barrier in early ARM, **592**
Møller HJ *see* Møller-Pedersen T *et al*
Møller-Pedersen T *et al*. Evaluation of potential organ culture media for eye banking using human donor corneas, **1075**
Molteno ACB *see* Vote BJT *et al*
Monroy D *see* Solomon A *et al*
Mooney D *see* Cahill M *et al*
Moore A *see* Wilson G *et al*
Morgan JE *see* Jones AL *et al*

Morgan JP, Clearkin LG. Rapid onset of ptosis indicates accurate intraconal placement during retrobulbar anaesthetic injection, **363**
Morgan-Davies J *et al.* Progressive assessment of age related macular degeneration using an artificial neural network approach: *letter*, **246**
Mori F. The role of choroidal haemodynamic abnormalities in the pathogenesis of age related macular degeneration: *editorial*, **1399**
Mori F *et al.* Factors affecting pulsatile ocular blood flow in normal subjects, **529**
Pulsatile ocular blood flow study: decreases in exudative age related macular degeneration, **531**
Morlet N *see* Thiel MA *et al*
Morlet N *et al.* Astigmatism and the analysis of its surgical correction: *perspective*, **1127**
Morrell AJ *see* Stewart OG *et al*
Moseley I *see* Rene C *et al*
Moser E *see* Müllner-Eidenböck A *et al*
Mosnier JF *see* Gain P *et al*
Moss SE *see* Wong TY *et al*
Mourits MP *et al.* Grotesque bilateral eyelid swelling as a symptom of Munchausen's syndrome: *letter*, **1389**
Moutsou M *see* Lip P-L *et al*
Muhtaseb M *et al.* Massive basal cell carcinoma in a schizophrenic patient: treatment options and constraints: *letter*, **117**
Muller LJ *et al.* The specific architecture of the anterior stroma accounts for maintenance of corneal curvature, **437**
Mullner-Eidenböck A *et al.* Waardenburg syndrome type 2 in a Turkish family: implications for the importance of the pattern of fundus pigmentation: *letter*, **1384**
Munaut C *et al.* Presence of oestrogen receptor type β in human retina, **877**
Muralha A *see* Curi ALL *et al*
Muralha L *see* Curi ALL *et al*
Murata T *see* Oshima Y *et al*
Murdoch IE *see* Rosser DA *et al*
Murphy PJ *et al.* The effect of scleral search coil lens wear on the eye, **332**
Murray ADN *see* Manners T *et al*
Murray AK *see* Elshaw SR *et al*
Murthy GVS *et al.* The use of a newspaper insertion to promote DIY testing of vision in India, **952**
Musé I *see* Krygier G *et al*
Muskens RPHM *et al.* Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
Mynett-Johnson LA *see* Cahill M *et al*

Na DL *see* Park S-H *et al*
Nada M *see* Magu S *et al*
Nagai R *see* Amano S *et al*
Nakagawa M *see* Isashiki Y *et al*
Nakamura K *et al.* Intact corneal epithelium is essential for the prevention of stromal haze after laser assisted in situ keratomileusis, **209**
Nakamura M *see* Hotta Y *et al*
Nakamura Y *see* Shinoda K *et al*
Nakao F *see* Hayashi K *et al*
Nam T-C *see* Woo H-M *et al*
Nanjan MB *see* McCarty CA *et al*
Naseri A, Margolis TP. Varicella zoster virus immune recovery stromal keratitis in a patient with AIDS: *letter*, **1390**
Natha S *see* Needham AD *et al*
Naumann GOH *see* Groh MJM and Naumann GOH
Nauraye C *see* Lumbroso L *et al*
Navarro V *see* Krygier G *et al*
Needham AD *et al.* Similarities in the packaging of cyanoacrylate nail glue and ophthalmic preparations: an ongoing problem: *letter*, **496**
Neena J *see* Murthy GVS *et al*
Newsom R. TTT and CNV: *letter*, **1268**
Newsom RSB *et al.* Effect of digital image compression on screening for diabetic retinopathy, **799**
Local anaesthesia for 1221 vitreoretinal procedures, **225**
Transpupillary thermotherapy (TTT) for the treatment of choroidal neovascularisation, **173**
Newson RB *see* Zambarakji HJ *et al*
Newton J *see* Newsom RSB *et al*
Ng SGJ *et al.* The rhomboid flap in medial canthal reconstruction, **556**
Nichols CE *see* Elshaw SR *et al*
Nischal K *see* Cassidy L *et al*
see Taylor D *et al*
Nishihira J *see* Taguchi C *et al*
Nishiwaki-Dantas MC *et al.* Ipsilateral limbal translocation for treatment of partial limbal deficiency secondary to ocular alkali burn, **1031**
Noël A *see* Munaut C *et al*
Nolan GR, Hirst LW. Impression cytology in the diagnosis of ocular surface squamous neoplasia: *letter*, **888**
Nomura R *see* Hotta Y *et al*
North RV *see* Jones AL *et al*
Nozaki M *see* Matsubara A *et al*
Numaga J *see* Kato S *et al*

O'Brien JM *see* Gombos DS *et al*
see Shaikh S *et al*
O'Callaghan FJ *see* Rowley SA *et al*
O'Day J *see* Chan CCK *et al*
see Riordan-Eva P *et al*
O'Donnell NP *see* Puri P *et al*
Ogasawara M *see* Kageyama T *et al*
Oguchi Y *see* Shinoda K *et al*
Ogura Y *see* Matsubara A *et al*
Ohba N *see* Isashiki Y *et al*
Ohde H *see* Shinoda K *et al*
Ohnishi Y *see* Saika S *et al*
Ohta K *see* Amari F *et al*
Oka T *see* Amano S *et al*
Okamoto Y *see* Hotta Y *et al*
O'Keefe M *et al.* Ocular significance of intraventricular haemorrhage in premature infants, **357**
Okita H *see* Shinoda K *et al*
Oliveira HC *see* Lauande-Pimentel R *et al*
Olver JM *see* Muhtaseb M *et al*
see van den Bosch WA and Olver JM
Ono K *see* Miyata K *et al*
Ooshima A *see* Saika S *et al*
Oosterhuis JA *see* Beintema MR *et al*
Orr GM *see* Butler TKH *et al*
see El-Ghrably IA *et al*
Osborne JP *see* Rowley SA *et al*
Osborne NN *et al.* A hypothesis to explain ganglion cell death caused by vascular insults at the optic nerve head: possible implication for the treatment of glaucoma: *perspective*, **1252**
Oshika T *see* Amano S *et al*
see Baek TM *et al*
see Kato S *et al*
see Miyata K *et al*
Oshika T *et al.* Influence of glistenings on the optical quality of acrylic foldable intraocular lens, **1034**
Oshima Y *et al.* Prevalence of age related maculopathy in a representative Japanese population: the Hisayama study, **1153**
Oshiro M *see* Kato S *et al*
Otten HG *see* Bartels MC *et al*
Owens D *see* Boyd S *et al*
Ozaki N *et al.* Apoptosis mediates decrease in cellularity during the regression of Arthus reaction in cornea, **613**
Özatli D *see* Kadayifçilar S *et al*
Özcebe OI *see* Kadayifçilar S *et al*
Ozeki H *see* Matsubara A *et al*

Packard R *see* Seward H *et al*
Page S *see* Tong L *et al*
Paine M *see* Chan CCK *et al*
Palestine AG *see* Tyring S *et al*
Palmer HE *et al.* Urinary neopterin in idiopathic retinal vasculitis, **30**
Panda A *see* Vajpayee RB *et al*
Panda A. Transscleral cyclophotocoagulation in glaucoma after penetrating keratoplasty: *letter*, **761**
Panet A *see* Chowers I *et al*
Pang CP *see* Chan WM *et al*
Pant TD *see* Murthy GVS *et al*
Paolo P *et al.* Bilateral circumscribed haemangioma of the choroid not associated with systemic vascular syndrome: *letter*, **1260**
Papadopoulos M *see* Khaw PT and Papadopoulos M
Paridaens D *et al.* Amniotic membrane transplantation in the management of conjunctival malignant melanoma and primary acquired melanosis with atypia, **658**
Park KH *see* Choi MY *et al*
Park R *see* Kook MS *et al*
Park S-H *et al.* Disconjugate vertical ocular movement in a patient with locked-in syndrome: *letter*, **497**
Parker V *see* Watson PG *et al*
Parker VA *et al.* Clinical comparison of the Keeler Pulsair 3000 with Goldmann applanation tonometry, **1303**
Parkin B *et al.* A comparison of stereoscopic and monoscopic evaluation of optic disc topography using a digital optic disc stereo camera, **1347**
Parks S *see* McDonagh J *et al*
Parsons A *see* Prasad S *et al*
Parsons MA *see* Patel KA *et al*
Pascotto A *see* Saccà S *et al*
Patel KA *et al.* Prediction of prognosis in patients with uveal melanoma using fluorescence in situ hybridisation, **1440**
Patil BB, Dowd TC. Trichotillomania: *letter*, **1386**
Pauleikhoff D *see* Sauer CG *et al*
Pavesio C *see* Curi ALL *et al*
see Kychenthal A *et al*
Pavesio CE *see* Ramsay AS *et al*
see Smith JMA *et al*
Pavésio C *see* Curi ALL *et al*
Pe'er J *see* Chowers I *et al*

Pe'er J *et al.* Cell proliferation activity in posterior uveal melanoma after Ru-106 brachytherapy: an EORTC ocular oncology group study, **1208**
Pels E *see* Müller LJ *et al*
Pennefather PM *see* Ziakas NG *et al*
Perlman EJ *see* Wollensak G *et al*
Perry D *see* Boyd S *et al*
Petternel V *see* Rainer G *et al*
Pflugfelder SC *see* Solomon A *et al*
Pharmakakis N, Assimakopoulou M. Immunohistochemical detection of heat shock protein 27 and Ki-67 in human pterygium: *letter*, **1392**
Pieh S *et al.* Halo size under distance and near conditions in refractive multifocal intraocular lenses, **816**
Tritan colour contrast sensitivity function in refractive multifocal intraocular lenses, **811**
Pillai CT *see* Shah S *et al*
Pillunat LE *see* Schmidt K-G *et al*
Pindiga UH *see* Ahmed H *et al*
Pinna A *et al.* Endogenous *Rhodotorula minuta and Candida albicans* endophthalmitis in an injecting drug user: *letter*, **759**
Pires RTF *see* Anderson DF *et al*
Pitts J *see* Wearne MJ *et al*
Plancher C *see* Lumbroso L *et al*
Pleyer U. Gene therapy in hereditary retinal degeneration and the tower of Babel: *editorial*, **255**
Pleyer U *et al.* Detection of *Borrelia burgdorferi* DNA in urine of patients with ocular Lyme borreliosis, **552**
Plzák J *see* Hrdličková-Cela E *et al*
Poinoosawmy DP *see* Membrey WL *et al*
Poon AC *et al.* Autologous serum eyedrops for dry eyes and epithelial defects: clinical and in vitro toxicity studies, **1188**
Systemic cyclosporin A in high risk penetrating keratoplasties: a case-control study, **1464**
Porat R *see* Chowers I *et al*
Poulson A *see* Hennig A *et al*
Powell-Richards A *see* Chan JH *et al*
Prabhasawat P *et al.* Single and multilayer amniotic membrane transplantation for persistent corneal epithelial defect with and without stromal thinning and perforation, **1455**
Pradhan D *see* Hennig A *et al*
Pradhan YM *see* Shrestha JK *et al*
Prasad S *see* Gupta M *et al*
Prasad S *et al.* Cytogenetic analysis in ocular lymphoma: *letter*, **1388**
Prause JU *see* Pe'er J *et al*
see Sjö NC *et al*
Preising M *et al.* Deletion in the *OA1* gene in a family with congenital X linked nystagmus, **1098**
Prenner JL *see* Tolentino MJ *et al*
Priem S *see* Pleyer U *et al*
Pullum KW *see* Sherafat H *et al*
Puri P *see* Gupta M *et al*
see Gupta M *et al*
see Prasad S *et al*
Puri P *et al.* Localised chronic eyelid disease resulting from long term hydroxyurea therapy: *letter*, **372**
Putz E *see* Gandorfer A *et al*

Quaranta GM *see* Vetrugno M *et al*
Quigley HA *et al.* Glaucoma in China (and worldwide): changes in established thinking will decrease preventable blindness: *editorial*, **1271**
Qureshi C *see* Conway RM *et al*

Raashed Y *see* Mohamed MD *et al*
Rabiu MM. Cataract blindness and barriers to uptake of cataract surgery in a rural community of northern Nigeria, **776**
Raghavan U *et al.* Spontaneous resolution of eyeball displacement caused by maxillary sinusitis: *letter*, **118**
Rahi J *see* Cassidy L *et al*
Rahi JS, Botting B. Ascertainment of children with congenital cataract through the National Congenital Anomaly System in England and Wales, **1049**
Rahi JS *et al.* Screening and surveillance for ophthalmic disorders and visual deficits in children in the United Kingdom: *commentary*, **257**
Rahman R *see* Casson R *et al*
Rainer G *et al.* Intraocular pressure rise after small incision cataract surgery: a randomised intraindividual comparison of two dispersive viscoelastic agents, **139**
Rakic J-M *see* Munaut C *et al*
Ram B *see* MacEwen CJ *et al*
Ramaswamy D *see* Zamir E *et al*
Ramsay AS *et al.* Bitot's spots and vitamin A deficiency in a child from the UK: *letter*, **372**
Quantification of relative afferent pupillary defects induced by posterior sub-Tenon's, peribulbar, and retrobulbar anaesthetics, **1445**
Rank RM *see* Jonas JB *et al*
Rao NA *see* Zamir E *et al*
Rao R *see* Chan TKJ *et al*
Rathinam SR *see* Cunningham ET *et al*
Ray-Chaudhuri N *see* Ramsay AS *et al*
Raynor M *see* Meadows A *et al*
Read AP *see* Müllner-Eidenböck A *et al*
Read RW *see* Zamir E *et al*
Recupero SM *see* Mannino G *et al*
Reggi JRA *see* Nishiwaki-Dantas MC *et al*
Reichel MB *et al.* An immune response after intraocular administration of an adenoviral vector containing a β galactosidase reporter gene slows retinal degeneration in the *rd* mouse, **341**
Reidy A *see* Minassian DC *et al*
Reinecke P *et al.* Ocular scleromalacia caused by leishmaniasis: a rare cause of scleral perforation: *letter*, **240**
Reinhard T *see* Hillenkamp J *et al*
Reitner A *see* Maár N *et al*
Remeyer L *see* Paridaens D *et al*
Remky A *et al.* Short wavelength automated perimetry in age related maculopathy, **1432**
Rene C *et al.* Major orbital complications of endoscopic sinus surgery, **598**
Renner W *see* Weger M *et al*
Rennie IG *see* Cohen VML *et al*
see Elshaw SR *et al*
see Gupta M *et al*
see Patel KA *et al*
see Prasad S *et al*
Reynders S *see* Lafaut BA *et al*
Riley A *et al.* Cataract lens extraction and posterior chamber lens implantation in Korean subjects: *letter*, **249**
Riordan-Eva P *et al.* Temporal artery biopsy in the management of giant cell arteritis with neuro-ophthalmic complications, **1248**
Rishmawi H *see* Smith VA *et al*
Rizq RN *et al.* Intraocular pressure measurement at the choroid surface: a feasibility study with implications for implantable microsystems, **868**
Robillard N *see* Tyring S *et al*
Rodný S *see* Kocur I *et al*
Rolando M *see* Saccà S *et al*
Ros M *see* Krygier G *et al*
Rose GE *see* Rene C *et al*
see Wearne MJ *et al*
see Zambarakji HJ and Rose GE
Rosen P *see* Jackson H *et al*
see Minassian DC *et al*
Rosenbaum AL *see* Chan TKJ *et al*
Rosenbaum JT *see* Smith JR and Rosenbaum JT
Rosenblatt M *see* Solomon A *et al*
Rosser DA *et al.* The development of a "reduced logMAR" visual acuity chart for use in routine clinical practice, **432**
Rostron CK *see* Coombes AGA *et al*
Roters S *et al.* The suitability of the ultrasound biomicroscope for establishing texture in giant cell arteritis, **946**
Rowlands E *et al.* Reduced incidence of retinopathy of prematurity, **933**
Rowley SA *et al.* Ophthalmic manifestations of tuberous sclerosis: a population based study, **420**
Rozenbilds MA *see* Badenoch PR *et al*
Rubinstein A *see* Casson R *et al*
Ruiz-Moreno JM, de La Vega C. Surgical removal of subfoveal choroidal neovascularisation in highly myopic patients, **1041**
Rundle P *see* Gupta M *et al*
Russell-Eggitt I *see* Cassidy L *et al*
see Taylor D *et al*

Sabolic V *see* Borderie VM *et al*
Sabri K *see* Joseph A *et al*
Sabrosa NA *see* Ramsay AS *et al*
Saccà S *et al.* Daily tonometric curves after cataract surgery, **24**
Saddy JC *see* Curi ALL *et al*
Sadler J *see* Newsom RSB *et al*
Saeed M *see* Newsom RSB *et al*
Sahni J, Clark D. Argon laser and trichiasis: a helpful tip: *letter*, **762**
Saika S *et al.* Latent TGFβ binding protein-1 and fibrillin-1 in human capsular opacification and in cultured lens epithelial cells, **1362**
Sajda P *see* Asmuth J *et al*
Sakai J-I *et al.* New diagnostic approach for ocular tuberculosis by ELISA using the cord factor as antigen, **130**
Saldana G *see* Walsh JE *et al*
Salgado R *see* Curi ALL *et al*
Salmon JF *see* Casson R *et al*
see Manners T *et al*
Saltzman R *see* Tyring S *et al*
Sander B *see* Moldow B *et al*
Sandy C *see* Wearne MJ *et al*
Sanga L *see* Murthy GVS *et al*
Sanislo S *see* Shaikh S *et al*
Sankhla DK *see* Lithander J *et al*
Sanna S *see* Pinna A *et al*
Santiago P *see* Chan TKJ *et al*
Sarhan ARS *see* Kaye S *et al*
see Shah S *et al*
Sarkies NJC *see* Parker VA *et al*

Sasim IV *see* Mourits MP *et al*
Sauer CG *et al*. Evaluation of the G protein coupled receptor-75 (GPR75) in age related macular degeneration, **969**
Savita C *see* Murthy GVS *et al*
Saw SM *see* Seet B *et al*
Saw S-M *et al*. Academic achievement, close up work parameters, and myopia in Singapore military conscripts, **855**
Myopia and night lighting in children in Singapore, **527**
Scalia S *see* Simcock PR and Scalia S
Schaefer F *et al*. Bacterial keratitis: a prospective clinical and microbiological study, **842**
Scharf J *see* Seider N *et al*
Schaumberger M *see* Gass CA *et al*
Scheer S *see* Borderie VM *et al*
Scheider A *see* Kristin N *et al*
Schönfeld CL *see* Kristin N *et al*
Schlienger P *see* Lumbroso L *et al*
Schmidt K-G *et al*. Ocular pulse amplitude is reduced in patients with advanced retinitis pigmentosa, **678**
Schmitt-Gräff A *see* Auw-Haedrich C *et al*
see Auw-Haedrich C *et al*
Schmut O *see* Weger M *et al*
Schneider B *see* Rainer G *et al*
Schnurrbusch UEK *et al*. Histological findings of surgically excised choroidal neovascular membranes after photodynamic therapy, **1086**
Schreinemachers MCJM *see* Verbraak FD *et al*
Schroeder RP *see* Lee J *et al*
Schulz D *see* Thiel MA *et al*
Schulzer M *see* Broadway DC *et al*
Schwab IR *see* Ho VH and Schwab IR
Schwartz EC *see* Kocur I *et al*
Schwartz SD *see* Chan TKJ *et al*
Sciscio A *see* Eleftheriadis H *et al*
Sciscio A, Casswell AG. Effectiveness of apraclonidine 1% in preventing intraocular pressure rise following macular hole surgery, **164**
Scrimgeour E *see* Lithander J *et al*
Sechi LA *see* Pinna A *et al*
Seet B *see* Saw S-M *et al*
Seet B *et al*. Myopia in Singapore: taking a public health approach, **521**
Seider N *et al*. Intravenous immunoglobulin therapy for resistant ocular Behçet's disease, **1287**
Semmelrock J *see* Weger M *et al*
Sener EC *see* Kadayifçilar S *et al*
Seregard S *see* Pe'er J *et al*
Serle JB *see* Halikiopoulos D and Serle JB
Seward H *et al*. Management of cataract surgery in a high myope, **1372**
Shah DN *see* Upadhyay MP *et al*
Shah S *et al*. The epithelial flap for photorefractive keratectomy, **393**
Shaikh S *et al*. Congenital circumscribed choroidal haemangioma associated with infantile hepatic haemangioendotheliomatosis: *letter*, **626**
Shakya S *see* Upadhyay MP *et al*
Shallo-Hoffman JA *see* Acheson JF *et al*
Sharma N *see* Vajpayee RB *et al*
Sharma S *see* Brown MM *et al*
Sharma V *see* Dick AD *et al*
see Vajpayee RB *et al*
Shawkat FS *et al*. Spontaneous reversal of nystagmus in the dark, **428**
Sheen NJL *see* Jones AL *et al*
Shen J *et al*. Ex vivo adenovirus mediated gene transfection of human conjunctival epithelium, **861**
Sherafat H *see* Boyd S *et al*
Sherafat H *et al*. Anomalies of binocular function in patients with longstanding asymmetric keratoconus, **1057**
Shi W *see* Xie L *et al*
Shields CL *see* Demirci H *et al*
Shields CL *et al*. Factors associated with elevated intraocular pressure in eyes with iris melanoma, **666**
Shields DC *see* Cahill M *et al*
Shields JA *see* Demirci H *et al*
see Shields CL *et al*
Shih Y-F *see* Chang S-W *et al*
Shimada Y *et al*. Assessment of early retinal changes in diabetes using a new multifocal ERG protocol, **414**
Shimoda K *see* Shinoda K *et al*
Shinoda K *et al*. Light induced apoptosis is accelerated in transgenic retina overexpressing human EAT/mcl-1, an anti-apoptotic bcl-2 related gene, **1237**
Shiokawa Y *see* Oshika T *et al*
Shirai S *see* Matsubara A *et al*
Shrestha JK *see* Upadhyay MP *et al*
Shrestha JK *et al*. Outcomes of extracapsular surgery in eye camps of eastern Nepal, **648**
Shuttleworth G *see* Parkin B *et al*
Sidhu M *see* Minassian DC *et al*
Silva LM *see* Lauande-Pimentel R *et al*
Simcock PR, Scalia S. Phacovitrectomy without prone posture for full thickness macular holes, **1316**
Simmons IG *see* Stewart OG *et al*
Simon M *see* Weger M *et al*
Simonelli F *see* Sauer CG *et al*
Simpson R *see* Lee J *et al*
Sims G *see* Kaye SB *et al*
Singh AD *see* Shields CL *et al*
Siriwardena D *see* Kotecha A *et al*
Sisley K *see* Elshaw SR *et al*
see Patel KA *et al*
see Prasad S *et al*
Sjö NC *et al*. Human papillomavirus in conjunctival papilloma, **785**
Sjolie AK *see* Lyhne N *et al*
Skorpik C *see* Pieh S *et al*
Sloper JJ *see* Dorey SE *et al*
see Sherafat H *et al*
Smetana Jr K *see* Hrdličková-Cela E *et al*
Smith A *see* Shields CL *et al*
Smith GT, Liu CSC. Is it time for a new attitude to "simultaneous" bilateral cataract surgery?: *perspective*, **1489**
Smith JH *see* Gombos DS *et al*
Smith JMA *et al*. Crystalluria with sulphadiazine: *letter*, **1265**
Smith JR, Rosenbaum JT. A role for methotrexate in the management of non-infectious orbital inflammatory disease, **1220**
Smith VA *et al*. Tear film MMP accumulation and corneal disease, **147**
Snellingen T *see* Shrestha JK *et al*
Snibson GR *see* Maini R *et al*
Söğüt S *see* Totan Y *et al*
Sobottka B *see* Pe'er J *et al*
Solomon A *et al*. Suppression of interleukin 1α and interleukin 1β in human limbal epithelial cells cultured on the amniotic membrane stromal matrix, **444**
Soubrane G, Bressler NM. Treatment of subfoveal choroidal neovascularisation in age related macular degeneration: focus on clinical application of verteporfin photodynamic therapy: *perspective*, **483**
Sparrow JM *see* Frost NA and Sparrow JM
Srinivasan S *et al*. Tractional ciliary body detachment, choroidal effusion, and hypotony caused by severe anterior lens capsule contraction following cataract surgery: *letter*, **1261**
Srivastava PK *see* Misra A *et al*
Stanford MR *see* Chak M *et al*
see Palmer HE *et al*
Stanger O *see* Weger M *et al*
Stanton AV *see* Chapman N *et al*
Stapleton F *et al*. Short term wear of high Dk soft contact lenses does not alter corneal epithelial cell size or viability, **143**
Steel J *see* Cormack TGM *et al*
Stefani FH *see* Pe'er J *et al*
Stefánsson E *see* Allingham RR *et al*
Steinkogler FJ *see* Kuchar A and Steinkogler FJ
Steuhl K-P *see* Heinz C *et al*
Stevenson M *see* Doris N *et al*
Stewart OG *et al*. Bilateral facial nerve palsy associated with p-ANCA positive vasculitis in a patient with rheumatoid arthritis: *letter*, **1266**
Sticker M *see* Pieh S *et al*
Stiglmayer N *see* Mladina R *et al*
Stitt AW. Advanced glycation: an important pathological event in diabetic and age related ocular disease: *perspective*, **746**
Stodtmeister R. Biometric aspects and comparison with published papers: *letter*, **1394**
Stöhr H *see* Sauer CG *et al*
Stone RA *see* Saw S-M *et al*
Strunk W *see* Reinecke P *et al*
Struyf S *see* El-Asrar AMA *et al*
Stur M *see* Ergun E and Stur M
see Maár N *et al*
Suami M *et al*. Keratolysis in a patient with pemphigus vulgaris: *letter*, **1263**
Subramaniam S *see* Poon AC *et al*
Sugita S *see* Taguchi C *et al*
Sullivan L *see* Maini R *et al*
Sullivan P *see* Assi A *et al*
Sundmacher R *see* Hillenkamp J *et al*
Sung K-R *see* Kook MS *et al*
Sung V *see* Tong L *et al*
Sutherland MSM, Young JDH. Does instilling proxymetacaine before cyclopentolate significantly reduce stinging? The implications for paediatric cycloplegia: *letter*, **244**
Sutter EE *see* Shimada Y *et al*
Sverisson T *see* Allingham RR *et al*
Swart W *see* Gan IM *et al*
Szurman P *see* Roters S *et al*

Tabbara KF. Blinding trachoma: the forgotten problem: *editorial*, **1397**
Blindness in the eastern Mediterranean countries, **771**
Tagawa Y *see* Taguchi C *et al*

Taguchi C *et al.* Macrophage migration inhibitory factor in ocular fluids of patients with uveitis, **1367**
Tahara Y *see* Oshima Y *et al*
Takahashi T *see* Miyata K *et al*
Takamura N *see* Kurihara K *et al*
Takigawa M *see* Suami M *et al*
Talbot F *see* Patel KA *et al*
Tan D *see* Saw S-M *et al*
Tan DTH *see* Chan CML *et al*
see Seet B *et al*
Tan JCH, Hitchings RA. Non-penetrating glaucoma surgery: the state of play: *perspective*, **234**
Tanaka H *see* Fujii Y *et al*
Tanaka T *see* Saika S *et al*
Tanner V *see* Gupta M *et al*
see Minihan M *et al*
Tanner V *et al.* Management of inferior retinal breaks during pars plana vitrectomy for retinal detachment, **480**
Optical coherence tomography of the vitreoretinal interface in macular hole formation, **1092**
Tawfik N *see* Arab GEA *et al*
Taylor C *see* Comer M *et al*
Taylor D *see* Cassidy L *et al*
see Teuten B and Taylor D
Taylor D. Commentaries: *editorial*, **256**
Pleonasms, pomposity and plain bad English!: *commentary*, **1147**
Taylor D *et al.* Should we aggressively treat unilateral congenital cataracts?, **1120**
Taylor DSI *see* Shawkat FS *et al*
Taylor HR *see* Maini R *et al*
see Maini R *et al*
see McCarty CA *et al*
see Vajpayee RB *et al*
Taylor HR, Keeffe JE. World blindness: a 21st century perspective, **261**
Taylor N *see* Jiang H-R *et al*
see Shen J *et al*
Taylor NK *see* Morgan-Davies J *et al*
Terasaki H *see* Hotta Y *et al*
Tesavibul N *see* Prabhasawat P *et al*
Teuten B, Taylor D. "Don't worry my good man—you won't understand our medical talk": consent to treatment today: *commentary*, **894**
Thai Q *see* Jain K *et al*
Thaller VT *et al.* Spontaneous eyelid expansion after full thickness eyelid resection and direct closure, **1450**
Tham CCY *see* Lai JSM *et al*
Tham VM-B *et al.* Anterior ischaemic optic neuropathy in a patient with HLA-B27 associated anterior uveitis and ankylosing spondylitis: *letter*, **756**
Thayer D *see* Chan TKJ *et al*
Thean J *see* Huynh T *et al*
Then KY *see* Thaller VT *et al*
Thiel MA *et al.* A simple corneal perfusion chamber for drug penetration and toxicity studies, **450**
Thom SA *see* Chapman N *et al*
Thorgeirsson E *see* Allingham RR *et al*
Thrasher AJ *see* Reichel MB *et al*
Thuret G *see* Gain P *et al*
Tighe PJ *see* El-Ghrably IA *et al*
Tiller A *see* Verbraak FD *et al*
Tittl M *see* Maár N *et al*
Tole DM *et al.* Reliability of impression cytology for the diagnosis of ocular surface squamous neoplasia employing the Biopore membrane, **154**
Tolentino MJ *et al.* Echographic localisation of corticosteroid after retrobulbar injection: *letter*, **626**
Tomidokoro A *see* Baek TM *et al*
see Miyata K *et al*
Tong L *see* Ang A *et al*
Tong L, Carkeet A. A new colour vision arrangement test to detect functional changes in diabetic macular oedema: *letter*, **1013**
Tong L *et al.* Sensitivity and specificity of a new scoring system for diabetic macular oedema detection using a confocal laser imaging system, **34**
Totan Y *et al.* Plasma malondialdehyde and nitric oxide levels in age related macular degeneration, **1426**
Touhami A *see* Ellies P *et al*
Touzeau O *see* Borderie VM *et al*
Treister G *see* Desatnik H *et al*
Trinquand C *see* Demailly P *et al*
Tromans C *et al.* Accuracy of intraocular lens power calculation in paediatric cataract surgery, **939**
Trottier S *see* Tyring S *et al*
Trupkovic-Fotivec B *see* Mladina R *et al*
Tsai I-L *see* Chang S-W *et al*
Tseng SCG *see* Anderson DF *et al*
see Ellies P *et al*
see Solomon A *et al*
Tseng SCG. Amniotic membrane transplantation for persistent corneal epithelial defect: *editorial*, **1400**
Tso MOM *see* Li J *et al*
Tsubota K *see* Nakamura K *et al*
Tuft S *see* Ionides A *et al*
Tuft S, Gallivan S. Computer modelling of a cataract waiting list, **582**
Tuft SJ *see* Jackson H *et al*
see Poon AC *et al*
Tullo AB *see* Armitage WJ *et al*
Tungpakorn N *see* Courtright P *et al*
Tyers AG *see* Boboridis K *et al*
see McMullan TFW and Tyers AG
Tyring S *et al.* Famciclovir for ophthalmic zoster: a randomised aciclovir controlled study, **576**

Uchio E, Kadonosono K. Are airbags a risk for patients after radial keratotomy?: *commentary*, **640**
Ulbig M *see* Gandorfer A *et al*
Umezawa A *see* Shinoda K *et al*
Upadhyay MP *et al.* The Bhaktapur eye study: ocular trauma and antibiotic prophylaxis for the prevention of corneal ulceration in Nepal, **388**
Urbaniak SJ *see* Kilmartin DJ *et al*
Usami Y *see* Suami M *et al*
Usui M *see* Sakai J-I *et al*
Uz E *see* Totan Y *et al*

Vajpayee RB *et al.* Evaluation of techniques of single continuous suturing in penetrating keratoplasty, **134**
Valmaggia C *et al.* Optokinetic nystagmus in patients with central scotomas in age related macular degeneration, **169**
van Best JA *see* Müskens RPHM *et al*
van Cleynenbreugel H *see* Casteels I *et al*
Van Damme J *see* El-Asrar AMA *et al*
van den Bosch W *see* Paridaens D *et al*
van den Bosch WA, Olver JM. Raising the suborbicularis fat (SOOF): *letter*, **888**
van der Hoek J *see* Srinivasan S *et al*
Van der Lelij A *see* Bartels MC *et al*
van der Putte SCJ *see* Mourits MP *et al*
van Deventer SJH *see* Verbraak FD *et al*
van Dissel JT *see* Gan IM *et al*
van Gelderen BE *see* Bartels MC *et al*
van Meurs JC *see* Gan IM *et al*
Van Slycken S *see* Tyring S *et al*
Vargas C *see* Krygier G *et al*
Vass C *see* Pieh S *et al*
Vautrin A-C *see* Gain P *et al*
Velten IM *et al.* The a-wave of the dark adapted electroretinogram in glaucomas: are photoreceptors affected?, **397**
The b-wave of the dark adapted flash electroretinogram in patients with advanced asymmetrical glaucoma and normal subjects, **403**
Velten K *see* Velten IM *et al*
Velu T *see* Demols PF *et al*
Ventura ACS, Böhnke M. Pentoxifylline influences the autocrine function of organ cultured donor corneas and enhances endothelial cell survival, **1110**
Ventura ACS *et al.* Central corneal thickness measurements in patients with normal tension glaucoma, primary open angle glaucoma, pseudoexfoliation glaucoma, or ocular hypertension, **792**
Corneal thickness and endothelial density before and after cataract surgery, **18**
Verbraak FD *et al.* Prevalence of subclinical anterior uveitis in adult patients with inflammatory bowel disease, **219**
Vernon SA *see* Gupta R and Vernon SA
see Tong L *et al*
Vesti E *see* Harju M and Vesti E
Vetrugno M *et al.* A randomised, double masked, clinical trial of high dose vitamin A and vitamin E supplementation after photorefractive keratectomy, **537**
Villani GM *see* Mannino G *et al*
Viola A *see* Krygier G *et al*
von Buchwald C *see* Sjö NC *et al*
Vote BJT *et al.* Emmetropisation after Molteno implant insertion for buphthalmos: *letter*, **1139**
Votruba M. An "overtrained" ophthalmologist responds: *letter*, **1394**
Vrensen GFJM *see* Müller LJ *et al*

Wagels G *see* Badenoch PR *et al*
Wagner M *see* Elshaw SR *et al*
Waheeb S *see* Jain K *et al*
Wainwright AC *see* Newsom RSB *et al*
Wallace D *see* Walsh JE *et al*
Wallace GR *see* Chak M *et al*
see Palmer HE *et al*
Walsh JE *et al.* Quantification of the ultraviolet radiation (UVR) field in the human eye in vivo using novel instrumentation and the potential benefits of UVR blocking hydrogel contact lens, **1080**
Walshaw D *see* Ramsay AS *et al*
Walter P *see* Lüke C *et al*
Wälti R *see* Ventura ACS *et al*

Watkins R *et al.* Intraocular pressure and pulsatile ocular blood flow after retrobulbar and peribulbar anaesthesia, **796**
Watson PG *et al.* A 7 year prospective comparative study of three topical β blockers in the management of primary open angle glaucoma, **962**
Wearne MJ *et al.* Autogenous hard palate mucosa: the ideal lower eyelid spacer?, **1183**
Weber BHF *see* Sauer CG *et al*
Weger M *et al.* Hyperhomocyst(e)inaemia, but not MTHFR C677T mutation, as a risk factor for non-arteritic ischaemic optic neuropathy, **803**
Weghaupt H *see* Pieh S *et al*
Weih LA *see* Maini R *et al*
Weinmann I *see* Heinz C *et al*
Weir CR *et al.* Spontaneous consecutive exotropia in children with motor fusion: *letter*, **242**
Weissenberger C *see* Auw-Haedrich C *et al*
Weitzman ML *see* Gariano RF and Weitzman ML
Welge-Lüßen U *see* Gandorfer A *et al*
Welt K *see* Schnurrbusch UEK *et al*
West J *see* Karia N *et al*
Westlake W. Is a one eyed racing driver safe to compete? Formula one (eye) or two?: *perspective*, **619**
Wetherall BL *see* Badenoch PR *et al*
Whitcher JP *see* Upadhyay MP *et al*
White JES *see* Sherafat H *et al*
White K *see* Sauer CG *et al*
White PS *see* MacEwen CJ *et al*
Whitehead AS *see* Cahill M *et al*
Whyte MKB *see* Cohen VML *et al*
Wiedemann P *see* Schnurrbusch UEK *et al*
Williams C *see* Rahi JS *et al*
Williams HP. Sir Harold Ridley's vision, **1022**
Williams KA *see* Henderson TR *et al*
see Thiel MA *et al*
Williamson A. Getting our journals to developing countries: *editorial*, **893**
Williamson TH *see* Minihan M *et al*
see Tanner V *et al*
see Tanner V *et al*
Willies C *see* Manners T *et al*
Willoughby C *see* Kaye SB *et al*
Wilson D *see* Kilmartin DJ *et al*
Wilson G *et al.* Bilateral retinal detachments at birth: the osteoporosis pseudoglioma syndrome: *letter*, **1139**
Wintle R *see* Andreou P *et al*
Witschel H *see* Auw-Haedrich C *et al*
see Auw-Haedrich C *et al*
Witt N *see* Chapman N *et al*
Wolf S *see* Schnurrbusch UEK *et al*
Wollensak G *et al.* Interphase fluorescence in situ hybridisation of the X and Y chromosomes in the human eye, **1244**
Wollnik PCM *see* Bednarz J *et al*
Wong D *see* Damato B *et al*
see Hiscott P *et al*
Wong JS *see* Chan CML *et al*
Wong TY *see* Seet B *et al*
Wong T-Y *see* Saw S-M *et al*
Wong TY *et al.* Is the pulse rate useful in assessing risk of diabetic retinopathy and macular oedema? The Wisconsin Epidemiological Study of Diabetic Retinopathy, **925**
Woo H-M *et al.* Effects of amniotic membrane on epithelial wound healing and stromal remodelling after excimer laser keratectomy in rabbit cornea, **345**
Wood JPM *see* Osborne NN *et al*
Wood M *see* Yorston D *et al*
Woodcock BE *see* Puri P *et al*
Woodruff S *see* Assi A *et al*
Woods CG *see* Mohamed MD *et al*
Wormald RPL *see* Hennig A *et al*
Worthing E *see* Lithander J *et al*
Wright KW *see* Taylor D *et al*
Wright MM *see* Rizq RN *et al*
Wu C-C *see* Lin P-Y *et al*
Wu H-M *see* Saw S-M *et al*
see Saw S-M *et al*

Xie L *et al.* Treatment of fungal keratitis by penetrating keratoplasty, **1070**

Yaguchi S *see* Kageyama T *et al*
Yamada T *see* Shinoda K *et al*
Yamaguchi Y *see* Mori F *et al*
see Mori F *et al*
Yamamoto S *see* Hayashi M and Yamamoto S
Yamanaka N *see* Ozaki N *et al*
Yamashita S *see* Kurihara K *et al*
Yang YF *et al.* Persistence of acanthamoeba antigen following acanthamoeba keratitis, **277**
Yano I *see* Sakai J-I *et al*
Yap E *see* Saw S-M *et al*
Yates M *see* Watkins R *et al*
Yeung KY *see* Chan WM *et al*
Yorston D, Khaw PT. A randomised trial of the effect of intraoperative 5-FU on the outcome of trabeculectomy in east Africa, **1028**
Yorston D *et al.* Results of cataract surgery in young children in east Africa, **267**
Yoshida A *see* Mori F *et al*
see Mori F *et al*
Yoshida A *et al.* Induction of interleukin-8 in human retinal pigment epithelial cells after denuding injury, **872**
Yoshimura N *see* Amari F *et al*
Young JDH *see* MacEwen CJ *et al*
see Sutherland MSM and Young JDH
Yu YS *see* Choi MY *et al*
Yuguchi T *see* Kato S *et al*

Zajic B *see* Maár N *et al*
Zambarakji HJ *see* Tong L *et al*
Zambarakji HJ, Rose GE. An unusual cause of oscillopsia: *letter*, **1388**
Zambarakji HJ *et al.* CMVR diagnoses and progression of CD4 cell counts and HIV viral load measurements in HIV patients on HAART, **837**
Electrophysiological abnormalities following intravitreal vitravene (ISIS 2922) in two patients with CMV retinitis: *letter*, **1142**
Zamir E *et al.* Gold induced interstitial keratitis: *letter*, **1386**
Zanetti S *see* Pinna A *et al*
Zarfati D *see* Jonescu-Cuypers CP *et al*
Zhang WY *et al.* Meta-analysis of randomised controlled trials comparing latanoprost with timolol in the treatment of patients with open angle glaucoma or ocular hypertension, **983**
Ziaie B *see* Rizq RN *et al*
Ziakas NG *et al.* Regionalisation of retinopathy of prematurity (ROP) screening improves compliance with guidelines: an audit of ROP screening in the Northern Region of England, **807**
Zierhut M *see* Kramer S *et al*
Zografos L *see* Schaefer F *et al*
Zöhrer R *see* Pieh S *et al*
Zonneveld F *see* Hintschich C *et al*

VOLUME 85 • SUBJECT INDEX

ablations, A comparison of different depth ablations in the treatment of painful bullous keratopathy with phototherapeutic keratectomy, **912**

Acanthamoeba cyst, Persistence of acanthamoeba antigen following acanthamoeba keratitis, **277**

Acanthamoeba, A comparison of cyst age and assay method of the efficacy of contact lens disinfectants against *Acanthamoeba*, **336**

Persistence of acanthamoeba antigen following acanthamoeba keratitis, **277**

accommodation, Refractive development in children with Down's syndrome: a population based, longitudinal study, **714**

aciclovir, Famciclovir for ophthalmic zoster: a randomised aciclovir controlled study, **576**

acrylic foldable intraocular lens, Influence of glistenings on the optical quality of acrylic foldable intraocular lens, **1034**

AcrySof, Interlenticular opacification in piggyback AcrySof intraocular lenses: explantation technique and laboratory investigations, **830**

acute retinal necrosis, Bilateral acute retinal necrosis and herpes simplex type 2 encephalitis in a neonate: *letter*, **629**

ADCON-L, Adjustable suture strabismus surgery: continuing progress: *editorial*, **2**

Effect of ADCON-L on adjustable strabismus surgery in rabbits, **80**

adenoviral vector, Ex vivo adenovirus mediated gene transfection of human conjunctival epithelium, **861**

adenovirus, An immune response after intraocular administration of an adenoviral vector containing a β galactosidase reporter gene slows retinal degeneration in the *rd* mouse, **341**

adhesion, Adjustable suture strabismus surgery: continuing progress: *editorial*, **2**

Effect of ADCON-L on adjustable strabismus surgery in rabbits, **80**

adnexal lymphoma, Long term outcome of ocular adnexal lymphoma subtyped according to the REAL classification, **63**

adult population, Utility values associated with blindness in an adult population, **327**

adverse reactions, The effect of scleral search coil lens wear on the eye, **332**

afferent pupillary defect, Quantification of relative afferent pupillary defects induced by posterior sub-Tenon's, peribulbar, and retrobulbar anaesthetics, **1445**

Africa, A randomised trial of the effect of intraoperative 5-FU on the outcome of trabeculectomy in east Africa, **1028**

Blindness in Africa: present situation and future needs, **897**

Results of cataract surgery in young children in east Africa, **267**

age related cataract, Long term clinical outcome of a randomised controlled trial of anterior chamber lenses after high volume intracapsular cataract surgery, **11**

Prevention strategies for age related cataract: present limitations and future possibilities, **516**

age related macular degeneration, Clinicopathological correlation of retinal pigment epithelial tears in exudative age related macular degeneration: pretear, tear, and scarred tear, **454**

Electrophysiological changes after 360° retinotomy and macular translocation for subfoveal choroidal neovascularisation in age related macular degeneration, **928**

Evolving pathophysiological paradigms for age related macular degeneration: *editorial*, **510**

Further pathophysiological insights into age related macular degeneration: *letter*, **1013**

Histological findings of surgically excised choroidal neovascular membranes after photodynamic therapy, **1086**

Optokinetic nystagmus in patients with central scotomas in age related macular degeneration, **169**

Plasma malondialdehyde and nitric oxide levels in age related macular degeneration, **1426**

Progressive assessment of age related macular degeneration using an artificial neural network approach: *letter*, **246**

Pulsatile ocular blood flow in asymmetric exudative age related macular degeneration, **1411**

Pulsatile ocular blood flow study: decreases in exudative age related macular degeneration, **531**

Reduced amplitude and delayed latency in foveal response of multifocal electroretinogram in early age related macular degeneration, **287**

Relation between macular morphology and visual function in patients with choroidal neovascularisation of age related macular degeneration, **184**

The role of choroidal haemodynamic abnormalities in the pathogenesis of age related macular degeneration: *editorial*, **1399**

Transpupillary thermotherapy (TTT) for the treatment of choroidal neovascularisation, **173**

Treatment of subfoveal choroidal neovascularisation in age related macular degeneration: focus on clinical application of verteporfin photodynamic therapy: *perspective*, **483**

Yellow dye laser thermotherapy of choroidal neovascularisation in age related macular degeneration, **708**

age related maculopathy, Passive permeability and outward active transport of fluorescein across the blood-retinal barrier in early ARM, **592**

Prevalence of age related maculopathy in a representative Japanese population: the Hisayama study, **1153**

Short wavelength automated perimetry in age related maculopathy, **1432**

age related ocular disease, Advanced glycation: an important pathological event in diabetic and age related ocular disease: *perspective*, **746**

AIDS, CMVR diagnoses and progression of CD4 cell counts and HIV viral load measurements in HIV patients on HAART, **837**

Discontinuing anticytomegalovirus therapy in patients with cytomegalovirus retinitis and AIDS: *editorial*, **381**

HAART, CMV retinitis, and monitoring: *editorial*, **766**

Maxillary sinus non-Hodgkin's lymphoma with orbital and intraocular involvement in the acquired immunodeficiency syndrome: *letter*, **501**

Varicella zoster virus immune recovery stromal keratitis in a patient with AIDS: *letter*, **1390**

airbags, Are airbags a risk for patients after radial keratotomy?: *commentary*, **640**

allergy, Expression of chemokine receptors in vernal keratoconjunctivitis, **1357**

allograft, The long term outcome of limbal allografts: the search for surviving cells, **604**

alternative eye care, Alternative eye care: *commentary*, **767**

amblyopia, Intensive occlusion therapy for amblyopia, **310**

Non-cycloplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children, **1179**

The Rotterdam AMblyopia Screening Effectiveness Study (RAMSES): compliance and predictive value in the first 2 years, **1332**

American Journal of Ophthalmology, Analysis of publication trends in two internationally renowned ophthalmology journals: *letter*, **1497**

amnion, Amniotic membrane grafts, "fresh" or frozen? A clinical and in vitro comparison, **905**

Bacterial contamination of amniotic membrane, **228**

amniotic membrane, Amniotic membrane transplantation for partial limbal stem cell deficiency, **567**

Effects of amniotic membrane on epithelial wound healing and stromal remodelling after excimer laser keratectomy in rabbit cornea, **345**

Failure of amniotic membrane transplantation in the treatment of acute ocular burns, **1065**

Suppression of interleukin 1α and interleukin 1β in human limbal epithelial cells cultured on the amniotic membrane stromal matrix, **444**

amniotic membrane transplantation, Amniotic membrane transplantation for persistent corneal epithelial defect: *editorial*, **1400**

Amniotic membrane transplantation in the management of conjunctival malignant melanoma and primary acquired melanosis with atypia, **658**

Single and multilayer amniotic membrane transplantation for persistent corneal epithelial defect with and without stromal thinning and perforation, **1455**

angiographic changes, Multifocal electroretinographic and angiographic changes in pre-eclampsia: *letter*, **111**

angle closure, Angle closure in fellow eye with prophylactic pilocarpine treatment: *letter*, **1263**

angle closure glaucoma, Angle closure glaucoma secondary to hemiretinal vein occlusion: *letter*, **1390**

anisometropic amblyopia, Comparison between anisometropic and strabismic amblyopia using functional magnetic resonance imaging, **1052**

ankylosing spondylitis, Anterior ischaemic optic neuropathy in a patient with HLA-B27 associated anterior uveitis and ankylosing spondylitis: *letter*, **756**

anterior capsular contraction, Anterior capsular contraction after cataract surgery in eyes of diabetic patients, **21**

anterior capsule contraction, Anterior capsule contraction and intraocular lens decentration and tilt after hydrogel lens implantation, **1294**

anterior chamber inflammation, Anterior capsular contraction after cataract surgery in eyes of diabetic patients, **21**

anterior chamber lenses, Long term clinical outcome of a randomised controlled trial of anterior chamber lenses after high volume intracapsular cataract surgery, **11**

anterior lens capsule contraction, Tractional ciliary body detachment, choroidal effusion, and hypotony caused by severe anterior lens capsule contraction following cataract surgery: *letter,* **1261**
anterior segment, Indocyanine green angiography of the anterior segment in patients undergoing strabismus surgery, **214**
anterior uveitis, Anterior uveitis and its relation to stress: *letter,* **376**
Anterior uveitis and its relation to stress: *letter,* **376**
Prevalence of subclinical anterior uveitis in adult patients with inflammatory bowel disease, **219**
antibiotics, Bacterial keratitis: a prospective clinical and microbiological study, **842**
antigens, Persistence of acanthamoeba antigen following acanthamoeba keratitis, **277**
antiproliferatives, Should antiproliferatives be used in filtering surgery of normal tension glaucoma?: *editorial,* **638**
apoptosis, Apoptosis mediates decrease in cellularity during the regression of Arthus reaction in cornea, **613**
Impression cytology following mitomycin C therapy for ocular surface squamous neoplasia, **1115**
In situ immunohistochemical study of Bcl-2 and heat shock proteins in human corneal endothelial cells during corneal storage, **996**
Light induced apoptosis is accelerated in transgenic retina overexpressing human EAT/mcl-1, an anti-apoptotic bcl-2 related gene, **1237**
Short term wear of high Dk soft contact lenses does not alter corneal epithelial cell size or viability, **143**
applanation tonometry, A comparative study of proxymetacaine-fluorescein and lignocaine-fluorescein use during applanation tonometry, **477**
Correlation between central corneal thickness, applanation tonometry, and direct intracameral IOP readings, **85**
apraclonidine, Effectiveness of apraclonidine 1% in preventing intraocular pressure rise following macular hole surgery, **164**
aqueous humour, Macrophage migration inhibitory factor in ocular fluids of patients with uveitis, **1367**
argon laser, Argon laser and trichiasis: a helpful tip: *letter,* **762**
arterial biopsy, The suitability of the ultrasound biomicroscope for establishing texture in giant cell arteritis, **946**
artificial neural network, Progressive assessment of age related macular degeneration using an artificial neural network approach: *letter,* **246**
astigmatic axis, Refractive, keratometric, and topographic determination of astigmatic axis after penetrating keratoplasty: *letter,* **761**
astigmatism, Astigmatism and the analysis of its surgical correction: *perspective,* **1127**
Corneal irregular astigmatism after laser in situ keratomileusis for myopia, **534**
Evaluation of techniques of single continuous suturing in penetrating keratoplasty, **134**
Refractive development in children with Down's syndrome: a population based, longitudinal study, **714**
atopy, Use of cyclosporin in the treatment of steroid resistant post-keratoplasty atopic sclerokeratitis, **91**
atrophic age related macular degeneration, Idiopathic polypoidal choroidal vasculopathy in a patient with atrophic age related macular degeneration: *letter,* **1011**
audit, Reduced incidence of retinopathy of prematurity, **933**
Regionalisation of retinopathy of prematurity (ROP) screening improves compliance with guidelines: an audit of ROP screening in the Northern Region of England, **807**
Australia, An Australian family with macular dystrophy linked to autosomal recessive alopecia universalis: *letter,* **239**
autofluorescence, Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
autoimmune disease, Conjunctival CD5+ MALT lymphoma: *letter,* **498**
Immunogenetics and clinical phenotype of sympathetic ophthalmia in British and Irish patients, **281**
autoimmunity, Single dose intranasal administration of retinal autoantigen generates a rapid accumulation and cell activation in draining lymph node and spleen: implications for tolerance therapy, **1001**
autolimbal transplantation, Surgical excision, autolimbal transplantation, and mitomycin C in the treatment of conjunctival and corneal intraepithelial neoplasia: *letter,* **630**
autologous serum, Autologous serum eyedrops for dry eyes and epithelial defects: clinical and in vitro toxicity studies, **1188**
automated measurement, Computer algorithms for the automated measurement of retinal arteriolar diameters, **74**
autorefractor, Non-cycloplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children, **1179**
autosomal dominant microcephaly, Autosomal dominant microcephaly—lymphoedema-chorioretinal dysplasia syndrome: *letter,* **499**
autosomal recessive alopecia universalis, An Australian family with macular dystrophy linked to autosomal recessive alopecia universalis: *letter,* **239**
axial length, Factors affecting pulsatile ocular blood flow in normal subjects, **529**
azithromycin, Can we eliminate trachoma?, **385**

B cell lymphoma, Conjunctival CD5+ MALT lymphoma: *letter,* **498**
bacterial contamination, Bacterial contamination of amniotic membrane, **228**
bacterial keratitis, Bacterial keratitis: a prospective clinical and microbiological study, **842**
balloon dilatation, Antegrade balloon dilatation of nasolacrimal duct obstruction in adults, **200**
basal cell carcinoma, Massive basal cell carcinoma in a schizophrenic patient: treatment options and constraints: *letter,* **117**
The rhomboid flap in medial canthal reconstruction, **556**
Bcl-2, In situ immunohistochemical study of Bcl-2 and heat shock proteins in human corneal endothelial cells during corneal storage, **996**
Behçet's disease, Intravenous immunoglobulin therapy for resistant ocular Behçet's disease, **1287**
bilateral skew deviation, Posterior canal predominance in bilateral skew deviation: *letter,* **1395**
binocular vision, Anomalies of binocular function in patients with longstanding asymmetric keratoconus, **1057**
biometric aspects, Biometric aspects and comparison with published papers: *letter,* **1394**
biopore membrane, Impression cytology following mitomycin C therapy for ocular surface squamous neoplasia, **1115**
Reliability of impression cytology for the diagnosis of ocular surface squamous neoplasia employing the Biopore membrane, **154**
birdshot retinochoroidopathy, Bilateral birdshot retinochoroidopathy in absence of overt clinical lesions: *letter,* **754**
birth defect, Ascertainment of children with congenital cataract through the National Congenital Anomaly System in England and Wales, **1049**
Bitot's spots, Bitot's spots and vitamin A deficiency in a child from the UK: *letter,* **372**
***BJO* Online,** *BJO* Online: has the future just happened?: *editorial,* **1272**
blindness, Blindness in Africa: present situation and future needs, **897**
Blindness in children: control priorities and research opportunities, **1025**
Blindness in the eastern Mediterranean countries, **771**
Cataract blindness and barriers to uptake of cataract surgery in a rural community of northern Nigeria, **776**
Causes of severe visual impairment and blindness in children attending schools for the visually handicapped in the Czech Republic, **1149**
Incidence of blindness due to diabetic eye disease in Fife 1990–9, **354**
Major orbital complications of endoscopic sinus surgery, **598**
Social economic development in the prevention of global blindness, **653**
Socioeconomic status and blindness, **1484**
Utility values associated with blindness in an adult population, **327**
block excision, Cystic epithelial growth after penetrating keratoplasty: successful curative treatment by block excision: *letter,* **240**
β blockers, A 7 year prospective comparative study of three topical β blockers in the management of primary open angle glaucoma, **962**
blood bottle, Use of a pair of blood culture bottles for sterility testing of corneal organ culture media, **1158**
blood flow, New neuroretinal rim blood flow evaluation method combining Heidelberg retina flowmetry and tomography, **304**
blood groups, Effect of ABO blood group mismatching on corneal epithelial cells: an in vitro study, **1104**
blood-aqueous barrier, Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
blood-retina barrier, Passive permeability and outward active transport of fluorescein across the blood-retinal barrier in early ARM, **592**
bony orbital development, Bony orbital development after early enucleation in humans, **205**
***Borrelia burgdorferi* DNA,** Detection of *Borrelia burgdorferi* DNA in urine of patients with ocular Lyme borreliosis, **552**
brachytherapy, Cell proliferation activity in posterior uveal melanoma after Ru-106 brachytherapy: an EORTC ocular oncology group study, **1208**
brainstem, Comparison of the main sequence of reflexive saccades and the quick phases of optokinetic nystagmus, **1477**
***British Journal of Ophthalmology*,** Analysis of publication trends in two internationally renowned ophthalmology journals: *letter,* **1497**
Bruch's membrane, Influence of laser photocoagulation on choroidal capillary cytoarchitecture, **40**
bullous keratopathy, A comparison of different depth ablations in the treatment of painful bullous keratopathy with phototherapeutic keratectomy, **912**
Combined phototherapeutic keratectomy and therapeutic contact lens for recurrent erosions in bullous keratopathy, **908**
Ultrastructural morphology and expression of proteoglycans, βig-h3, tenascin-C, fibrillin-1, and fibronectin in bullous keratopathy, **720**

buphthalmos, Emmetropisation after Molteno implant insertion for buphthalmos: *letter,* **1139**
b-wave amplitude, The b-wave of the dark adapted flash electroretinogram in patients with advanced asymmetrical glaucoma and normal subjects, **403**

calf pericardium, Early wound dehiscence with use of hydroxyapatite orbital implant covered with calf pericardium: *letter,* **627**
cancer, Distant cancer effects on standardised testing of peripheral vision, **291**
Leucocoria as the presenting sign of a ciliary body melanoma in a child: *letter,* **115**
Candida albicans, Endogenous *Rhodotorula minuta and Candida albicans* endophthalmitis in an injecting drug user: *letter,* **759**
carbon dioxide, Is the partial pressure of carbon dioxide in the blood related to the development of retinopathy of prematurity?, **1044**
cardiac angioplasty, Spontaneous orbital haemorrhage following cardiac angioplasty: *letter,* **1012**
cataract, Ascertainment of children with congenital cataract through the National Congenital Anomaly System in England and Wales, **1049**
Cataract and "Vision 2020—the right to sight" initiative: *editorial,* **635**
Cataract blindness and barriers to uptake of cataract surgery in a rural community of northern Nigeria, **776**
Cataract in leprosy patients: cataract surgical coverage, barriers to acceptance of surgery, and outcome of surgery in a population based survey in Korea, **643**
Computer modelling of a cataract waiting list, **582**
Outcome of cataract surgery in patients with retinitis pigmentosa, **936**
Outcome of lens aspiration and intraocular lens implantation in children aged 5 years and under, **540**
The assessment of lens opacities in clinical practice: results of a national survey, **319**
cataract extraction, Cataract lens extraction and posterior chamber lens implantation in Korean subjects: *letter,* **249**
cataract surgery, Anterior capsular contraction after cataract surgery in eyes of diabetic patients, **21**
Cataract surgery in young children: *editorial,* **254**
Corneal thickness and endothelial density before and after cataract surgery, **18**
Daily tonometric curves after cataract surgery, **24**
Intraocular pressure rise after small incision cataract surgery: a randomised intraindividual comparison of two dispersive viscoelastic agents, **139**
Is it time for a new attitude to "simultaneous" bilateral cataract surgery?: *perspective,* **1489**
Management of cataract surgery in a high myope, **1372**
Results of cataract surgery in young children in east Africa, **267**
Tractional ciliary body detachment, choroidal effusion, and hypotony caused by severe anterior lens capsule contraction following cataract surgery: *letter,* **1261**
Visual outcome following posterior capsule rupture during cataract surgery, **222**
cell death, Impression cytology following mitomycin C therapy for ocular surface squamous neoplasia, **1115**
cell invasion, A comparison of ocular melanocyte and uveal melanoma cell invasion and the implication of $\alpha 1\beta 1$, $\alpha 4\beta 1$ and $\alpha 6\beta 1$ integrins, **732**
cell lysis, Effect of ABO blood group mismatching on corneal epithelial cells: an in vitro study, **1104**
cell proliferation, Cell proliferation activity in posterior uveal melanoma after Ru-106 brachytherapy: an EORTC ocular oncology group study, **1208**
cell viability, Short term wear of high Dk soft contact lenses does not alter corneal epithelial cell size or viability, **143**
central corneal thickness, Biometric aspects and comparison with published papers: *letter,* **1394**
Central corneal thickness measurements in patients with normal tension glaucoma, primary open angle glaucoma, pseudoexfoliation glaucoma, or ocular hypertension, **792**
Correlation between central corneal thickness, applanation tonometry, and direct intracameral IOP readings, **85**
central field defects, Optokinetic nystagmus in patients with central field defects: *letter,* **762**
central retinal vein occlusion, Photopic 30 Hz flicker ERG as a predictor for rubeosis in central retinal vein occlusion, **683**
Plasma homocysteine, methylene tetrahydrofolate reductase C677T and factor II G20210A polymorphisms, factor VIII, and VWF in central retinal vein occlusion, **1313**
central scotoma, Optokinetic nystagmus in patients with central scotomas in age related macular degeneration, **169**
central serous chorioretinopathy, Cyclical central serous chorioretinopathy associated with cystoid macular oedema: *letter,* **756**
cerebellar ataxia, Optic neuropathy and cerebellar ataxia associated with a rare missense variation (A14510G) of mitochondrial DNA: *letter,* **1009**
cerebral venous thrombosis, Cerebral venous thrombosis presenting as acute visual loss: *letter,* **1140**
chemical burns, A new classification of ocular surface burns: *perspective,* **1379**
chemiluminescent assay, Effect of ABO blood group mismatching on corneal epithelial cells: an in vitro study, **1104**
chemokines, Expression of chemokine receptors in vernal keratoconjunctivitis, **1357**
chemotherapy, Limbal stem cell deficiency arising from systemic chemotherapy: *letter,* **373**
childhood blindness, The many challenges of childhood blindness: *editorial,* **1145**
children, Anatomical and visual outcome of retinal detachment surgery in children, **1437**
Blindness in children: control priorities and research opportunities, **1025**
Cataract surgery in young children: *editorial,* **254**
Causes of severe visual impairment and blindness in children attending schools for the visually handicapped in the Czech Republic, **1149**
Non-cycloplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children, **1179**
Outcome of lens aspiration and intraocular lens implantation in children aged 5 years and under, **540**
Ramosetron compared with granisetron for the prevention of vomiting following strabismus surgery in children, **670**
Refractive development in children with Down's syndrome: a population based, longitudinal study, **714**
Results of cataract surgery in young children in east Africa, **267**
Screening and surveillance for ophthalmic disorders and visual deficits in children in the United Kingdom: *commentary,* **257**
Spontaneous consecutive exotropia in children with motor fusion: *letter,* **242**
Value of nasal endoscopy and probing in the diagnosis and management of children with congenital epiphora, **314**
Xeroderma pigmentosum in three consecutive siblings of a Nigerian family: observations on oculocutaneous manifestations in black African children: *letter,* **110**
China, Glaucoma in China (and worldwide): changes in established thinking will decrease preventable blindness: *editorial,* **1271**
Glaucoma in China: how big is the problem?, **1277**
chlamydia, Can we eliminate trachoma?, **385**
chloramphenicol ophthalmic ointment, The Bhaktapur eye study: ocular trauma and antibiotic prophylaxis for the prevention of corneal ulceration in Nepal, **388**
choriocapillaris, Influence of laser photocoagulation on choroidal capillary cytoarchitecture, **40**
chorioretinal dysplasia syndrome, Autosomal dominant microcephaly—lymphoedema-chorioretinal dysplasia syndrome: *letter,* **499**
choroid, Bilateral circumscribed haemangioma of the choroid not associated with systemic vascular syndrome: *letter,* **1260**
Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
Intraocular pressure measurement at the choroid surface: a feasibility study with implications for implantable microsystems, **868**
choroidal blood flow, Factors affecting pulsatile ocular blood flow in normal subjects, **529**
Pulsatile ocular blood flow study: decreases in exudative age related macular degeneration, **531**
choroidal detachment, Choroidal detachment following extracapsular cataract extraction in a patient treated with latanoprost: *letter,* **1268**
choroidal effusion, Tractional ciliary body detachment, choroidal effusion, and hypotony caused by severe anterior lens capsule contraction following cataract surgery: *letter,* **1261**
choroidal haemangioma, Congenital circumscribed choroidal haemangioma associated with infantile hepatic haemangioendotheliomatosis: *letter,* **626**
choroidal haemodynamic abnormalities, The role of choroidal haemodynamic abnormalities in the pathogenesis of age related macular degeneration: *editorial,* **1399**
choroidal melanoma, Preretinal neovascularisation associated with choroidal melanoma, **1309**
choroidal neovascularisation, Clinicopathological correlation of retinal pigment epithelial tears in exudative age related macular degeneration: pretear, tear, and scarred tear, **454**
Electrophysiological changes after 360° retinotomy and macular translocation for subfoveal choroidal neovascularisation in age related macular degeneration, **928**
Histological findings of surgically excised choroidal neovascular membranes after photodynamic therapy, **1086**
Pulsatile ocular blood flow study: decreases in exudative age related macular degeneration, **531**
Surgical removal of subfoveal choroidal neovascularisation in highly myopic patients, **1041**
Transpupillary thermotherapy (TTT) for the treatment of choroidal neovascularisation, **173**
Treatment of subfoveal choroidal neovascularisation in age related macular degeneration: focus on clinical application of verteporfin photodynamic therapy: *perspective,* **483**
TTT and CNV: *letter,* **1268**

Yellow dye laser thermotherapy of choroidal neovascularisation in age related macular degeneration, **708**
choroidal perfusion, Ocular pulse amplitude is reduced in patients with advanced retinitis pigmentosa, **678**
choroidal reovascularisation, TTT and CMV: *letter,* **1013**
chromosome 2p16, Evaluation of the G protein coupled receptor-75 (GPR75) in age related macular degeneration, **969**
cicatrising conjunctivitis, Wegener's granulomatosis as a cause of cicatrising conjunctivitis: *letter,* **628**
ciliary arteries, So goes the flow—but not always: *editorial,* **128**
ciliary body, Leucocoria as the presenting sign of a ciliary body melanoma in a child: *letter,* **115**
ciliary body detachment, Tractional ciliary body detachment, choroidal effusion, and hypotony caused by severe anterior lens capsule contraction following cataract surgery: *letter,* **1261**
circadian rhythm, Daily tonometric curves after cataract surgery, **24**
clinical outcome, Outcome of cataract surgery in patients with retinitis pigmentosa, **936**
coagulation factors, Is activated factor VII associated with retinal vein occlusion?, **1174**
collagen fibres, The specific architecture of the anterior stroma accounts for maintenance of corneal curvature, **437**
colour discrimination, A new colour vision arrangement test to detect functional changes in diabetic macular oedema, **47**
colour vision, A new colour vision arrangement test to detect functional changes in diabetic macular oedema, **47**
A new colour vision arrangement test to detect functional changes in diabetic macular oedema: *letter,* **1013**
commentaries, Commentaries: *editorial,* **256**
communication, Pleonasms, pomposity and plain bad English!: *commentary,* **1147**
community ophthalmic teams, The delivery of ophthalmic care: the practitioner, community ophthalmic teams, and contract ophthalmology: *commentary,* **1274**
complications, Long term results and complications of trabeculectomy augmented with low dose mitomycin C in patients at risk for filtration failure, **686**
Outcome of lens aspiration and intraocular lens implantation in children aged 5 years and under, **540**
computer algorithms, Computer algorithms for the automated measurement of retinal arteriolar diameters, **74**
computer simulation, Computer modelling of a cataract waiting list, **582**
cone electroretinogram, Changes of cone electroretinograms to colour flash stimuli after successful retinal detachment surgery, **410**
confidence interval, A new colour vision arrangement test to detect functional changes in diabetic macular oedema: *letter,* **1013**
confocal scanning laser ophthalmoscope, Slope analysis of the optic disc in eyes with ocular hypertension and early normal tension glaucoma by confocal scanning laser ophthalmoscope, **56**
congenital epiphora, Value of nasal endoscopy and probing in the diagnosis and management of children with congenital epiphora, **314**
congenital erythropoietic porphyria, Ocular involvement caused by the accumulation of porphyrins in a patient with congenital erythropoietic porphyria: *letter,* **1265**
Ocular involvement in congenital erythropoietic porphyria (Günther's disease): cytopathological evaluation of conjunctival and corneal changes: *letter,* **371**
congenital hereditary endothelial dystrophy, A new pedigree with recessive CHED mapping to the CHED2 locus on 20p13: *letter,* **758**
congenital ptosis, X linked dominant congenital isolated bilateral ptosis: the definition and characterisation of a new condition, **70**
congenital X linked nystagmus, Deletion in the *OA1* gene in a family with congenital X linked nystagmus, **1098**
conjunctiva, Detection of galectin-3 in tear fluid at disease states and immunohistochemical and lectin histochemical analysis in human corneal and conjunctival epithelium, **1336**
Expression of chemokine receptors in vernal keratoconjunctivitis, **1357**
Ex vivo adenovirus mediated gene transfection of human conjunctival epithelium, **861**
Human papillomavirus in conjunctival papilloma, **785**
conjunctival autograft, Vascular patterns in pterygium and conjunctival autografting: a pilot study using indocyanine green anterior segment angiography, **350**
conjunctival changes, Ocular involvement in congenital erythropoietic porphyria (Günther's disease): cytopathological evaluation of conjunctival and corneal changes: *letter,* **371**
conjunctival lesions, Bilateral conjunctival lesions in Melkersson-Rosenthal syndrome: *letter,* **1267**
conjunctival malignant melanoma, Amniotic membrane transplantation in the management of conjunctival malignant melanoma and primary acquired melanosis with atypia, **658**
consent, "Don't worry my good man—you won't understand our medical talk"1: consent to treatment today: *commentary,* **894**
contact lens, Combined phototherapeutic keratectomy and therapeutic contact lens for recurrent erosions in bullous keratopathy, **908**
contact lens disinfection, A comparison of cyst age and assay method of the efficacy of contact lens disinfectants against *Acanthamoeba* , **336**
contact lenses, Short term wear of high Dk soft contact lenses does not alter corneal epithelial cell size or viability, **143**
continuous sutures, Evaluation of techniques of single continuous suturing in penetrating keratoplasty, **134**
contract ophthalmology, The delivery of ophthalmic care: the practitioner, community ophthalmic teams, and contract ophthalmology: *commentary,* **1274**
contrast sensitivity, Hypercapnia invokes an acute loss of contrast sensitivity in untreated glaucoma patients, **1352**
cord factor, New diagnostic approach for ocular tuberculosis by ELISA using the cord factor as antigen, **130**
cornea, A simple corneal perfusion chamber for drug penetration and toxicity studies, **450**
Amniotic membrane transplantation for partial limbal stem cell deficiency, **567**
Apoptosis mediates decrease in cellularity during the regression of Arthus reaction in cornea, **613**
Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
Detection of galectin-3 in tear fluid at disease states and immunohistochemical and lectin histochemical analysis in human corneal and conjunctival epithelium, **1336**
Effect of ABO blood group mismatching on corneal epithelial cells: an in vitro study, **1104**
Effect of three different media on serum free culture of donor corneas and isolated human corneal endothelial cells, **1416**
Influence of HLA-A, HLA-B, and HLA-DR matching on rejection of random corneal grafts using corneal tissue for retrospective DNA HLA typing, **1341**
Treatment of fungal keratitis by penetrating keratoplasty, **1070**
cornea guttata, Screening human donor corneas during organ culture for the presence of guttae, **272**
corneal architecture, The architecture of the corneal stroma: *editorial,* **379**
corneal changes, Ocular involvement in congenital erythropoietic porphyria (Günther's disease): cytopathological evaluation of conjunctival and corneal changes: *letter,* **371**
corneal disease, Tear film MMP accumulation and corneal disease, **147**
corneal endothelium, In situ immunohistochemical study of Bcl-2 and heat shock proteins in human corneal endothelial cells during corneal storage, **996**
corneal epithelial cells, Trehalose protects corneal epithelial cells from death by drying, **610**
corneal epithelial defect, Amniotic membrane transplantation for persistent corneal epithelial defect: *editorial,* **1400**
Single and multilayer amniotic membrane transplantation for persistent corneal epithelial defect with and without stromal thinning and perforation, **1455**
corneal epithelium, Intact corneal epithelium is essential for the prevention of stromal haze after laser assisted in situ keratomileusis, **209**
Short term wear of high Dk soft contact lenses does not alter corneal epithelial cell size or viability, **143**
corneal graft, Systemic cyclosporin A in high risk penetrating keratoplasties: a case-control study, **1464**
corneal grafting, Amniotic membrane grafts, "fresh" or frozen? A clinical and in vitro comparison, **905**
Bacterial contamination of amniotic membrane, **228**
corneal limbal epithelium, Suppression of interleukin 1α and interleukin 1β in human limbal epithelial cells cultured on the amniotic membrane stromal matrix, **444**
corneal metabolism, Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
corneal organ culture, Evaluation of potential organ culture media for eye banking using human donor corneas, **1075**
corneal stroma, The architecture of the corneal stroma: *editorial,* **379**
corneal surgery, Ipsilateral limbal translocation for treatment of partial limbal deficiency secondary to ocular alkali burn, **1031**
corneal thickness, Corneal thickness and endothelial density before and after cataract surgery, **18**
The cornea in young myopic adults, **916**
corneal transplantation, Corneal transplantation: how successful are we?: *letter,* **122**
Screening human donor corneas during organ culture for the presence of guttae, **272**
corneal ulceration, The Bhaktapur eye study: ocular trauma and antibiotic prophylaxis for the prevention of corneal ulceration in Nepal, **388**
corticosteroids, Echographic localisation of corticosteroid after retrobulbar injection: *letter,* **626**
crystalluria, Crystalluria with sulphadiazine: *letter,* **1265**
cup shape measure, Scanning laser ophthalmoscopy of the optic nerve head in exfoliation glaucoma and ocular hypertension with exfoliation syndrome, **297**
cyanoacrylate nail glue, Similarities in the packaging of cyanoacrylate nail glue and ophthalmic preparations: an ongoing problem: *letter,* **496**

cyclodiode laser, Cyclodiode laser therapy for painful, blind glaucomatous eyes, **474**
cyclopentolate, Does instilling proxymetacaine before cyclopentolate significantly reduce stinging? The implications for paediatric cycloplegia: *letter,* **244**
cyclosporin, Use of cyclosporin in the treatment of steroid resistant post-keratoplasty atopic sclerokeratitis, **91**
cyclosporin A, Systemic cyclosporin A in high risk penetrating keratoplasties: a case-control study, **1464**
cyst biology, A comparison of cyst age and assay method of the efficacy of contact lens disinfectants against *Acanthamoeba* , **336**
cystic epithelial growth, Cystic epithelial growth after penetrating keratoplasty: successful curative treatment by block excision: *letter,* **240**
cysticercus cellulosae, Spontaneous extrusion of subconjunctival cysticercus cellulosae: *letter,* **116**
cystoid macular oedema, Cyclical central serous chorioretinopathy associated with cystoid macular oedema: *letter,* **756**
cytogenetic analysis, Cytogenetic analysis in ocular lymphoma: *letter,* **1388**
cytokines, Intravitreal invading cells contribute to vitreal cytokine milieu in proliferative vitreoretinopathy, **461**
Pentoxifylline influences the autocrine function of organ cultured donor corneas and enhances endothelial cell survival, **1110**
cytology, Short term wear of high Dk soft contact lenses does not alter corneal epithelial cell size or viability, **143**
cytomegalovirus, Discontinuing anticytomegalovirus therapy in patients with cytomegalovirus retinitis and AIDS: *editorial,* **381**
Electrophysiological abnormalities following intravitreal vitravene (ISIS 2922) in two patients with CMV retinitis: *letter,* **1142**
Suspension of anticytomegalovirus maintenance therapy following immune recovery due to highly active antiretroviral therapy, **471**
cytomegalovirus retinitis, CMVR diagnoses and progression of CD4 cell counts and HIV viral load measurements in HIV patients on HAART, **837**
HAART, CMV retinitis, and monitoring: *editorial,* **766**
Czech Republic, Causes of severe visual impairment and blindness in children attending schools for the visually handicapped in the Czech Republic, **1149**

dacryocystocoele, Endonasal endoscopic dacryocystorhinostomy for dacryocystocoele in a 4 month old infant: *letter,* **113**
dark adapted electroretinogram, The a-wave of the dark adapted electroretinogram in glaucomas: are photoreceptors affected?, **397**
DD-15, A new colour vision arrangement test to detect functional changes in diabetic macular oedema, **47**
deafness, Sympathetic ophthalmia associated with high frequency deafness: *letter,* **496**
degenerative retinoschisis, Ultrasound biomicroscopy of the peripheral retina and the ciliary body in degenerative retinoschisis associated with pars plana cysts, **976**
dendritic keratitis, Herpes simplex dendritic keratitis after treatment with latanoprost for primary open angle glaucoma: *letter,* **1008**
developing countries, Getting our journals to developing countries: *editorial,* **893**
diabetes, Assessment of early retinal changes in diabetes using a new multifocal ERG protocol, **414**
Incidence of blindness due to diabetic eye disease in Fife 1990–9, **354**
Sensitivity and specificity of a new scoring system for diabetic macular oedema detection using a confocal laser imaging system, **34**
diabetes mellitus, Anterior capsular contraction after cataract surgery in eyes of diabetic patients, **21**
Pupillary autonomic denervation with increasing duration of diabetes mellitus, **1225**
diabetic autonomic neuropathy, Pupillary autonomic denervation with increasing duration of diabetes mellitus, **1225**
diabetic neuropathy, An unusual presentation of diabetic neuropathy: *letter,* **628**
diabetic retinopathy, A new colour vision arrangement test to detect functional changes in diabetic macular oedema, **47**
Assessment of early retinal changes in diabetes using a new multifocal ERG protocol, **414**
Is the pulse rate useful in assessing risk of diabetic retinopathy and macular oedema? The Wisconsin Epidemiological Study of Diabetic Retinopathy, **925**
The absence of diabetic retinopathy in patients with retinitis pigmentosa: implications for pathophysiology and possible treatment: *perspective,* **366**
diabetic retinopathy screening, Effect of digital image compression on screening for diabetic retinopathy, **799**
differentiation, Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
digital image compression, Effect of digital image compression on screening for diabetic retinopathy, **799**
diode laser, Transpupillary thermotherapy (TTT) for the treatment of choroidal neovascularisation, **173**
Dipetalonema reconditum, *Dipetalonema reconditum* in the human eye: *letter,* **1391**
diplopia, Elevated visual motion detection thresholds in adults with acquired ophthalmoplegia, **1447**
disappearing "melanoma", The disappearing "melanoma": *letter,* **759**
DNA sequence analysis, *Pythium insidiosum* keratitis confirmed by DNA sequence analysis: *letter,* **502**
DNA typing, Influence of HLA-A, HLA-B, and HLA-DR matching on rejection of random corneal grafts using corneal tissue for retrospective DNA HLA typing, **1341**
Down's syndrome, Refractive development in children with Down's syndrome: a population based, longitudinal study, **714**
drainage device, Experimental flow studies in glaucoma drainage device development, **1231**
driving, Is a one eyed racing driver safe to compete? Formula one (eye) or two?: *perspective,* **619**
drug penetration, A simple corneal perfusion chamber for drug penetration and toxicity studies, **450**
dry eye syndrome, Trehalose protects corneal epithelial cells from death by drying, **610**

eastern Mediterranean countries, Blindness in the eastern Mediterranean countries, **771**
eccrine sweat gland, Signet ring cell carcinoma of the eccrine sweat gland in the eyelid, treated by radiotherapy alone: *letter,* **112**
echography, Echographic localisation of corticosteroid after retrobulbar injection: *letter,* **626**
economic development, Social economic development in the prevention of global blindness, **653**
education, Academic achievement, close up work parameters, and myopia in Singapore military conscripts, **855**
Egypt, The burden of trachoma in the rural Nile Delta of Egypt: a survey of Menofiya governorate, **1406**
electroretinogram, Electrophysiological changes after 360° retinotomy and macular translocation for subfoveal choroidal neovascularisation in age related macular degeneration, **928**
Photopic 30 Hz flicker ERG as a predictor for rubeosis in central retinal vein occlusion, **683**
Reduced amplitude and delayed latency in foveal response of multifocal electroretinogram in early age related macular degeneration, **287**
electroretinographic changes, Multifocal electroretinographic and angiographic changes in pre-eclampsia: *letter,* **111**
electroretinography, Assessment of early retinal changes in diabetes using a new multifocal ERG protocol, **414**
The b-wave of the dark adapted flash electroretinogram in patients with advanced asymmetrical glaucoma and normal subjects, **403**
ELISA, New diagnostic approach for ocular tuberculosis by ELISA using the cord factor as antigen, **130**
emmetropisation, Emmetropisation after Molteno implant insertion for buphthalmos: *letter,* **1139**
endonasal endoscopic dacryocystorhinostomy, Endonasal endoscopic dacryocystorhinostomy for dacryocystocoele in a 4 month old infant: *letter,* **113**
endophthalmitis, Endogenous *Rhodotorula minuta* and *Candida albicans* endophthalmitis in an injecting drug user: *letter,* **759**
Intravitreal vancomycin and gentamicin concentrations in patients with postoperative endophthalmitis, **1289**
endoscopic sinus surgery, Major orbital complications of endoscopic sinus surgery: *letter,* **1394**
endoscopy, Major orbital complications of endoscopic sinus surgery, **598**
endothelial cell count, Corneal thickness and endothelial density before and after cataract surgery, **18**
endothelial cells, Influence of laser photocoagulation on choroidal capillary cytoarchitecture, **40**
endothelial permeability, The cornea in young myopic adults, **916**
endothelium, Screening human donor corneas during organ culture for the presence of guttae, **272**
endotoxin, Pentoxifylline influences the autocrine function of organ cultured donor corneas and enhances endothelial cell survival, **1110**
English, Pleonasms, pomposity and plain bad English!: *commentary,* **1147**
enucleation, Bony orbital development after early enucleation in humans, **205**
environment, The importance of genes and environment for ocular refraction and its determiners: a population based study among 20–45 year old twins, **1470**
enzymatic vitreolysis, Anticipation for enzymatic vitreolysis: *editorial,* **1**
epidemiological studies, The assessment of lens opacities in clinical practice: results of a national survey, **319**
epidemiology, Academic achievement, close up work parameters, and myopia in Singapore military conscripts, **855**
Prevalence of age related maculopathy in a representative Japanese population: the Hisayama study, **1153**
episcleritis, Isolated episcleral plasmacytoma mimicking episcleritis in a patient with benign monoclonal gammopathy: *letter,* **1264**
epithelial cell, Ex vivo adenovirus mediated gene transfection of human conjunctival epithelium, **861**
epithelial defect, Autologous serum eyedrops for dry eyes and epithelial defects: clinical and in vitro toxicity studies, **1188**

epithelial flap, The epithelial flap for photorefractive keratectomy, **393**
epithelial healing, Effects of amniotic membrane on epithelial wound healing and stromal remodelling after excimer laser keratectomy in rabbit cornea, **345**
epithelium, Effect of ABO blood group mismatching on corneal epithelial cells: an in vitro study, **1104**
Epstein-Barr virus, Chorioretinal post-transplant lymphoproliferative disorder induced by the Epstein-Barr virus, **93**
Epstein–Barr virus associated acute retinal necrosis: *letter,* **114**
excimer laser, The epithelial flap for photorefractive keratectomy, **393**
excimer laser keratectomy, Effects of amniotic membrane on epithelial wound healing and stromal remodelling after excimer laser keratectomy in rabbit cornea, **345**
exotropia, Spontaneous consecutive exotropia in children with motor fusion: *letter,* **242**
experimental autoimmune uveitis, Total dose and frequency of administration critically affect success of nasal mucosal tolerance induction, **739**
experimental autoimmune uveoretinitis, Single dose intranasal administration of retinal autoantigen generates a rapid accumulation and cell activation in draining lymph node and spleen: implications for tolerance therapy, **1001**
explant, Management of inferior retinal breaks during pars plana vitrectomy for retinal detachment, **480**
extracapsular cataract extraction, Choroidal detachment following extracapsular cataract extraction in a patient treated with latanoprost: *letter,* **1268**
Extracapsular cataract extraction compared with small incision surgery by phacoemulsification: a randomised trial, **822**
extracapsular surgery, Outcomes of extracapsular surgery in eye camps of eastern Nepal, **648**
extrusion, Spontaneous extrusion of subconjunctival cysticercus cellulosae: *letter,* **116**
eye, Interphase fluorescence in situ hybridisation of the X and Y chromosomes in the human eye, **1244**
eye banking, Evaluation of potential organ culture media for eye banking using human donor corneas, **1075**
eye camps, Outcomes of extracapsular surgery in eye camps of eastern Nepal, **648**
eye disease, Detection of galectin-3 in tear fluid at disease states and immunohistochemical and lectin histochemical analysis in human corneal and conjunctival epithelium, **1336**
eye dominance, Spontaneous reversal of nystagmus in the dark, **428**
eye drops, Ocular hypotensive efficacy and safety of once daily carteolol alginate, **921**
eye movements, The effect of scleral search coil lens wear on the eye, **332**
eyeball displacement, Spontaneous resolution of eyeball displacement caused by maxillary sinusitis: *letter,* **118**
eyelid, Palisaded encapsulated neuroma (solitary circumscribed neuroma of skin) of the eyelid: report of two cases and review of the literature, **949**
Repeatability and reproducibility of upper eyelid measurements, **99**
eyelid disease, Localised chronic eyelid disease resulting from long term hydroxyurea therapy: *letter,* **372**
eyelid expansion, Spontaneous eyelid expansion after full thickness eyelid resection and direct closure, **1450**
eyelid reconstruction, The rhomboid flap in medial canthal reconstruction, **556**
eyelid resection, Spontaneous eyelid expansion after full thickness eyelid resection and direct closure, **1450**
eyelid swelling, Grotesque bilateral eyelid swelling as a symptom of Munchausen's syndrome: *letter,* **1389**

facial nerve palsy, Bilateral facial nerve palsy associated with p-ANCA positive vasculitis in a patient with rheumatoid arthritis: *letter,* **1266**
factor II, Plasma homocysteine, methylene tetrahydrofolate reductase C677T and factor II G20210A polymorphisms, factor VIII, and VWF in central retinal vein occlusion, **1313**
factor VIII, Plasma homocysteine, methylene tetrahydrofolate reductase C677T and factor II G20210A polymorphisms, factor VIII, and VWF in central retinal vein occlusion, **1313**
failure, Systemic cyclosporin A in high risk penetrating keratoplasties: a case-control study, **1464**
famciclovir, Famciclovir for ophthalmic zoster: a randomised aciclovir controlled study, **576**
familial thrombophilia, Familial thrombophilia and normal tension glaucoma: *letter,* **118**
familial uveal melanoma, Familial uveal melanoma: report on three sibling cases: *letter,* **1007**
fibrillin-1, Latent TGFβ binding protein-1 and fibrillin-1 in human capsular opacification and in cultured lens epithelial cells, **1362**
Ultrastructural morphology and expression of proteoglycans, βig-h3, tenascin-C, fibrillin-1, and fibronectin in bullous keratopathy, **720**
fibronectin, Ultrastructural morphology and expression of proteoglycans, βig-h3, tenascin-C, fibrillin-1, and fibronectin in bullous keratopathy, **720**
field defects, Peripheral visual field defects after macular hole surgery: a complication with decreasing incidence, **549**
filtering surgery, Should antiproliferatives be used in filtering surgery of normal tension glaucoma?: *editorial,* **638**
FISH, Interphase fluorescence in situ hybridisation of the X and Y chromosomes in the human eye, **1244**
Prediction of prognosis in patients with uveal melanoma using fluorescence in situ hybridisation, **1440**
fluid-air exchange, Visual field defects after vitrectomy with fluid-air exchange: *letter,* **121**
fluorescein, A comparative study of proxymetacaine-fluorescein and lignocaine-fluorescein use during applanation tonometry, **477**
Passive permeability and outward active transport of fluorescein across the blood-retinal barrier in early ARM, **592**
fluorescein angiography, Relation between macular morphology and visual function in patients with choroidal neovascularisation of age related macular degeneration, **184**
fluorophotometry, Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
fluoroquinolones, Bacterial keratitis: a prospective clinical and microbiological study, **842**
5-fluorouracil, A randomised trial of the effect of intraoperative 5-FU on the outcome of trabeculectomy in east Africa, **1028**
Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 2 Visual field progression, **696**
Fourier analysis, Corneal irregular astigmatism after laser in situ keratomileusis for myopia, **534**
frequency doubling technology, Clinical comparison of frequency doubling technology perimetry and Humphrey perimetry, **360**
from the library, From the library **126, 252, 378, 508, 634, 764, 890, 1016, 1144, 1270, 1396, 1499**
functional MRI, Comparison between anisometropic and strabismic amblyopia using functional magnetic resonance imaging, **1052**
fundus pigmentation, Waardenburg syndrome type 2 in a Turkish family: implications for the importance of the pattern of fundus pigmentation: *letter,* **1384**
fungus, Treatment of fungal keratitis by penetrating keratoplasty, **1070**

galectin-3, Detection of galectin-3 in tear fluid at disease states and immunohistochemical and lectin histochemical analysis in human corneal and conjunctival epithelium, **1336**
ganglion cell death, A hypothesis to explain ganglion cell death caused by vascular insults at the optic nerve head: possible implication for the treatment of glaucoma: *perspective,* **1252**
Gaucher disease, Comparison of the main sequence of reflexive saccades and the quick phases of optokinetic nystagmus, **1477**
gene therapy, An immune response after intraocular administration of an adenoviral vector containing a β galactosidase reporter gene slows retinal degeneration in the *rd* mouse, **341**
Gene therapy for retinopathy of prematurity: the eye is a window to the future: *editorial,* **891**
Gene therapy in hereditary retinal degeneration and the tower of Babel: *editorial,* **255**
Gene transfer by viral vectors into blood vessels in a rat model of retinopathy of prematurity, **991**
genes, The importance of genes and environment for ocular refraction and its determiners: a population based study among 20–45 year old twins, **1470**
genetic polymorphism, Thrombophilia: genetic polymorphisms and their association with retinal vascular occlusive disease: *perspective,* **883**
genetic testing, Genetic testing—swings and roundabouts: a view from the United Kingdom: *commentary,* **1402**
gentamicin, Intravitreal vancomycin and gentamicin concentrations in patients with postoperative endophthalmitis, **1289**
giant cell arteritis, Steroid management in giant cell arteritis, **1061**
Temporal artery biopsy in the management of giant cell arteritis with neuro-ophthalmic complications, **1248**
The suitability of the ultrasound biomicroscope for establishing texture in giant cell arteritis, **946**
glaucoma, A comparison of stereoscopic and monoscopic evaluation of optic disc topography using a digital optic disc stereo camera, **1347**
A hypothesis to explain ganglion cell death caused by vascular insults at the optic nerve head: possible implication for the treatment of glaucoma: *perspective,* **1252**
Application of a local search strategy improves the detection of blood flow deficits in the neuroretinal rim of glaucoma patients using scanning laser Doppler flowmetry, **1298**
A year is a short time in glaucoma: *editorial,* **637**
Biometric aspects and comparison with published papers: *letter,* **1394**
Central corneal thickness measurements in patients with normal tension glaucoma, primary open angle glaucoma, pseudoexfoliation glaucoma, or ocular hypertension, **792**
Cyclodiode laser therapy for painful, blind glaucomatous eyes, **474**
Daily tonometric curves after cataract surgery, **24**
Discrimination between normal and glaucomatous eyes with visual field and scanning laser polarimetry measurements, **586**
Experimental flow studies in glaucoma drainage device development, **1231**

Factors associated with elevated intraocular pressure in eyes with iris melanoma, **666**
Glaucoma in China (and worldwide): changes in established thinking will decrease preventable blindness: *editorial*, **1271**
Glaucoma in China: how big is the problem?, **1277**
Hypercapnia invokes an acute loss of contrast sensitivity in untreated glaucoma patients, **1352**
Intraocular pressure measurement at the choroid surface: a feasibility study with implications for implantable microsystems, **868**
New neuroretinal rim blood flow evaluation method combining Heidelberg retina flowmetry and tomography, **304**
Slope analysis of the optic disc in eyes with ocular hypertension and early normal tension glaucoma by confocal scanning laser ophthalmoscope, **56**
The b-wave of the dark adapted flash electroretinogram in patients with advanced asymmetrical glaucoma and normal subjects, **403**
The Humphrey optical coherence tomography scanner: quantitative analysis and reproducibility study of the normal human retinal nerve fibre layer, **673**
Transscleral cyclophotocoagulation in glaucoma after penetrating keratoplasty: *letter*, **761**

glaucoma surgery, Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 2 Visual field progression, **696**

glaucomas, The a-wave of the dark adapted electroretinogram in glaucomas: are photoreceptors affected?, **397**

glistening, Influence of glistenings on the optical quality of acrylic foldable intraocular lens, **1034**

glycation, Advanced glycation: an important pathological event in diabetic and age related ocular disease: *perspective*, **746**
Advanced glycation end products in human optic nerve head, **52**

Günther's disease, Ocular involvement in congenital erythropoietic porphyria (Günther's disease): cytopathological evaluation of conjunctival and corneal changes: *letter*, **371**

gold, Gold induced interstitial keratitis: *letter*, **1386**

Goldmann applanation tonometry, Clinical comparison of the Keeler Pulsair 3000 with Goldmann applanation tonometry, **1303**

G protein coupled receptor, Evaluation of the G protein coupled receptor-75 (GPR75) in age related macular degeneration, **969**

grafts, Autogenous hard palate mucosa: the ideal lower eyelid spacer?, **1183**

granisetron, Ramosetron compared with granisetron for the prevention of vomiting following strabismus surgery in children, **670**

granulomatous uveitis, Bilateral granulomatous uveitis in association with common variable immunodeficiency: *letter*, **630**

HAART, CMVR diagnoses and progression of CD4 cell counts and HIV viral load measurements in HIV patients on HAART, **837**
Discontinuing anticytomegalovirus therapy in patients with cytomegalovirus retinitis and AIDS: *editorial*, **381**
HAART, CMV retinitis, and monitoring: *editorial*, **766**
Suspension of anticytomegalovirus maintenance therapy following immune recovery due to highly active antiretroviral therapy, **471**

haemangioma, Bilateral circumscribed haemangioma of the choroid not associated with systemic vascular syndrome: *letter*, **1260**

halo size, Halo size under distance and near conditions in refractive multifocal intraocular lenses, **816**

hard palate, Autogenous hard palate mucosa: the ideal lower eyelid spacer?, **1183**

health education, The use of a newspaper insertion to promote DIY testing of vision in India, **952**

heat shock protein, Immunohistochemical detection of heat shock protein 27 and Ki-67 in human pterygium: *letter*, **1392**
In situ immunohistochemical study of Bcl-2 and heat shock proteins in human corneal endothelial cells during corneal storage, **996**

Heidelberg retina tomograph, Scanning laser ophthalmoscopy of the optic nerve head in exfoliation glaucoma and ocular hypertension with exfoliation syndrome, **297**
Sensitivity and specificity of a new scoring system for diabetic macular oedema detection using a confocal laser imaging system, **34**

Heidelberg retina tomograph/flowmeter, New neuroretinal rim blood flow evaluation method combining Heidelberg retina flowmetry and tomography, **304**

hemiretinal vein occlusion, Angle closure glaucoma secondary to hemiretinal vein occlusion: *letter*, **1390**

hepatitis C, Retinopathy in chronic hepatitis C patients during interferon treatment with ribavirin, **1171**

hepatocellular carcinoma, Lid retraction in primary hepatocellular carcinoma: *letter*, **754**

hereditary retinal degeneration, Gene therapy in hereditary retinal degeneration and the tower of Babel: *editorial*, **255**

herpes simplex, Herpes simplex dendritic keratitis after treatment with latanoprost for primary open angle glaucoma: *letter*, **1008**

herpes simplex type 2 encephalitis, Bilateral acute retinal necrosis and herpes simplex type 2 encephalitis in a neonate: *letter*, **629**

high tension glaucoma, Study of retinal nerve fibre layer thickness in eyes with high tension glaucoma and hemifield defect, **1167**

highly active antiretroviral therapy, CMVR diagnoses and progression of CD4 cell counts and HIV viral load measurements in HIV patients on HAART, **837**
HAART, CMV retinitis, and monitoring: *editorial*, **766**

histology, Interlenticular opacification in piggyback AcrySof intraocular lenses: explantation technique and laboratory investigations, **830**

HLA antigens, Influence of HLA-A, HLA-B, and HLA-DR matching on rejection of random corneal grafts using corneal tissue for retrospective DNA HLA typing, **1341**

homocysteine, Thermolabile MTHFR genotype and retinal vascular occlusive disease, **88**

homocyst(e)ine, Hyperhomocyst(e)inaemia, but not MTHFR C677T mutation, as a risk factor for non-arteritic ischaemic optic neuropathy, **803**

human corneal endothelium, Effect of three different media on serum free culture of donor corneas and isolated human corneal endothelial cells, **1416**

human corneal stroma, The specific architecture of the anterior stroma accounts for maintenance of corneal curvature, **437**

human donor corneas, Evaluation of potential organ culture media for eye banking using human donor corneas, **1075**

human eye, *Dipetalonema reconditum* in the human eye: *letter*, **1391**

human leucocyte antigen, Immunogenetics and clinical phenotype of sympathetic ophthalmia in British and Irish patients, **281**

human papillomavirus, Human papillomavirus in conjunctival papilloma, **785**
Human papillomavirus in pterygium, **782**

humans, Bony orbital development after early enucleation in humans, **205**

Humphrey perimetry, Clinical comparison of frequency doubling technology perimetry and Humphrey perimetry, **360**

hyaloid, Optical coherence tomography of the vitreoretinal interface in macular hole formation, **1092**

hydration, The specific architecture of the anterior stroma accounts for maintenance of corneal curvature, **437**

hydrogel contact lenses, Quantification of the ultraviolet radiation (UVR) field in the human eye in vivo using novel instrumentation and the potential benefits of UVR blocking hydrogel contact lens, **1080**

hydrogel intraocular lens, Anterior capsule contraction and intraocular lens decentration and tilt after hydrogel lens implantation, **1294**

hydroxyapatite, Early wound dehiscence with use of hydroxyapatite orbital implant covered with calf pericardium: *letter*, **627**

hydroxyurea therapy, Localised chronic eyelid disease resulting from long term hydroxyurea therapy: *letter*, **372**

hypercapnia, Hypercapnia invokes an acute loss of contrast sensitivity in untreated glaucoma patients, **1352**

hyperhomocysteinaemia, Plasma homocysteine, methylene tetrahydrofolate reductase C677T and factor II G20210A polymorphisms, factor VIII, and VWF in central retinal vein occlusion, **1313**

hyperopia, Correction of refractive error in the Victorian population: the feasibility of "off the shelf" spectacles, **1283**

hyperplastic primary vitreous, Histopathological examination of two cases of anterior staphyloma associated with Peters' anomaly and persistent hyperplastic primary vitreous, **1421**

hypothermic preservation, Amniotic membrane grafts, "fresh" or frozen? A clinical and in vitro comparison, **905**

hypotony, Experimental flow studies in glaucoma drainage device development, **1231**
Tractional ciliary body detachment, choroidal effusion, and hypotony caused by severe anterior lens capsule contraction following cataract surgery: *letter*, **1261**

hypoxia, The absence of diabetic retinopathy in patients with retinitis pigmentosa: implications for pathophysiology and possible treatment: *perspective*, **366**

iatrogenic keratectasia, Iatrogenic keratectasia after phototherapeutic keratectomy: *letter*, **247**

Iceland, Pseudoexfoliation syndrome in Icelandic families, **702**

idiopathic macular hole, Paracentral scotomata: a new finding after vitrectomy for idiopathic macular hole, **231**

idiopathic polypoidal choroidal vasculopathy, Idiopathic polypoidal choroidal vasculopathy in a patient with atrophic age related macular degeneration: *letter*, **1011**

βig-h3, Ultrastructural morphology and expression of proteoglycans, βig-h3, tenascin-C, fibrillin-1, and fibronectin in bullous keratopathy, **720**

image processing, Mosaicking and enhancement of slit lamp biomicroscopic fundus images, **563**

imaging, The Humphrey optical coherence tomography scanner: quantitative analysis and reproducibility study of the normal human retinal nerve fibre layer, **673**

immune recovery, Suspension of anticytomegalovirus maintenance therapy following immune recovery due to highly active antiretroviral therapy, **471**

immunodeficiency, Bilateral granulomatous uveitis in association with common variable immunodeficiency: *letter*, **630**

immunoglobulin, Intravenous immunoglobulin therapy for resistant ocular Behçet's disease, **1287**

immunohistochemistry, Immunohistochemical detection of heat shock protein 27 and Ki-67 in human pterygium: *letter*, **1392**

immunosuppression, Chorioretinal post-transplant lymphoproliferative disorder induced by the Epstein-Barr virus, **93**
Use of cyclosporin in the treatment of steroid resistant post-keratoplasty atopic sclerokeratitis, **91**
impression cytology, Impression cytology following mitomycin C therapy for ocular surface squamous neoplasia, **1115**
Impression cytology in the diagnosis of ocular surface squamous neoplasia: *letter,* **888**
Reliability of impression cytology for the diagnosis of ocular surface squamous neoplasia employing the Biopore membrane, **154**
India, The use of a newspaper insertion to promote DIY testing of vision in India, **952**
indocyanine green angiography, Indocyanine green angiography of the anterior segment in patients undergoing strabismus surgery, **214**
Vascular patterns in pterygium and conjunctival autografting: a pilot study using indocyanine green anterior segment angiography, **350**
inequality, Socioeconomic status and blindness, **1484**
infantile hepatic haemangioendotheliomatosis, Congenital circumscribed choroidal haemangioma associated with infantile hepatic haemangioendotheliomatosis: *letter,* **626**
infants, Ascertainment of children with congenital cataract through the National Congenital Anomaly System in England and Wales, **1049**
Endonasal endoscopic dacryocystorhinostomy for dacryocystocoele in a 4 month old infant: *letter,* **113**
Orbital entomophthoramycosis in an infant: recovery following surgical debridement, combination antifungal therapy and use of hyperbaric oxygen: *letter,* **374**
Reduced incidence of retinopathy of prematurity, **933**
infiltrative cells, Apoptosis mediates decrease in cellularity during the regression of Arthus reaction in cornea, **613**
inflammation, Suppression of interleukin 1α and interleukin 1β in human limbal epithelial cells cultured on the amniotic membrane stromal matrix, **444**
inflammatory bowel disease, Prevalence of subclinical anterior uveitis in adult patients with inflammatory bowel disease, **219**
injecting drug use, Endogenous *Rhodotorula minuta* and *Candida albicans* endophthalmitis in an injecting drug user: *letter,* **759**
injury, Induction of interleukin-8 in human retinal pigment epithelial cells after denuding injury, **872**
integrins, A comparison of ocular melanocyte and uveal melanoma cell invasion and the implication of $\alpha1\beta1$, $\alpha4\beta1$ and $\alpha6\beta1$ integrins, **732**
interferon, Retinopathy in chronic hepatitis C patients during interferon treatment with ribavirin, **1171**
interlenticular opacification, Interlenticular opacification in piggyback AcrySof intraocular lenses: explantation technique and laboratory investigations, **830**
interleukin 1, Suppression of interleukin 1α and interleukin 1β in human limbal epithelial cells cultured on the amniotic membrane stromal matrix, **444**
interleukin 8, Induction of interleukin-8 in human retinal pigment epithelial cells after denuding injury, **872**
interrupted sutures, Evaluation of techniques of single continuous suturing in penetrating keratoplasty, **134**
interstitial keratitis, Gold induced interstitial keratitis: *letter,* **1386**
intracameral intraocular pressure, Correlation between central corneal thickness, applanation tonometry, and direct intracameral IOP readings, **85**
intracapsular cataract surgery, Long term clinical outcome of a randomised controlled trial of anterior chamber lenses after high volume intracapsular cataract surgery, **11**
intraconal placement, Rapid onset of ptosis indicates accurate intraconal placement during retrobulbar anaesthetic injection, **363**
intraepithelial neoplasia, Surgical excision, autolimbal transplantation, and mitomycin C in the treatment of conjunctival and corneal intraepithelial neoplasia: *letter,* **630**
intraocular inflammation, Intraocular inflammation after proton beam irradiation for uveal melanoma, **1305**
intraocular lens, Accuracy of intraocular lens power calculation in paediatric cataract surgery, **939**
Combined phacoemulsification and transpupillary drainage of silicone oil: results and complications, **942**
Outcome of lens aspiration and intraocular lens implantation in children aged 5 years and under, **540**
Primary polypseudophakia for cataract surgery in hypermetropic eyes: refractive results and long term stability of the implants within the capsular bag, **1198**
intraocular lens decentration, Anterior capsule contraction and intraocular lens decentration and tilt after hydrogel lens implantation, **1294**
intraocular lens exposure, Silicone oil-intraocular lens interaction: which lens to use?, **543**
intraocular lens tilt, Anterior capsule contraction and intraocular lens decentration and tilt after hydrogel lens implantation, **1294**
intraocular pressure, Central corneal thickness measurements in patients with normal tension glaucoma, primary open angle glaucoma, pseudoexfoliation glaucoma, or ocular hypertension, **792**
Daily tonometric curves after cataract surgery, **24**
Effectiveness of apraclonidine 1% in preventing intraocular pressure rise following macular hole surgery, **164**
Factors associated with elevated intraocular pressure in eyes with iris melanoma, **666**
Intraocular pressure and pulsatile ocular blood flow after retrobulbar and peribulbar anaesthesia, **796**
Intraocular pressure measurement at the choroid surface: a feasibility study with implications for implantable microsystems, **868**
Intraocular pressure rise after small incision cataract surgery: a randomised intraindividual comparison of two dispersive viscoelastic agents, **139**
Ocular pulse amplitude is reduced in patients with advanced retinitis pigmentosa, **678**
Survival analysis for success of Molteno tube implants, **689**
The effect on intraocular pressure of latanoprost once or four times daily, **1163**
intraventricular haemorrhage, Ocular significance of intraventricular haemorrhage in premature infants, **357**
intravitreal lens fragments, Results of vitrectomy performed at the time of phacoemulsification complicated by intravitreal lens fragments, **1038**
IRBP, Total dose and frequency of administration critically affect success of nasal mucosal tolerance induction, **739**
iridotomy, Who needs an iridotomy?: *editorial,* **1019**
iris, Factors associated with elevated intraocular pressure in eyes with iris melanoma, **666**
iris melanoma, Primary iris melanoma: diagnostic features and outcome of conservative surgical treatment, **848**
iris melanomas, Iris melanomas: are they more frequent in New Zealand?: *commentary,* **4**
iris reconstruction, Primary iris melanoma: diagnostic features and outcome of conservative surgical treatment, **848**
β irradiation, Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery: *letter,* **121**
ischaemic optic neuropathy, Anterior ischaemic optic neuropathy in a patient with HLA-B27 associated anterior uveitis and ankylosing spondylitis: *letter,* **756**

Japanese population, Prevalence of age related maculopathy in a representative Japanese population: the Hisayama study, **1153**
journals, Getting our journals to developing countries: *editorial,* **893**
JPEG, Effect of digital image compression on screening for diabetic retinopathy, **799**
juvenile retinoschisis, Different mutation of the XLRS1 gene causes juvenile retinoschisis with retinal white flecks: *letter,* **238**

Keeler Pulsair 3000, Clinical comparison of the Keeler Pulsair 3000 with Goldmann applanation tonometry, **1303**
keratitis, *Pythium insidiosum* keratitis confirmed by DNA sequence analysis: *letter,* **502**
Persistence of acanthamoeba antigen following acanthamoeba keratitis, **277**
keratoconjunctivitis sicca, Autologous serum eyedrops for dry eyes and epithelial defects: clinical and in vitro toxicity studies, **1188**
keratoconus, Anomalies of binocular function in patients with longstanding asymmetric keratoconus, **1057**
Deep lamellar keratoplasty with lyophilised tissue in the management of keratoconus, **788**
Use of cyclosporin in the treatment of steroid resistant post-keratoplasty atopic sclerokeratitis, **91**
keratocytes, The specific architecture of the anterior stroma accounts for maintenance of corneal curvature, **437**
keratolysis, Keratolysis in a patient with pemphigus vulgaris: *letter,* **1263**
keratoplasty, Use of a pair of blood culture bottles for sterility testing of corneal organ culture media, **1158**
Key words: corneal endothelium, The cornea in young myopic adults, **916**
koilocytosis, Human papillomavirus in conjunctival papilloma, **785**
Korea, Cataract in leprosy patients: cataract surgical coverage, barriers to acceptance of surgery, and outcome of surgery in a population based survey in Korea, **643**
Cataract lens extraction and posterior chamber lens implantation in Korean subjects: *letter,* **249**

lacrimal gland, Primary sebaceous carcinoma of the lacrimal gland: *letter,* **625**
lamellar keratoplasty, Deep lamellar keratoplasty with lyophilised tissue in the management of keratoconus, **788**
laser, Experimental flow studies in glaucoma drainage device development, **1231**
laser Doppler, New neuroretinal rim blood flow evaluation method combining Heidelberg retina flowmetry and tomography, **304**
laser flare meter, Prevalence of subclinical anterior uveitis in adult patients with inflammatory bowel disease, **219**
laser in situ keratomileusis, Corneal irregular astigmatism after laser in situ keratomileusis for myopia, **534**
LASIK, Corneal irregular astigmatism after laser in situ keratomileusis for myopia, **534**
latanoprost, Choroidal detachment following extracapsular cataract extraction in a patient treated with latanoprost: *letter,* **1268**

Herpes simplex dendritic keratitis after treatment with latanoprost for primary open angle glaucoma: *letter*, **1008**
Meta-analysis of randomised controlled trials comparing latanoprost with timolol in the treatment of patients with open angle glaucoma or ocular hypertension, **983**
The effect on intraocular pressure of latanoprost once or four times daily, **1163**
latent TGFβ binding protein-1, Latent TGFβ binding protein-1 and fibrillin-1 in human capsular opacification and in cultured lens epithelial cells, **1362**
leakage, Experimental flow studies in glaucoma drainage device development, **1231**
Leber's congenital amaurosis, Retinal dystrophies caused by mutations in *RPE65*: assessment of visual functions, **424**
lectin histochemistry, Detection of galectin-3 in tear fluid at disease states and immunohistochemical and lectin histochemical analysis in human corneal and conjunctival epithelium, **1336**
leishmaniasis, Ocular scleromalacia caused by leishmaniasis: a rare cause of scleral perforation: *letter*, **240**
lens, Clinicopathological correlation of epiretinal membranes and posterior lens opacification following perfluorohexyloctane tamponade, **179**
lens epithelial cell, Latent TGFβ binding protein-1 and fibrillin-1 in human capsular opacification and in cultured lens epithelial cells, **1362**
leprosy, Cataract in leprosy patients: cataract surgical coverage, barriers to acceptance of surgery, and outcome of surgery in a population based survey in Korea, **643**
leucocoria, Leucocoria as the presenting sign of a ciliary body melanoma in a child: *letter*, **115**
levator function, Repeatability and reproducibility of upper eyelid measurements, **99**
lid retraction, Lid retraction in primary hepatocellular carcinoma: *letter*, **754**
light, Light induced apoptosis is accelerated in transgenic retina overexpressing human EAT/mcl-1, an anti-apoptotic bcl-2 related gene, **1237**
lignocaine, A comparative study of proxymetacaine-fluorescein and lignocaine-fluorescein use during applanation tonometry, **477**
limbal deficiency, Ipsilateral limbal translocation for treatment of partial limbal deficiency secondary to ocular alkali burn, **1031**
limbal stem cell, Ipsilateral limbal translocation for treatment of partial limbal deficiency secondary to ocular alkali burn, **1031**
The long term outcome of limbal allografts: the search for surviving cells, **604**
limbal stem cell deficiency, Limbal stem cell deficiency arising from systemic chemotherapy: *letter*, **373**
liquid crystal display, Effect of digital image compression on screening for diabetic retinopathy, **799**
local anaesthesia, Local anaesthesia for 1221 vitreoretinal procedures, **225**
Quantification of relative afferent pupillary defects induced by posterior sub-Tenon's, peribulbar, and retrobulbar anaesthetics, **1445**
locked-in syndrome, Disconjugate vertical ocular movement in a patient with locked-in syndrome: *letter*, **497**
logMAR, The development of a "reduced logMAR" visual acuity chart for use in routine clinical practice, **432**
lower lid retraction, Autogenous hard palate mucosa: the ideal lower eyelid spacer?, **1183**
lymphoedema, Autosomal dominant microcephaly—lymphoedema-chorioretinal dysplasia syndrome: *letter*, **499**
lyophilised tissue, Deep lamellar keratoplasty with lyophilised tissue in the management of keratoconus, **788**

macrophage migration inhibitory factor, Macrophage migration inhibitory factor in ocular fluids of patients with uveitis, **1367**
macula, Clinical features of a novel TIMP-3 mutation causing Sorsby's fundus dystrophy: implications for disease mechanism, **1429**
macular degeneration, Evaluation of the G protein coupled receptor-75 (GPR75) in age related macular degeneration, **969**
macular dystrophy, An Australian family with macular dystrophy linked to autosomal recessive alopecia universalis: *letter*, **239**
macular hole, Idiopathic full thickness macular hole: natural history and pathogenesis: *perspective*, **102**
Optical coherence tomography of the vitreoretinal interface in macular hole formation, **1092**
Phacovitrectomy without prone posture for full thickness macular holes, **1316**
macular hole surgery, Effectiveness of apraclonidine 1% in preventing intraocular pressure rise following macular hole surgery, **164**
Macular hole surgery using silicone oil tamponade, **1320**
Peripheral visual field defects after macular hole surgery: a complication with decreasing incidence, **549**
Predicting visual outcome after macular hole surgery using scanning laser ophthalmoscope microperimetry, **96**
macular oedema, A new colour vision arrangement test to detect functional changes in diabetic macular oedema, **47**
Is the pulse rate useful in assessing risk of diabetic retinopathy and macular oedema? The Wisconsin Epidemiological Study of Diabetic Retinopathy, **925**
Sensitivity and specificity of a new scoring system for diabetic macular oedema detection using a confocal laser imaging system, **34**
macular translocation, Electrophysiological changes after 360° retinotomy and macular translocation for subfoveal choroidal neovascularisation in age related macular degeneration, **928**
maintenance therapy, Discontinuing anticytomegalovirus therapy in patients with cytomegalovirus retinitis and AIDS: *editorial*, **381**
Suspension of anticytomegalovirus maintenance therapy following immune recovery due to highly active antiretroviral therapy, **471**
malondialdehyde, Plasma malondialdehyde and nitric oxide levels in age related macular degeneration, **1426**
MALT lymphoma, Conjunctival CD5+ MALT lymphoma: *letter*, **498**
management controversies, New series on management controversies in ophthalmology: *editorial*, **1017**
manifest latent nystagmus, Spontaneous reversal of nystagmus in the dark, **428**
marginal reflex distance, Repeatability and reproducibility of upper eyelid measurements, **99**
mass media, The use of a newspaper insertion to promote DIY testing of vision in India, **952**
matrix metalloproteinase (MMP), Tear film MMP accumulation and corneal disease, **147**
maxillary sinusitis, Spontaneous resolution of eyeball displacement caused by maxillary sinusitis: *letter*, **118**
measurement, Repeatability and reproducibility of upper eyelid measurements, **99**
medial canthus, The rhomboid flap in medial canthal reconstruction, **556**
medical treatment, "Don't worry my good man—you won't understand our medical talk"1: consent to treatment today: *commentary*, **894**
medicine, Professionally led regulation in medicine: *commentary*, **513**
Medline, Analysis of publication trends in two internationally renowned ophthalmology journals: *letter*, **1497**
melanoma, Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
Factors associated with elevated intraocular pressure in eyes with iris melanoma, **666**
Leucocoria as the presenting sign of a ciliary body melanoma in a child: *letter*, **115**
Melbourne Visual Impairment Project, Vision impairment predicts 5 year mortality, **322**
Melkersson-Rosenthal syndrome, Bilateral conjunctival lesions in Melkersson-Rosenthal syndrome: *letter*, **1267**
meta-analysis, Meta-analysis of randomised controlled trials comparing latanoprost with timolol in the treatment of patients with open angle glaucoma or ocular hypertension, **983**
metastasis, Factors associated with elevated intraocular pressure in eyes with iris melanoma, **666**
Osteosarcoma with metastasis to orbit: *letter*, **1387**
Prediction of prognosis in patients with uveal melanoma using fluorescence in situ hybridisation, **1440**
methotrexate, A role for methotrexate in the management of non-infectious orbital inflammatory disease, **1220**
methylene tetrahydrofolate reductase mutation, Hyperhomocyst(e)inaemia, but not MTHFR C677T mutation, as a risk factor for non-arteritic ischaemic optic neuropathy, **803**
methylenetetrahydrofolate reductase (MTHFR) genotype, Thermolabile MTHFR genotype and retinal vascular occlusive disease, **88**
mice, Light induced apoptosis is accelerated in transgenic retina overexpressing human EAT/mcl-1, an anti-apoptotic bcl-2 related gene, **1237**
microbiology, Bacterial keratitis: a prospective clinical and microbiological study, **842**
microsensor, Intraocular pressure measurement at the choroid surface: a feasibility study with implications for implantable microsystems, **868**
mitochondrial DNA, Optic neuropathy and cerebellar ataxia associated with a rare missense variation (A14510G) of mitochondrial DNA: *letter*, **1009**
mitomycin C, Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery: *letter*, **121**
Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 2 Visual field progression, **696**
Impression cytology following mitomycin C therapy for ocular surface squamous neoplasia, **1115**
Long term results and complications of trabeculectomy augmented with low dose mitomycin C in patients at risk for filtration failure, **686**
Surgical excision, autolimbal transplantation, and mitomycin C in the treatment of conjunctival and corneal intraepithelial neoplasia: *letter*, **630**
Trabeculectomy with mitomycin C in the treatment of post-traumatic angle recession glaucoma, **159**
MMP-9, Tear film MMP accumulation and corneal disease, **147**
Mollon-Reffin test, A new colour vision arrangement test to detect functional changes in diabetic macular oedema, **47**
Molteno implant, Emmetropisation after Molteno implant insertion for buphthalmos: *letter*, **1139**

Molteno tube implants, Survival analysis for success of Molteno tube implants, **689**
monitoring, HAART, CMV retinitis, and monitoring: *editorial*, **766**
monoclonal gammopathy, Isolated episcleral plasmacytoma mimicking episcleritis in a patient with benign monoclonal gammopathy: *letter*, **1264**
monocularity, Is a one eyed racing driver safe to compete? Formula one (eye) or two?: *perspective*, **619**
monocyte chemoattractant protein 1, Induction of interleukin-8 in human retinal pigment epithelial cells after denuding injury, **872**
morphometry, Screening human donor corneas during organ culture for the presence of guttae, **272**
mortality, Vision impairment predicts 5 year mortality, **322**
mosaic, Mosaicking and enhancement of slit lamp biomicroscopic fundus images, **563**
motion detection, Elevated visual motion detection thresholds in adults with acquired ophthalmoplegia, **1447**
motor fusion, Spontaneous consecutive exotropia in children with motor fusion: *letter*, **242**
multifocal electroretinogram, Assessment of early retinal changes in diabetes using a new multifocal ERG protocol, **414**
Reduced amplitude and delayed latency in foveal response of multifocal electroretinogram in early age related macular degeneration, **287**
The wide field multifocal ERG reveals a retinal defect caused by vigabatrin toxicity?: *letter*, **119**
multifocal intraocular lens, Halo size under distance and near conditions in refractive multifocal intraocular lenses, **816**
multifocal intraocular lenses, Tritan colour contrast sensitivity function in refractive multifocal intraocular lenses, **811**
multiple dosing, The effect on intraocular pressure of latanoprost once or four times daily, **1163**
Munchausen's syndrome, Grotesque bilateral eyelid swelling as a symptom of Munchausen's syndrome: *letter*, **1389**
mutation, Different mutation of the XLRS1 gene causes juvenile retinoschisis with retinal white flecks: *letter*, **238**
Rhodopsin mutations in Chinese patients with retinitis pigmentosa, **1046**
myofibroblast, Intact corneal epithelium is essential for the prevention of stromal haze after laser assisted in situ keratomileusis, **209**
myopia, Correction of refractive error in the Victorian population: the feasibility of "off the shelf" spectacles, **1283**
Management of cataract surgery in a high myope, **1372**
Myopia and night lighting in children in Singapore, **527**
Myopia in Singapore: taking a public health approach, **521**
Myopia: was mother right about reading in the dark?: *editorial*, **509**
Surgical removal of subfoveal choroidal neovascularisation in highly myopic patients, **1041**
The cornea in young myopic adults, **916**

naevus, Corneal autofluorescence in choroidal melanoma or in choroidal naevus, **662**
nasal endoscopy, Value of nasal endoscopy and probing in the diagnosis and management of children with congenital epiphora, **314**
nasal tolerance, Total dose and frequency of administration critically affect success of nasal mucosal tolerance induction, **739**
nasolacrimal duct obstruction, Antegrade balloon dilatation of nasolacrimal duct obstruction in adults, **200**
necrosis, Impression cytology following mitomycin C therapy for ocular surface squamous neoplasia, **1115**
neonates, Bilateral acute retinal necrosis and herpes simplex type 2 encephalitis in a neonate: *letter*, **629**
neopterin, Urinary neopterin in idiopathic retinal vasculitis, **30**
neovascularisation, Apoptosis mediates decrease in cellularity during the regression of Arthus reaction in cornea, **613**
Preretinal neovascularisation associated with choroidal melanoma, **1309**
Nepal, Outcomes of extracapsular surgery in eye camps of eastern Nepal, **648**
The Bhaktapur eye study: ocular trauma and antibiotic prophylaxis for the prevention of corneal ulceration in Nepal, **388**
Netherlands, The Rotterdam AMblyopia Screening Effectiveness Study (RAMSES): compliance and predictive value in the first 2 years, **1332**
neural crest cells, Histopathological examination of two cases of anterior staphyloma associated with Peters' anomaly and persistent hyperplastic primary vitreous, **1421**
neuroma, Palisaded encapsulated neuroma (solitary circumscribed neuroma of skin) of the eyelid: report of two cases and review of the literature, **949**
neuroprotection, A 7 year prospective comparative study of three topical β blockers in the management of primary open angle glaucoma, **962**
neuroretinal rim, New neuroretinal rim blood flow evaluation method combining Heidelberg retina flowmetry and tomography, **304**
New Zealand, Iris melanomas: are they more frequent in New Zealand?: *commentary*, **4**
Nigeria, Cataract blindness and barriers to uptake of cataract surgery in a rural community of northern Nigeria, **776**
Xeroderma pigmentosum in three consecutive siblings of a Nigerian family: observations on oculocutaneous manifestations in black African children: *letter*, **110**
night lighting, Myopia and night lighting in children in Singapore, **527**
Myopia: was mother right about reading in the dark?: *editorial*, **509**
nitric oxide, Plasma malondialdehyde and nitric oxide levels in age related macular degeneration, **1426**
non-arteritic ischaemic optic neuropathy, Hyperhomocyst(e)inaemia, but not MTHFR C677T mutation, as a risk factor for non-arteritic ischaemic optic neuropathy, **803**
non-Hodgkin's lymphoma, Maxillary sinus non-Hodgkin's lymphoma with orbital and intraocular involvement in the acquired immunodeficiency syndrome: *letter*, **501**
non-penetrating glaucoma surgery, Non-penetrating glaucoma surgery: the state of play: *perspective*, **234**
normal tension glaucoma, Familial thrombophilia and normal tension glaucoma: *letter*, **118**
Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 2 Visual field progression, **696**
Should antiproliferatives be used in filtering surgery of normal tension glaucoma?: *editorial*, **638**
nuclear antigen, Immunohistochemical detection of heat shock protein 27 and Ki-67 in human pterygium: *letter*, **1392**
nucleotide tandem repeats, The long term outcome of limbal allografts: the search for surviving cells, **604**
nutrition, Bitot's spots and vitamin A deficiency in a child from the UK: *letter*, **372**

OA1 gene, Deletion in the *OA1* gene in a family with congenital X linked nystagmus, **1098**
occlusion treatment, Intensive occlusion therapy for amblyopia, **310**
ocular albinism, Deletion in the *OA1* gene in a family with congenital X linked nystagmus, **1098**
ocular anaesthesia, Intraocular pressure and pulsatile ocular blood flow after retrobulbar and peribulbar anaesthesia, **796**
ocular blood flow, Application of a local search strategy improves the detection of blood flow deficits in the neuroretinal rim of glaucoma patients using scanning laser Doppler flowmetry, **1298**
Intraocular pressure and pulsatile ocular blood flow after retrobulbar and peribulbar anaesthesia, **796**
ocular burns, Failure of amniotic membrane transplantation in the treatment of acute ocular burns, **1065**
Ipsilateral limbal translocation for treatment of partial limbal deficiency secondary to ocular alkali burn, **1031**
ocular disease, Tear film MMP accumulation and corneal disease, **147**
ocular hypertension, Meta-analysis of randomised controlled trials comparing latanoprost with timolol in the treatment of patients with open angle glaucoma or ocular hypertension, **983**
Ocular hypotensive efficacy and safety of once daily carteolol alginate, **921**
Slope analysis of the optic disc in eyes with ocular hypertension and early normal tension glaucoma by confocal scanning laser ophthalmoscope, **56**
ocular involvement, Ocular involvement caused by the accumulation of porphyrins in a patient with congenital erythropoietic porphyria: *letter*, **1265**
ocular Lyme borreliosis, Detection of *Borrelia burgdorferi* DNA in urine of patients with ocular Lyme borreliosis, **552**
ocular lymphoma, Cytogenetic analysis in ocular lymphoma: *letter*, **1388**
ocular post-transplant lymphoproliferative disorder (PTLD), Chorioretinal post-transplant lymphoproliferative disorder induced by the Epstein-Barr virus, **93**
ocular protection, Quantification of the ultraviolet radiation (UVR) field in the human eye in vivo using novel instrumentation and the potential benefits of UVR blocking hydrogel contact lens, **1080**
ocular pulse amplitude, Ocular pulse amplitude is reduced in patients with advanced retinitis pigmentosa, **678**
ocular refraction, The importance of genes and environment for ocular refraction and its determiners: a population based study among 20–45 year old twins, **1470**
ocular scleromalacia, Ocular scleromalacia caused by leishmaniasis: a rare cause of scleral perforation: *letter*, **240**
ocular surface, A new classification of ocular surface burns: *perspective*, **1379**
ocular surface squamous neoplasia, Impression cytology following mitomycin C therapy for ocular surface squamous neoplasia, **1115**
Impression cytology in the diagnosis of ocular surface squamous neoplasia: *letter*, **888**
Reliability of impression cytology for the diagnosis of ocular surface squamous neoplasia employing the Biopore membrane, **154**
ocular trauma, Psychiatric sequelae and psychosocial adjustment following ocular trauma: a retrospective pilot study, **560**
The Bhaktapur eye study: ocular trauma and antibiotic prophylaxis for the prevention of corneal ulceration in Nepal, **388**
ocular tuberculosis, New diagnostic approach for ocular tuberculosis by ELISA using the cord factor as antigen, **130**
oculomotor function, The effect of scleral search coil lens wear on the eye, **332**

oestrogen, Presence of oestrogen receptor type β in human retina, **877**
oestrogen receptor, Presence of oestrogen receptor type β in human retina, **877**
OKT3 therapy, Uveitis associated with OKT3 therapy for renal transplant rejection: *letter*, **500**
open angle glaucoma, A 7 year prospective comparative study of three topical β blockers in the management of primary open angle glaucoma, **962**
Delayed quinine toxicity mimicking open angle glaucoma: *letter*, **245**
Herpes simplex dendritic keratitis after treatment with latanoprost for primary open angle glaucoma: *letter*, **1008**
Meta-analysis of randomised controlled trials comparing latanoprost with timolol in the treatment of patients with open angle glaucoma or ocular hypertension, **983**
ophthalmic disorders, Screening and surveillance for ophthalmic disorders and visual deficits in children in the United Kingdom: *commentary*, **257**
ophthalmic preparations, Similarities in the packaging of cyanoacrylate nail glue and ophthalmic preparations: an ongoing problem: *letter*, **496**
ophthalmic zoster, Famciclovir for ophthalmic zoster: a randomised aciclovir controlled study, **576**
ophthalmologists, Ophthalmologists and optometrists—interesting times?: *commentary*, **769**
ophthalmology, An "overtrained" ophthalmologist responds: *letter*, **1394**
Analysis of publication trends in two internationally renowned ophthalmology journals: *letter*, **1497**
Are ophthalmologists overtrained?: *commentary*, **383**
New series on management controversies in ophthalmology: *editorial*, **1017**
ophthalmoplegia, Elevated visual motion detection thresholds in adults with acquired ophthalmoplegia, **1447**
optic disc, Optic disc changes following trabeculectomy: longitudinal and localisation of change, **956**
optic disc camera, A comparison of stereoscopic and monoscopic evaluation of optic disc topography using a digital optic disc stereo camera, **1347**
optic disc changes, Optic disc changes following trabeculectomy: *editorial*, **892**
optic nerve head, A hypothesis to explain ganglion cell death caused by vascular insults at the optic nerve head: possible implication for the treatment of glaucoma: *perspective*, **1252**
Advanced glycation end products in human optic nerve head, **52**
optic nerve head topography, Scanning laser ophthalmoscopy of the optic nerve head in exfoliation glaucoma and ocular hypertension with exfoliation syndrome, **297**
optic nerve topography, A comparison of stereoscopic and monoscopic evaluation of optic disc topography using a digital optic disc stereo camera, **1347**
optic neuropathy, Optic neuropathy and cerebellar ataxia associated with a rare missense variation (A14510G) of mitochondrial DNA: *letter*, **1009**
optical coherence tomography, The Humphrey optical coherence tomography scanner: quantitative analysis and reproducibility study of the normal human retinal nerve fibre layer, **673**
optical low coherence reflectometry, Central corneal thickness measurements in patients with normal tension glaucoma, primary open angle glaucoma, pseudoexfoliation glaucoma, or ocular hypertension, **792**
optical quality, Influence of glistenings on the optical quality of acrylic foldable intraocular lens, **1034**
optokinetic nystagmus, Comparison of the main sequence of reflexive saccades and the quick phases of optokinetic nystagmus, **1477**
Optokinetic nystagmus in patients with central field defects: *letter*, **762**
Optokinetic nystagmus in patients with central scotomas in age related macular degeneration, **169**
optometrists, Ophthalmologists and optometrists—interesting times?: *commentary*, **769**
orbit, Osteosarcoma with metastasis to orbit: *letter*, **1387**
orbital cellulitis, A postoperative complication far worse than endophthalmitis: the coexistence of orbital cellulitis: *letter*, **631**
orbital complications, Major orbital complications of endoscopic sinus surgery: *letter*, **1394**
orbital entomophthoramycosis, Orbital entomophthoramycosis in an infant: recovery following surgical debridement, combination antifungal therapy and use of hyperbaric oxygen: *letter*, **374**
orbital haemorrhage, Spontaneous orbital haemorrhage following cardiac angioplasty: *letter*, **1012**
orbital implant, Early wound dehiscence with use of hydroxyapatite orbital implant covered with calf pericardium: *letter*, **627**
orbital inflammatory disease, A role for methotrexate in the management of non-infectious orbital inflammatory disease, **1220**
orbital trauma, Major orbital complications of endoscopic sinus surgery, **598**
organ culture, Effect of three different media on serum free culture of donor corneas and isolated human corneal endothelial cells, **1416**
Pentoxifylline influences the autocrine function of organ cultured donor corneas and enhances endothelial cell survival, **1110**
Use of a pair of blood culture bottles for sterility testing of corneal organ culture media, **1158**
oscillopsia, An unusual cause of oscillopsia: *letter*, **1388**
Elevated visual motion detection thresholds in adults with acquired ophthalmoplegia, **1447**
osteoporosis pseudoglioma syndrome, Bilateral retinal detachments at birth: the osteoporosis pseudoglioma syndrome: *letter*, **1139**
osteosarcoma, Osteosarcoma with metastasis to orbit: *letter*, **1387**

paediatric cataract surgery, Accuracy of intraocular lens power calculation in paediatric cataract surgery, **939**
paediatric cycloplegia, Does instilling proxymetacaine before cyclopentolate significantly reduce stinging? The implications for paediatric cycloplegia: *letter*, **244**
painful blind eyes, Cyclodiode laser therapy for painful, blind glaucomatous eyes, **474**
palatal mucosa, Autogenous hard palate mucosa: the ideal lower eyelid spacer?, **1183**
palisaded encapsulated neuroma, Palisaded encapsulated neuroma (solitary circumscribed neuroma of skin) of the eyelid: report of two cases and review of the literature, **949**
p-ANCA, Bilateral facial nerve palsy associated with p-ANCA positive vasculitis in a patient with rheumatoid arthritis: *letter*, **1266**
papilloma, Human papillomavirus in conjunctival papilloma, **785**
paracentral scotomata, Paracentral scotomata: a new finding after vitrectomy for idiopathic macular hole, **231**
pars plana cysts, Ultrasound biomicroscopy of the peripheral retina and the ciliary body in degenerative retinoschisis associated with pars plana cysts, **976**
pars plana vitrectomy, Management of inferior retinal breaks during pars plana vitrectomy for retinal detachment, **480**
Retinal redetachment after removal of intraocular silicone oil tamponade, **1203**
Sclerotomy complications following pars plana vitrectomy: *letter*, **121**
pathophysiological paradigms, Evolving pathophysiological paradigms for age related macular degeneration: *editorial*, **510**
pemphigus vulgaris, Keratolysis in a patient with pemphigus vulgaris: *letter*, **1263**
penetrating keratoplasty, Cystic epithelial growth after penetrating keratoplasty: successful curative treatment by block excision: *letter*, **240**
Evaluation of techniques of single continuous suturing in penetrating keratoplasty, **134**
Keratolysis in a patient with pemphigus vulgaris: *letter*, **1263**
Refractive, keratometric, and topographic determination of astigmatic axis after penetrating keratoplasty: *letter*, **761**
Transscleral cyclophotocoagulation in glaucoma after penetrating keratoplasty: *letter*, **761**
Treatment of fungal keratitis by penetrating keratoplasty, **1070**
pentoxifylline, Pentoxifylline influences the autocrine function of organ cultured donor corneas and enhances endothelial cell survival, **1110**
perfluorohexyloctane, Clinicopathological correlation of epiretinal membranes and posterior lens opacification following perfluorohexyloctane tamponade, **179**
perfusion chamber, A simple corneal perfusion chamber for drug penetration and toxicity studies, **450**
permeability, Passive permeability and outward active transport of fluorescein across the blood-retinal barrier in early ARM, **592**
peroperative pain, Local anaesthesia for 1221 vitreoretinal procedures, **225**
Peters' anomaly, Histopathological examination of two cases of anterior staphyloma associated with Peters' anomaly and persistent hyperplastic primary vitreous, **1421**
phacoemulsification, Combined phacoemulsification and transpupillary drainage of silicone oil: results and complications, **942**
Extracapsular cataract extraction compared with small incision surgery by phacoemulsification: a randomised trial, **822**
Factoring cost, is phacoemulsification still the procedure of choice?: *editorial*, **765**
Results of vitrectomy performed at the time of phacoemulsification complicated by intravitreal lens fragments, **1038**
phacovitrectomy, Phacovitrectomy without prone posture for full thickness macular holes, **1316**
photocoagulation, Influence of laser photocoagulation on choroidal capillary cytoarchitecture, **40**
photodynamic therapy, Histological findings of surgically excised choroidal neovascular membranes after photodynamic therapy, **1086**
Treatment of subfoveal choroidal neovascularisation in age related macular degeneration: focus on clinical application of verteporfin photodynamic therapy: *perspective*, **483**
photoreceptor, An immune response after intraocular administration of an adenoviral vector containing a β galactosidase reporter gene slows retinal degeneration in the *rd* mouse, **341**
photoreceptors, The a-wave of the dark adapted electroretinogram in glaucomas: are photoreceptors affected?, **397**
photorefractive keratectomy, A randomised, double masked, clinical trial of high dose vitamin A and vitamin E supplementation after photorefractive keratectomy, **537**

The epithelial flap for photorefractive keratectomy, **393**
phototherapeutic keratectomy, A comparison of different depth ablations in the treatment of painful bullous keratopathy with phototherapeutic keratectomy, **912**
Combined phototherapeutic keratectomy and therapeutic contact lens for recurrent erosions in bullous keratopathy, **908**
Iatrogenic keratectasia after phototherapeutic keratectomy: *letter*, **247**
piggyback, Primary polypseudophakia for cataract surgery in hypermetropic eyes: refractive results and long term stability of the implants within the capsular bag, **1198**
pigment epithelial detachment, Clinicopathological correlation of retinal pigment epithelial tears in exudative age related macular degeneration: pretear, tear, and scarred tear, **454**
pilocarpine, Angle closure in fellow eye with prophylactic pilocarpine treatment: *letter*, **1263**
Cataract lens extraction and posterior chamber lens implantation in Korean subjects: *letter*, **249**
plasmacytoma, Isolated episcleral plasmacytoma mimicking episcleritis in a patient with benign monoclonal gammopathy: *letter*, **1264**
plasmin, Ultrastructure of the vitreoretinal interface following plasmin assisted vitrectomy, **6**
plasmin assisted vitrectomy, Ultrastructure of the vitreoretinal interface following plasmin assisted vitrectomy, **6**
pneumatic retinopexy, Management of persistent loculated subretinal fluid after pneumatic retinopexy, **189**
Practice patterns of pneumatic retinopexy in the United Kingdom: *letter*, **244**
polarising filters, Quantification of relative afferent pupillary defects induced by posterior sub-Tenon's, peribulbar, and retrobulbar anaesthetics, **1445**
polymerase chain reaction, Human papillomavirus in conjunctival papilloma, **785**
Intravitreal invading cells contribute to vitreal cytokine milieu in proliferative vitreoretinopathy, **461**
poly(methylmethacrylate), Primary polypseudophakia for cataract surgery in hypermetropic eyes: refractive results and long term stability of the implants within the capsular bag, **1198**
polypseudophakia, Interlenticular opacification in piggyback AcrySof intraocular lenses: explantation technique and laboratory investigations, **830**
Primary polypseudophakia for cataract surgery in hypermetropic eyes: refractive results and long term stability of the implants within the capsular bag, **1198**
population study, Ophthalmic manifestations of tuberous sclerosis: a population based study, **420**
porphyrins, Ocular involvement caused by the accumulation of porphyrins in a patient with congenital erythropoietic porphyria: *letter*, **1265**
posterior canal, Posterior canal predominance in bilateral skew deviation: *letter*, **1395**
posterior capsule opacification, Latent TGFβ binding protein-1 and fibrillin-1 in human capsular opacification and in cultured lens epithelial cells, **1362**
posterior capsule rupture, Visual outcome following posterior capsule rupture during cataract surgery, **222**
posterior chamber lens implantation, Cataract lens extraction and posterior chamber lens implantation in Korean subjects: *letter*, **249**
posterior vitreous detachment, Acute posterior vitreous detachment: *letter*, **504**
Ultrastructure of the vitreoretinal interface following plasmin assisted vitrectomy, **6**
post-keratoplasty atopic sclerokeratitis, Use of cyclosporin in the treatment of steroid resistant post-keratoplasty atopic sclerokeratitis, **91**
postoperative pain, Vitreoretinal surgery: pre-emptive analgesia, **1328**
post-traumatic angle recession glaucoma, Trabeculectomy with mitomycin C in the treatment of post-traumatic angle recession glaucoma, **159**
practitioners, The delivery of ophthalmic care: the practitioner, community ophthalmic teams, and contract ophthalmology: *commentary*, **1274**
pre-eclampsia, Multifocal electroretinographic and angiographic changes in pre-eclampsia: *letter*, **111**
pre-emptive analgesia, Vitreoretinal surgery: pre-emptive analgesia, **1328**
premature infants, Ocular significance of intraventricular haemorrhage in premature infants, **357**
preservation medium, Evaluation of potential organ culture media for eye banking using human donor corneas, **1075**
primary acquired melanosis, Amniotic membrane transplantation in the management of conjunctival malignant melanoma and primary acquired melanosis with atypia, **658**
primary iris stromal cyst, Primary iris stromal cyst with pseudohypopyon: an atypical presentation: *letter*, **887**
priority scoring, Computer modelling of a cataract waiting list, **582**
probing, Value of nasal endoscopy and probing in the diagnosis and management of children with congenital epiphora, **314**
proliferative retinopathy, Is the pulse rate useful in assessing risk of diabetic retinopathy and macular oedema? The Wisconsin Epidemiological Study of Diabetic Retinopathy, **925**
proliferative vitreoretinopathy, Anatomical and visual outcome of retinal detachment surgery in children, **1437**
Clinicopathological correlation of epiretinal membranes and posterior lens opacification following perfluorohexyloctane tamponade, **179**
Intravitreal invading cells contribute to vitreal cytokine milieu in proliferative vitreoretinopathy, **461**
prophylaxis, The Bhaktapur eye study: ocular trauma and antibiotic prophylaxis for the prevention of corneal ulceration in Nepal, **388**
prospective trial, A 7 year prospective comparative study of three topical β blockers in the management of primary open angle glaucoma, **962**
prostaglandin, The effect on intraocular pressure of latanoprost once or four times daily, **1163**
protease inhibitor, CMVR diagnoses and progression of CD4 cell counts and HIV viral load measurements in HIV patients on HAART, **837**
protein C deficiency, Clinical manifestations of protein C deficiency: a spectrum within one family: *letter*, **241**
proteoglycans, Ultrastructural morphology and expression of proteoglycans, βig-h3, tenascin-C, fibrillin-1, and fibronectin in bullous keratopathy, **720**
proton beam irradiation, Intraocular inflammation after proton beam irradiation for uveal melanoma, **1305**
proxymetacaine, A comparative study of proxymetacaine-fluorescein and lignocaine-fluorescein use during applanation tonometry, **477**
Does instilling proxymetacaine before cyclopentolate significantly reduce stinging? The implications for paediatric cycloplegia: *letter*, **244**
pseudoexfoliation syndrome, Pseudoexfoliation syndrome in Icelandic families, **702**
pseudohypopyon, Primary iris stromal cyst with pseudohypopyon: an atypical presentation: *letter*, **887**
psychiatric sequelae, Psychiatric sequelae and psychosocial adjustment following ocular trauma: a retrospective pilot study, **560**
psychosocial adjustment, Psychiatric sequelae and psychosocial adjustment following ocular trauma: a retrospective pilot study, **560**
pterygium, Human papillomavirus in pterygium, **782**
Immunohistochemical detection of heat shock protein 27 and Ki-67 in human pterygium: *letter*, **1392**
Quantification of the ultraviolet radiation (UVR) field in the human eye in vivo using novel instrumentation and the potential benefits of UVR blocking hydrogel contact lens, **1080**
Vascular patterns in pterygium and conjunctival autografting: a pilot study using indocyanine green anterior segment angiography, **350**
pterygium surgery, Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery: *letter*, **121**
ptosis, Rapid onset of ptosis indicates accurate intraconal placement during retrobulbar anaesthetic injection, **363**
public health, Myopia in Singapore: taking a public health approach, **521**
publication trend, Analysis of publication trends in two internationally renowned ophthalmology journals: *letter*, **1497**
pulsatile ocular blood flow, The role of choroidal haemodynamic abnormalities in the pathogenesis of age related macular degeneration: *editorial*, **1399**
Factors affecting pulsatile ocular blood flow in normal subjects, **529**
Pulsatile ocular blood flow in asymmetric exudative age related macular degeneration, **1411**
Pulsatile ocular blood flow study: decreases in exudative age related macular degeneration, **531**
pulse amplitude, Pulsatile ocular blood flow study: decreases in exudative age related macular degeneration, **531**
pulse rate, Is the pulse rate useful in assessing risk of diabetic retinopathy and macular oedema? The Wisconsin Epidemiological Study of Diabetic Retinopathy, **925**
pupillary autonomic denervation, Pupillary autonomic denervation with increasing duration of diabetes mellitus, **1225**
pyrraline, Advanced glycation end products in human optic nerve head, **52**
Pythium insidiosum, *Pythium insidiosum* keratitis confirmed by DNA sequence analysis: *letter*, **502**

questionnaires, The assessment of lens opacities in clinical practice: results of a national survey, **319**
quinine toxicity, Delayed quinine toxicity mimicking open angle glaucoma: *letter*, **245**

rabbits, Effect of ADCON-L on adjustable strabismus surgery in rabbits, **80**
racing cars, Is a one eyed racing driver safe to compete? Formula one (eye) or two?: *perspective*, **619**
radial keratotomy, Are airbags a risk for patients after radial keratotomy?: *commentary*, **640**
radiotherapy, Preretinal neovascularisation associated with choroidal melanoma, **1309**
Signet ring cell carcinoma of the eccrine sweat gland in the eyelid, treated by radiotherapy alone: *letter*, **112**
ramosetron, Ramosetron compared with granisetron for the prevention of vomiting following strabismus surgery in children, **670**

randomised clinical trials, Treatment of subfoveal choroidal neovascularisation in age related macular degeneration: focus on clinical application of verteporfin photodynamic therapy: *perspective*, **483**
randomised controlled trials, Meta-analysis of randomised controlled trials comparing latanoprost with timolol in the treatment of patients with open angle glaucoma or ocular hypertension, **983**
randomised trial, Extracapsular cataract extraction compared with small incision surgery by phacoemulsification: a randomised trial, **822**
REAL classification, Conjunctival CD5+ MALT lymphoma: *letter*, **498**
Long term outcome of ocular adnexal lymphoma subtyped according to the REAL classification, **63**
re-epithelialisation, A randomised, double masked, clinical trial of high dose vitamin A and vitamin E supplementation after photorefractive keratectomy, **537**
Referees, Referees, **124**
Referees, **506**
refractive error, Academic achievement, close up work parameters, and myopia in Singapore military conscripts, **855**
Correction of refractive error in the Victorian population: the feasibility of "off the shelf" spectacles, **1283**
refractive errors, Refractive development in children with Down's syndrome: a population based, longitudinal study, **714**
refractory glaucoma, Survival analysis for success of Molteno tube implants, **689**
regulation, Professionally led regulation in medicine: *commentary*, **513**
rejection, Influence of HLA-A, HLA-B, and HLA-DR matching on rejection of random corneal grafts using corneal tissue for retrospective DNA HLA typing, **1341**
Systemic cyclosporin A in high risk penetrating keratoplasties: a case-control study, **1464**
renal transplant rejection, Uveitis associated with OKT3 therapy for renal transplant rejection: *letter*, **500**
repeatability, Repeatability and reproducibility of upper eyelid measurements, **99**
reproducibility, Repeatability and reproducibility of upper eyelid measurements, **99**
retina, Clinicopathological correlation of epiretinal membranes and posterior lens opacification following perfluorohexyloctane tamponade, **179**
Distant cancer effects on standardised testing of peripheral vision, **291**
Evaluation of the G protein coupled receptor-75 (GPR75) in age related macular degeneration, **969**
Light induced apoptosis is accelerated in transgenic retina overexpressing human EAT/mcl-1, an anti-apoptotic bcl-2 related gene, **1237**
Mosaicking and enhancement of slit lamp biomicroscopic fundus images, **563**
Presence of oestrogen receptor type β in human retina, **877**
retinal arteriolar diameters, Computer algorithms for the automated measurement of retinal arteriolar diameters, **74**
retinal defect, The wide field multifocal ERG reveals a retinal defect caused by vigabatrin toxicity?: *letter*, **119**
retinal detachment, Anatomical and visual outcome of retinal detachment surgery in children, **1437**
Bilateral retinal detachments at birth: the osteoporosis pseudoglioma syndrome: *letter*, **1139**
Intravitreal invading cells contribute to vitreal cytokine milieu in proliferative vitreoretinopathy, **461**
Management of inferior retinal breaks during pars plana vitrectomy for retinal detachment, **480**
Outcome after silicone oil removal, **1324**
Primary rhegmatogenous retinal detachment: 20 years of change, **546**
Retinal redetachment after removal of intraocular silicone oil tamponade, **1203**
retinal hamartoma, Ophthalmic manifestations of tuberous sclerosis: a population based study, **420**
retinal necrosis, Epstein–Barr virus associated acute retinal necrosis: *letter*, **114**
retinal nerve fibre layer, The Humphrey optical coherence tomography scanner: quantitative analysis and reproducibility study of the normal human retinal nerve fibre layer, **673**
retinal nerve fibre layer thickness, Study of retinal nerve fibre layer thickness in eyes with high tension glaucoma and hemifield defect, **1167**
retinal pigment epithelium, Induction of interleukin-8 in human retinal pigment epithelial cells after denuding injury, **872**
Retinal dystrophies caused by mutations in *RPE65*: assessment of visual functions, **424**
retinal vascular occlusive disease, Thermolabile MTHFR genotype and retinal vascular occlusive disease, **88**
Thrombophilia: genetic polymorphisms and their association with retinal vascular occlusive disease: *perspective*, **883**
retinal vasculitis, New diagnostic approach for ocular tuberculosis by ELISA using the cord factor as antigen, **130**
Urinary neopterin in idiopathic retinal vasculitis, **30**
retinal vein occlusion, Is activated factor VII associated with retinal vein occlusion?, **1174**
retinal white flecks, Different mutation of the XLRS1 gene causes juvenile retinoschisis with retinal white flecks: *letter*, **238**
retinitis, Discontinuing anticytomegalovirus therapy in patients with cytomegalovirus retinitis and AIDS: *editorial*, **381**
Electrophysiological abnormalities following intravitreal vitravene (ISIS 2922) in two patients with CMV retinitis: *letter*, **1142**
retinitis pigmentosa, An immune response after intraocular administration of an adenoviral vector containing a β galactosidase reporter gene slows retinal degeneration in the *rd* mouse, **341**
Ocular pulse amplitude is reduced in patients with advanced retinitis pigmentosa, **678**
Outcome of cataract surgery in patients with retinitis pigmentosa, **936**
Retinal dystrophies caused by mutations in *RPE65*: assessment of visual functions, **424**
Rhodopsin mutations in Chinese patients with retinitis pigmentosa, **1046**
The absence of diabetic retinopathy in patients with retinitis pigmentosa: implications for pathophysiology and possible treatment: *perspective*, **366**
retinopathy, Retinopathy in chronic hepatitis C patients during interferon treatment with ribavirin, **1171**
retinopathy of prematurity, Gene therapy for retinopathy of prematurity: the eye is a window to the future: *editorial*, **891**
Gene transfer by viral vectors into blood vessels in a rat model of retinopathy of prematurity, **991**
Is the partial pressure of carbon dioxide in the blood related to the development of retinopathy of prematurity?, **1044**
Reduced incidence of retinopathy of prematurity, **933**
Regionalisation of retinopathy of prematurity (ROP) screening improves compliance with guidelines: an audit of ROP screening in the Northern Region of England, **807**
Retinopathy of prematurity—the "second lull"?: *editorial*, **1017**
retinotomy, Electrophysiological changes after 360° retinotomy and macular translocation for subfoveal choroidal neovascularisation in age related macular degeneration, **928**
retrobulbar anaesthetic injection, Rapid onset of ptosis indicates accurate intraconal placement during retrobulbar anaesthetic injection, **363**
retrobulbar injection, Echographic localisation of corticosteroid after retrobulbar injection: *letter*, **626**
rhegmatogenous retinal detachment, Changes of cone electroretinograms to colour flash stimuli after successful retinal detachment surgery, **410**
Management of persistent loculated subretinal fluid after pneumatic retinopexy, **189**
rheumatoid arthritis, Bilateral facial nerve palsy associated with p-ANCA positive vasculitis in a patient with rheumatoid arthritis: *letter*, **1266**
rhodopsin, Rhodopsin mutations in Chinese patients with retinitis pigmentosa, **1046**
Rhodotorula minuta, Endogenous *Rhodotorula minuta and Candida albicans* endophthalmitis in an injecting drug user: *letter*, **759**
rhomboid flap, The rhomboid flap in medial canthal reconstruction, **556**
ribavirin, Retinopathy in chronic hepatitis C patients during interferon treatment with ribavirin, **1171**
rim index, Optic disc changes following trabeculectomy: longitudinal and localisation of change, **956**
risk factor, Hyperhomocyst(e)inaemia, but not MTHFR C677T mutation, as a risk factor for non-arteritic ischaemic optic neuropathy, **803**
risk factors, Academic achievement, close up work parameters, and myopia in Singapore military conscripts, **855**
rods, The absence of diabetic retinopathy in patients with retinitis pigmentosa: implications for pathophysiology and possible treatment: *perspective*, **366**
RPE65, Retinal dystrophies caused by mutations in *RPE65*: assessment of visual functions, **424**
rubeosis, Photopic 30 Hz flicker ERG as a predictor for rubeosis in central retinal vein occlusion, **683**
rural community, The Bhaktapur eye study: ocular trauma and antibiotic prophylaxis for the prevention of corneal ulceration in Nepal, **388**

saccades, Comparison of the main sequence of reflexive saccades and the quick phases of optokinetic nystagmus, **1477**
scanning laser Doppler flowmetry, Application of a local search strategy improves the detection of blood flow deficits in the neuroretinal rim of glaucoma patients using scanning laser Doppler flowmetry, **1298**
scanning laser ophthalmoscope microperimetry, Predicting visual outcome after macular hole surgery using scanning laser ophthalmoscope microperimetry, **96**
scanning laser ophthalmoscopy, Scanning laser ophthalmoscopy of the optic nerve head in exfoliation glaucoma and ocular hypertension with exfoliation syndrome, **297**

scanning laser polarimetry, Discrimination between normal and glaucomatous eyes with visual field and scanning laser polarimetry measurements, **586**
Study of retinal nerve fibre layer thickness in eyes with high tension glaucoma and hemifield defect, **1167**
schizophrenia, Massive basal cell carcinoma in a schizophrenic patient: treatment options and constraints: *letter,* **117**
scleral buckling, Changes of cone electroretinograms to colour flash stimuli after successful retinal detachment surgery, **410**
scleral contact lenses, Anomalies of binocular function in patients with longstanding asymmetric keratoconus, **1057**
scleral perforation, Ocular scleromalacia caused by leishmaniasis: a rare cause of scleral perforation: *letter,* **240**
scleral search coil, The effect of scleral search coil lens wear on the eye, **332**
scleritis, Persistence of acanthamoeba antigen following acanthamoeba keratitis, **277**
sclerotomy, Sclerotomy complications following pars plana vitrectomy: *letter,* **121**
screening, A new colour vision arrangement test to detect functional changes in diabetic macular oedema: *letter,* **1013**
Non-cyclioplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children, **1179**
Regionalisation of retinopathy of prematurity (ROP) screening improves compliance with guidelines: an audit of ROP screening in the Northern Region of England, **807**
Screening and surveillance for ophthalmic disorders and visual deficits in children in the United Kingdom: *commentary,* **257**
Sensitivity and specificity of a new scoring system for diabetic macular oedema detection using a confocal laser imaging system, **34**
The Rotterdam AMblyopia Screening Effectiveness Study (RAMSES): compliance and predictive value in the first 2 years, **1332**
sebaceous carcinoma, Primary sebaceous carcinoma of the lacrimal gland: *letter,* **625**
sedation, Local anaesthesia for 1221 vitreoretinal procedures, **225**
segmental change, Optic disc changes following trabeculectomy: longitudinal and localisation of change, **956**
serodiagnosis, New diagnostic approach for ocular tuberculosis by ELISA using the cord factor as antigen, **130**
sex chromosomes, Interphase fluorescence in situ hybridisation of the X and Y chromosomes in the human eye, **1244**
sex mismatched transplantation, Interphase fluorescence in situ hybridisation of the X and Y chromosomes in the human eye, **1244**
short wavelength automated perimetry, Short wavelength automated perimetry in age related maculopathy, **1432**
short wavelength sensitive cone, Changes of cone electroretinograms to colour flash stimuli after successful retinal detachment surgery, **410**
signet ring cell carcinoma, Signet ring cell carcinoma of the eccrine sweat gland in the eyelid, treated by radiotherapy alone: *letter,* **112**
silicone oil, Combined phacoemulsification and transpupillary drainage of silicone oil: results and complications, **942**
Outcome after silicone oil removal, **1324**
Retinal redetachment after removal of intraocular silicone oil tamponade, **1203**
Silicone oil-intraocular lens interaction: which lens to use?, **543**
silicone oil tamponade, Macular hole surgery using silicone oil tamponade, **1320**
Singapore, Myopia and night lighting in children in Singapore, **527**
Myopia in Singapore: taking a public health approach, **521**
sinus surgery, Major orbital complications of endoscopic sinus surgery, **598**
Sjögren's syndrome, Modification of the tear function index and its use in the diagnosis of Sjögren's syndrome, **193**
skin, Palisaded encapsulated neuroma (solitary circumscribed neuroma of skin) of the eyelid: report of two cases and review of the literature, **949**
skin crease, Repeatability and reproducibility of upper eyelid measurements, **99**
slit lamp, Mosaicking and enhancement of slit lamp biomicroscopic fundus images, **563**
slope analysis, Slope analysis of the optic disc in eyes with ocular hypertension and early normal tension glaucoma by confocal scanning laser ophthalmoscope, **56**
Snellen, The development of a "reduced logMAR" visual acuity chart for use in routine clinical practice, **432**
social marketing, The use of a newspaper insertion to promote DIY testing of vision in India, **952**
socioeconomic status, Socioeconomic status and blindness, **1484**
SOOF, Raising the suborbicularis fat (SOOF): *letter,* **888**
Sorsby's fundus dystrophy, Clinical features of a novel TIMP-3 mutation causing Sorsby's fundus dystrophy: implications for disease mechanism, **1429**
Spain, The tubulointerstitial nephritis and uveitis (TINU) syndrome is associated with HLA-DR14 in Spanish patients: *letter,* **1010**
spectacles, Correction of refractive error in the Victorian population: the feasibility of "off the shelf" spectacles, **1283**
sterility, Use of a pair of blood culture bottles for sterility testing of corneal organ culture media, **1158**
steroids, Steroid management in giant cell arteritis, **1061**
strabismic amblyopia, Comparison between anisometropic and strabismic amblyopia using functional magnetic resonance imaging, **1052**
strabismus, Effect of ADCON-L on adjustable strabismus surgery in rabbits, **80**
strabismus surgery, Adjustable suture strabismus surgery: continuing progress: *editorial,* **2**
Indocyanine green angiography of the anterior segment in patients undergoing strabismus surgery, **214**
Ramosetron compared with granisetron for the prevention of vomiting following strabismus surgery in children, **670**
stress, Anterior uveitis and its relation to stress: *letter,* **376**
Anterior uveitis and its relation to stress: *letter,* **376**
stromal haze, Intact corneal epithelium is essential for the prevention of stromal haze after laser assisted in situ keratomileusis, **209**
stromal keratitis, Varicella zoster virus immune recovery stromal keratitis in a patient with AIDS: *letter,* **1390**
stromal remodelling, Effects of amniotic membrane on epithelial wound healing and stromal remodelling after excimer laser keratectomy in rabbit cornea, **345**
stromal thinning, Single and multilayer amniotic membrane transplantation for persistent corneal epithelial defect with and without stromal thinning and perforation, **1455**
suborbicularis fat, Raising the suborbicularis fat (SOOF): *letter,* **888**
subretinal fluid, Management of persistent loculated subretinal fluid after pneumatic retinopexy, **189**
sulphadiazine, Crystalluria with sulphadiazine: *letter,* **1265**
surgical correction, Astigmatism and the analysis of its surgical correction: *perspective,* **1127**
surgical treatment, Primary iris melanoma: diagnostic features and outcome of conservative surgical treatment, **848**
surveillance, Ascertainment of children with congenital cataract through the National Congenital Anomaly System in England and Wales, **1049**
survival analysis, Survival analysis for success of Molteno tube implants, **689**
suture removal, Refractive, keratometric, and topographic determination of astigmatic axis after penetrating keratoplasty: *letter,* **761**
suturing techniques, Evaluation of techniques of single continuous suturing in penetrating keratoplasty, **134**
sympathetic ophthalmia, Immunogenetics and clinical phenotype of sympathetic ophthalmia in British and Irish patients, **281**
Sympathetic ophthalmia associated with high frequency deafness: *letter,* **496**
systemic vascular syndrome, Bilateral circumscribed haemangioma of the choroid not associated with systemic vascular syndrome: *letter,* **1260**

T cell activation, Single dose intranasal administration of retinal autoantigen generates a rapid accumulation and cell activation in draining lymph node and spleen: implications for tolerance therapy, **1001**
tear, Clinicopathological correlation of retinal pigment epithelial tears in exudative age related macular degeneration: pretear, tear, and scarred tear, **454**
tear film, Tear film MMP accumulation and corneal disease, **147**
tear function index, Modification of the tear function index and its use in the diagnosis of Sjögren's syndrome, **193**
temporal artery biopsy, Temporal artery biopsy in the management of giant cell arteritis with neuro-ophthalmic complications, **1248**
tenascin-C, Ultrastructural morphology and expression of proteoglycans, βig-h3, tenascin-C, fibrillin-1, and fibronectin in bullous keratopathy, **720**
thermal burns, A new classification of ocular surface burns: *perspective,* **1379**
thermotherapy, Yellow dye laser thermotherapy of choroidal neovascularisation in age related macular degeneration, **708**
thin film transistor, Effect of digital image compression on screening for diabetic retinopathy, **799**
thrombophilia, Thrombophilia: genetic polymorphisms and their association with retinal vascular occlusive disease: *perspective,* **883**
timolol, Meta-analysis of randomised controlled trials comparing latanoprost with timolol in the treatment of patients with open angle glaucoma or ocular hypertension, **983**
TIMP-3, Clinical features of a novel TIMP-3 mutation causing Sorsby's fundus dystrophy: implications for disease mechanism, **1429**
tolerance, Single dose intranasal administration of retinal autoantigen generates a rapid accumulation and cell activation in draining lymph node and spleen: implications for tolerance therapy, **1001**
tomography, Optical coherence tomography of the vitreoretinal interface in macular hole formation, **1092**
tonometric curves, Daily tonometric curves after cataract surgery, **24**
toxicity, Autologous serum eyedrops for dry eyes and epithelial defects: clinical and in vitro toxicity studies, **1188**
trabeculectomy, A randomised trial of the effect of intraoperative 5-FU on the outcome of trabeculectomy in east Africa, **1028**

Long term results and complications of trabeculectomy augmented with low dose mitomycin C in patients at risk for filtration failure, **686**
Optic disc changes following trabeculectomy: longitudinal and localisation of change, **956**
Optic disc changes following trabeculectomy: *editorial*, **892**
Trabeculectomy with mitomycin C in the treatment of post-traumatic angle recession glaucoma, **159**
trachoma, Blinding trachoma: the forgotten problem: *editorial*, **1397**
Can we eliminate trachoma?, **385**
The burden of trachoma in the rural Nile Delta of Egypt: a survey of Menofiya governorate, **1406**
training, An "overtrained" ophthalmologist responds: *letter*, **1394**
Are ophthalmologists overtrained?: *commentary*, **383**
transcutaneous monitoring, Is the partial pressure of carbon dioxide in the blood related to the development of retinopathy of prematurity?, **1044**
transplantation, Amniotic membrane transplantation for partial limbal stem cell deficiency, **567**
Pentoxifylline influences the autocrine function of organ cultured donor corneas and enhances endothelial cell survival, **1110**
transpupillary drainage, Combined phacoemulsification and transpupillary drainage of silicone oil: results and complications, **942**
transpupillary thermotherapy, Transpupillary thermotherapy (TTT) for the treatment of choroidal neovascularisation, **173**
TTT and CMV: *letter*, **1013**, **1268**
transretinal "endoresection", Intrascleral recurrence of uveal melanoma after transretinal "endoresection": *letter*, **114**
transscleral cyclophotocoagulation, Transscleral cyclophotocoagulation in glaucoma after penetrating keratoplasty: *letter*, **761**
treatment options, Massive basal cell carcinoma in a schizophrenic patient: treatment options and constraints: *letter*, **117**
trehalose, Trehalose protects corneal epithelial cells from death by drying, **610**
trichiasis, Argon laser and trichiasis: a helpful tip: *letter*, **762**
trichotillomania, Trichotillomania: *letter*, **1386**
tritan colour contrast sensitivity, Tritan colour contrast sensitivity function in refractive multifocal intraocular lenses, **811**
tuberculosis, TB or not TB? The perennial question: *editorial*, **127**
tuberous sclerosis complex, Ophthalmic manifestations of tuberous sclerosis: a population based study, **420**
tubulointerstitial nephritis and uveitis syndrome, The tubulointerstitial nephritis and uveitis (TINU) syndrome is associated with HLA-DR14 in Spanish patients: *letter*, **1010**
tumour, Leucocoria as the presenting sign of a ciliary body melanoma in a child: *letter*, **115**
tumour resection, Uveal tumour resection, **1213**
Turkish family, Waardenburg syndrome type 2 in a Turkish family: implications for the importance of the pattern of fundus pigmentation: *letter*, **1384**
twins, The importance of genes and environment for ocular refraction and its determiners: a population based study among 20–45 year old twins, **1470**

ultrasonography, The suitability of the ultrasound biomicroscope for establishing texture in giant cell arteritis, **946**
ultrasound biomicroscopy, The suitability of the ultrasound biomicroscope for establishing texture in giant cell arteritis, **946**
Ultrasound biomicroscopy of the peripheral retina and the ciliary body in degenerative retinoschisis associated with pars plana cysts, **976**
ultraviolet radiation, Quantification of the ultraviolet radiation (UVR) field in the human eye in vivo using novel instrumentation and the potential benefits of UVR blocking hydrogel contact lens, **1080**
United Kingdom, Are ophthalmologists overtrained?: *commentary*, **383**
Practice patterns of pneumatic retinopexy in the United Kingdom: *letter*, **244**
urine, Detection of *Borrelia burgdorferi* DNA in urine of patients with ocular Lyme borreliosis, **552**
utility theory, Utility values associated with blindness in an adult population, **327**
uvea, Factors associated with elevated intraocular pressure in eyes with iris melanoma, **666**
uveal melanoma, A comparison of ocular melanocyte and uveal melanoma cell invasion and the implication of α1β1, α4β1 and α6β1 integrins, **732**
Cell proliferation activity in posterior uveal melanoma after Ru-106 brachytherapy: an EORTC ocular oncology group study, **1208**
Intraocular inflammation after proton beam irradiation for uveal melanoma, **1305**
Intrascleral recurrence of uveal melanoma after transretinal "endoresection": *letter*, **114**
Prediction of prognosis in patients with uveal melanoma using fluorescence in situ hybridisation, **1440**
Primary iris melanoma: diagnostic features and outcome of conservative surgical treatment, **848**
uveal tumour, Uveal tumour resection, **1213**
uveitis, Anterior ischaemic optic neuropathy in a patient with HLA-B27 associated anterior uveitis and ankylosing spondylitis: *letter*, **756**
Immunogenetics and clinical phenotype of sympathetic ophthalmia in British and Irish patients, **281**
Macrophage migration inhibitory factor in ocular fluids of patients with uveitis, **1367**
Uveitis associated with OKT3 therapy for renal transplant rejection: *letter*, **500**

Valediction, Sir Harold Ridley's vision, **1022**
vancomycin, Intravitreal vancomycin and gentamicin concentrations in patients with postoperative endophthalmitis, **1289**
varicella zoster virus, Varicella zoster virus immune recovery stromal keratitis in a patient with AIDS: *letter*, **1390**
vascular endothelial growth factor, The absence of diabetic retinopathy in patients with retinitis pigmentosa: implications for pathophysiology and possible treatment: *perspective*, **366**
vasculitis, Bilateral facial nerve palsy associated with p-ANCA positive vasculitis in a patient with rheumatoid arthritis: *letter*, **1266**
vernal keratoconjunctivitis, Expression of chemokine receptors in vernal keratoconjunctivitis, **1357**
verteporfin, Treatment of subfoveal choroidal neovascularisation in age related macular degeneration: focus on clinical application of verteporfin photodynamic therapy: *perspective*, **483**
vertical ocular movement, Disconjugate vertical ocular movement in a patient with locked-in syndrome: *letter*, **497**
vigabatrin toxicity, The wide field multifocal ERG reveals a retinal defect caused by vigabatrin toxicity?: *letter*, **119**
viscoelastics, Intraocular pressure rise after small incision cataract surgery: a randomised intraindividual comparison of two dispersive viscoelastic agents, **139**
vision, Distant cancer effects on standardised testing of peripheral vision, **291**
Outcome of lens aspiration and intraocular lens implantation in children aged 5 years and under, **540**
Vision 2020, Blindness in Africa: present situation and future needs, **897**
Cataract and "Vision 2020—the right to sight" initiative: *editorial*, **635**
Socioeconomic status and blindness, **1484**
vision impairment, Vision impairment predicts 5 year mortality, **322**
vision test, The development of a "reduced logMAR" visual acuity chart for use in routine clinical practice, **432**
visual acuity, Retinal redetachment after removal of intraocular silicone oil tamponade, **1203**
The development of a "reduced logMAR" visual acuity chart for use in routine clinical practice, **432**
The use of a newspaper insertion to promote DIY testing of vision in India, **952**
visual deficits, Screening and surveillance for ophthalmic disorders and visual deficits in children in the United Kingdom: *commentary*, **257**
visual deprivation, Anomalies of binocular function in patients with longstanding asymmetric keratoconus, **1057**
visual field, Discrimination between normal and glaucomatous eyes with visual field and scanning laser polarimetry measurements, **586**
Ocular pulse amplitude is reduced in patients with advanced retinitis pigmentosa, **678**
Short wavelength automated perimetry in age related maculopathy, **1432**
visual field defects, Optokinetic nystagmus in patients with central scotomas in age related macular degeneration, **169**
Visual field defects after vitrectomy with fluid-air exchange: *letter*, **121**
visual field progression, Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 2 Visual field progression, **696**
visual function, Relation between macular morphology and visual function in patients with choroidal neovascularisation of age related macular degeneration, **184**
visual impairment, Causes of severe visual impairment and blindness in children attending schools for the visually handicapped in the Czech Republic, **1149**
The assessment of lens opacities in clinical practice: results of a national survey, **319**
visual loss, Steroid management in giant cell arteritis, **1061**
visual outcome, Visual outcome following posterior capsule rupture during cataract surgery, **222**
visual screening, Intensive occlusion therapy for amblyopia, **310**
vitamin A, A randomised, double masked, clinical trial of high dose vitamin A and vitamin E supplementation after photorefractive keratectomy, **537**
Bitot's spots and vitamin A deficiency in a child from the UK: *letter*, **372**
vitamin E, A randomised, double masked, clinical trial of high dose vitamin A and vitamin E supplementation after photorefractive keratectomy, **537**

vitravene, Electrophysiological abnormalities following intravitreal vitravene (ISIS 2922) in two patients with CMV retinitis: *letter,* **1142**
vitrectomy, Anatomical and visual outcome of retinal detachment surgery in children, **1437**
Effectiveness of apraclonidine 1% in preventing intraocular pressure rise following macular hole surgery, **164**
Paracentral scotomata: a new finding after vitrectomy for idiopathic macular hole, **231**
Primary rhegmatogenous retinal detachment: 20 years of change, **546**
Results of vitrectomy performed at the time of phacoemulsification complicated by intravitreal lens fragments, **1038**
Surgical removal of subfoveal choroidal neovascularisation in highly myopic patients, **1041**
Visual field defects after vitrectomy with fluid-air exchange: *letter,* **121**
vitreoretinal interface, Ultrastructure of the vitreoretinal interface following plasmin assisted vitrectomy, **6**
vitreoretinal surgery, Local anaesthesia for 1221 vitreoretinal procedures, **225**
Outcome after silicone oil removal, **1324**
Vitreoretinal surgery: pre-emptive analgesia, **1328**
vitreous, Intravitreal invading cells contribute to vitreal cytokine milieu in proliferative vitreoretinopathy, **461**
vitreous humour, Macrophage migration inhibitory factor in ocular fluids of patients with uveitis, **1367**
vomiting, Ramosetron compared with granisetron for the prevention of vomiting following strabismus surgery in children, **670**
von Willebrand factor, Plasma homocysteine, methylene tetrahydrofolate reductase C677T and factor II G20210A polymorphisms, factor VIII, and VWF in central retinal vein occlusion, **1313**

Waardenburg syndrome, Waardenburg syndrome type 2 in a Turkish family: implications for the importance of the pattern of fundus pigmentation: *letter,* **1384**
waiting list, Computer modelling of a cataract waiting list, **582**
Wegener's granulomatosis, Wegener's granulomatosis as a cause of cicatrising conjunctivitis: *letter,* **628**
world blindness, World blindness: a 21st century perspective, **261**
World blindness—no end in sight: *editorial,* **253**
wound dehiscence, Early wound dehiscence with use of hydroxyapatite orbital implant covered with calf pericardium: *letter,* **627**

X linked dominant, X linked dominant congenital isolated bilateral ptosis: the definition and characterisation of a new condition, **70**
xeroderma pigmentosum, Xeroderma pigmentosum in three consecutive siblings of a Nigerian family: observations on oculocutaneous manifestations in black African children: *letter,* **110**
XLRS1 gene, Different mutation of the XLRS1 gene causes juvenile retinoschisis with retinal white flecks: *letter,* **238**